








IP CAMERA

IP CAMERA









		Model	Appearance	Resolution	Weather Proof	Lens	WDR	Description	price
1	20 series	DS-2CD2020F-I		2MP	IP66	4/6mm Fixed lens	DWDR	1/3" Progressive CMOS, ICR, 0lux with IR, 1920x1080:25fps(P)/30fps(N), 4mm/F2.0 lens (6mm optional), H.264/MJPEG , dual-stream, IP66, DWDR, 3D DNR, BLC, Support on-board storage (SD card not included), IR range: up to 30m, Bracket included, Housing: plastic and metallic, DC12V & external PoE cable, , Support Mobile Monitoring via EZVIZ P2P -W: Built-in Wi-Fi	5,543,800
2		DS-2CD2042WD-I		4MP	IP67	4/6mm Fixed lens	120dB WDR	1/3" Progressive CMOS, ICR, 0lux with IR, 2688x1520: 20fps, 4mm/F2.0 lens (6mm optional), H.264+/H.264/MJPEG , VCA functions, 3 streams , IP67, DC12V & PoE, 120dB WDR, 3D DNR, BLC , IR range: up to 30m, Full metallic housing, HIK-Connect cloud service	7,822,800
3		DS-2CD2052-I		5MP	IP67	4/6mm Fixed lens	DWDR	1/3" Progressive CMOS, ICR, 0lux with IR, 2560x1920: 20fps, 4mm/F2.0 lens (6mm optional), H.264+/H.264/MJPEG , 3 streams , IP67, DC12V & PoE, DWDR, 3D DNR, BLC, IR range: up to 30m, Full metallic housing, HIK-Connect cloud service	10,112,400







IP CAMERA

4	21 series	DS-2CD 2120F-I		2MP	IP66	2.8/4/6mm Fixed lens	DWDR	1/3" Progressive CMOS, ICR, 0lux with IR, 1920x1080:25fps(P)/30fps(N), 4mm/F2.0 lens (2.8mm, 6mm optional), H.264/MJPEG , dual-stream, IP66, DC12V & PoE, DWDR, 3D DNR, BLC , IR range: up to 30m, Support on-board storage (SD card not included), Support Mobile Monitoring via EZVIZ P2P	5,543,800
5		DS-2CD 2120F-IS		2MP	IP66	2.8/4/6mm Fixed lens	DWDR	1/3" Progressive CMOS, ICR, 0lux with IR, 1920x1080:25fps(P)/30fps(N), 4mm/F2.0 lens (2.8mm, 6mm optional), H.264/MJPEG , dual-stream , IP66, DC12V & PoE, DWDR, 3D DNR, BLC , IR range: up to 30m, Support on-board storage (SD card not included), Support Mobile Monitoring via EZVIZ P2P -S: Audio/Alarm IO connectors	6,031,400
6		DS-2CD 2142FWD-IS		4MP	IP67, IK10	2.8/4/6mm Fixed lens	120dB WDR	1/3" Progressive CMOS, ICR, 0lux with IR, 2688x1520: 20fps, 4mm/F2.0 lens (2.8/6mm optional), H.264+/H.264/MJPEG , VCA functions, 3 streams , IP67, IK10, DC12V & PoE, DWDR, 3D DNR, BLC , support on-board storage up to 128GB(SD card not included), 3-axis adjustment, IR range: up to 30m, Vandal-proof housing, HIK-Connect cloud service -S: Audio/Alarm IO	8,480,000
7		DS-2CD 2152F-IS		5MP	IP67, IK10	4/6mm Fixed lens	DWDR	1/3" Progressive CMOS, ICR, 0lux with IR, 2560x1920: 20fps, 4mm/F2.0 lens (6mm optional), H.264+/H.264/MJPEG , 3 streams , IP67 , IK10, DC12V & PoE, DWDR, 3D DNR, BLC , support on-board storage up to 128GB (SD card not included), 3-axis adjustment, IR range: up to 30m, Vandal-proof housing, HIK-Connect cloud service -S: Audio/Alarm IO	10,589,400







IP CAMERA

8	23 series	DS-2CD2322WD-I		2MP	IP67	2.8/4/6mm Fixed lens	120dB WDR	1/3" Progressive CMOS, ICR, 0lux with IR, 1920x1080: 25fps(P)/30fps(N), 4mm/F2.0 lens (2.8/6/8/12mm optional), H.264+/H.264/MJPEG , VCA functions; 3 streams , IP67 , DC12V & PoE, 120dB WDR , 3D DNR, BLC, EXIR range: up to 30m	8,310,400
9		DS-2CD2342WD-I		4MP	IP67	2.8/4/6mm Fixed lens	120dB WDR	1/3" Progressive CMOS, ICR, 0lux with IR, 2688x1520:20fps, 4mm/F2.0 lens (2.8/6mm optional), H.264+/H.264/MJPEG , VCA functions; 3 streams , IP67 , DC12V & PoE, 120dB WDR , 3D DNR, BLC, EXIR range: up to 30m	9,126,600
10		DS-2CD2352-I		5MP	IP67	2.8/4/6mm Fixed lens	DWDR	1/3" Progressive CMOS, ICR, 0lux with IR, 2560x1920:20fps, 4mm/F2.0 lens (2.8/6mm optional), H.264+/H.264/MJPEG , 3 streams , IP67 , DC12V & PoE, DWDR, 3D DNR, BLC, EXIR range: up to 30m	11,087,600
11	24 series	DS-2CD2420F-IW		2MP	Indoor	2.8/4/6mm Fixed lens	DWDR	1/3" Progressive CMOS, ICR, 0lux with IR, 1920x1080:25fps(P)/30fps(N), 4mm/F2.0 lens (2.8mm, 6mm optional), H.264/MJPEG , dual-stream , DC12V & PoE, DWDR, 3D DNR, BLC, IR: up to 10m, Support on-board card slot (SD card not included), Support Mobile Monitoring via EZVIZ P2P -W: Built-in Wi-Fi with WPS	6,031,400
12		DS-2CD2442FWD-IW		4MP	Indoor	2.8/4/6mm Fixed lens	120dB WDR	1/3" Progressive CMOS, ICR, 0.01lux/F1.2, 2688x1520:20fps, 4mm/F2.0 lens (2.8/6mm optional), H.264+/H.264/MJPEG , VCA functions; 3 streams , DC12V & PoE, 120dB WDR , 3D DNR, BLC, IR range: up to 10m, support on-board storage up to 128GB(SD card not included), built-in WIFI	8,310,400
13	25 series	DS-2CD2542FWD-IS		4MP	IP67, IK08	2.8/4/6mm Fixed lens	120dB WDR	1/3" Progressive CMOS, ICR, 0lux with IR, 2688x1520:20fps, 4mm/F2.0 lens (2.8mm, 6mm optional), H.264+/H.264/MJPEG , VCA functions; 3 streams , IP67 , DC12V & PoE, 120dB WDR , 3D DNR, BLC, IR: up to 10m, support on-board storage up to 128GB (SD card not included), HIK-Connect cloud service -S: Built-in MIC, audio/alarm IO	10,928,600








IP CAMERA

14	26 series	DS-2CD2620F-I		2MP	IP66	2.8~12mm VF lens	DWDR	1/3" Progressive CMOS, ICR, 0lux with IR, 1920x1080:25fps(P)/30fps(N), 2.8~12mm VF lens, H.264/MJPEG, dual-stream, IP66, DC12V & PoE, DWDR, 3D DNR, BLC, IR: up to 30m, Support on-board card slot (SD card not included), Support Mobile Monitoring via EZVIZ P2P -Z: Motorized VF lens	10,430,400
15		DS-2CD2620F-IZ		2MP	IP66	2.8~12mm VF lens (-Z: Motorized VF lens)	DWDR	1/3" Progressive CMOS, ICR, 0lux with IR, 1920x1080:25fps(P)/30fps(N), 2.8~12mm VF lens, H.264/MJPEG, dual-stream, IP66 , DC12V & PoE, DWDR, 3D DNR, BLC, IR: up to 30m, Support on-board card slot (SD card not included), Support Mobile Monitoring via EZVIZ P2P -Z: Motorized VF lens	12,306,600
16		DS-2CD2622FWD-IS		2MP	IP67	2.8~12mm VF lens	120dB WDR	1/2.8" Progressive CMOS, ICR, 0.01lux/F1.2, 1920x1080:25fps(P)/30fps(N), 2.8~12mm VF lens, IP67, H.264+/H.264/MJPEG, VCA functions; 3 streams, IP67, DC12V & PoE, 120dB WDR, 3D DNR, BLC, IR: up to 30m, support on-board storage up to 128GB (SD card not included), HIK-Connect cloud service -S: Audio/alarm IO	14,023,800
17		DS-2CD2642FWD-IS		4MP	IP67	2.8~12mm VF lens	120dB WDR	1/3" Progressive CMOS, ICR, 0.01lux/F1.2, 2688x1520:20fps, 2.8~12mm VF lens, IP67, H.264+/H.264/MJPEG , VCA functions; 3 streams, IP67, DC12V & PoE, 120dB WDR , 3D DNR, BLC, IR: up to 30m, support on-board storage up to 128GB (SD card not included), HIK-Connect cloud service -S: Audio/alarm IO	15,974,200
18	26 series	DS-2CD2642FWD-IZS		4MP	IP67	2.8~12mm VF lens (-Z: Motorized VF lens)	120dB WDR	1/3" Progressive CMOS, ICR, 0.01lux/F1.2, 2688x1520:20fps, 2.8~12mm VF lens, IP67, H.264+/H.264/MJPEG , VCA functions; 3 streams, IP67, DC12V & PoE, 120dB WDR , 3D DNR, BLC, IR: up to 30m, support on-board storage up to 128GB (SD card not included), HIK-Connect cloud service -S: Audio/alarm IO-Z: Motorized VF lens	18,910,400
19		DS-2CD2652F-IS		5MP	IP67	2.8~12mm VF lens	DWDR	1/3" Progressive CMOS, ICR, 0.01lux/F1.2, 2560x1920:20fps, 2.8~12mm VF lens, IP67, H.264+/H.264/MJPEG , 3 streams, IP67 , DC12V & PoE, DWDR, 3D DNR, BLC, IR: up to 30m, support on-board storage up to 128GB (SD card not included), HIK-Connect cloud service , -S: Audio/alarm IO	19,716,000





IP CAMERA

20	27 series	DS-2CD2720F-I		2MP	IP66	2.8~12mm VF lens	DWDR	1/3" Progressive CMOS, ICR, 0lux with IR, 1920x1080:25fps(P)/30fps(N), 2.8~12mm VF lens , H.264/MJPEG, dual-stream, IP66, DC12V & PoE, DWDR, 3D DNR, BLC, IR: up to 30m, Support on-board card slot (SD card not included), Vandal-proof, Support Mobile Monitoring via EZVIZ P2P	10,759,000
21		DS-2CD2720F-IS		2MP	IP66	2.8~12mm VF lens	DWDR	1/3" Progressive CMOS, ICR, 0lux with IR, 1920x1080:25fps(P)/30fps(N), 2.8~12mm VF lens , H.264/MJPEG, dual-stream, IP66, DC12V & PoE, DWDR, 3D DNR, BLC, IR: up to 30m, Support on-board card slot (SD card not included), Vandal-proof, Support Mobile Monitoring via EZVIZ P2P -S: Audio/Alarm IO connectors	11,331,400
22		DS-2CD2742 FWD-IS		4MP	IP67, IK10	2.8~12mm VF lens	120dB WDR	1/3" Progressive CMOS, ICR, 0lux with IR, 2688x1520:20fps, 2.8~12mm VF lens, IP67, H.264+/H.264/MJPEG , VCA functions; 3 streams, IP67, DC12V & PoE, 120dB WDR, 3D DNR, BLC, IR: up to 30m, support on-board storage up to 128GB (SD card not included), Vandal-proof housing, HIK-Connect cloud service -S: Audio/alarm IO	16,620,800
23		DS-2CD 2742FWD-IZS		4MP	IP67, IK10	2.8~12mm VF lens (-Z:Motorized VF lens)	120dB WDR	1/3" Progressive CMOS, ICR, 0lux with IR, 2688x1520:20fps, 2.8~12mm VF lens, IP67, H.264+/H.264/MJPEG , VCA functions; 3 streams, IP67, DC12V & PoE, 120dB WDR, 3D DNR, BLC, IR: up to 30m, support on-board storage up to 128GB (SD card not included), Vandal-proof housing, HIK-Connect cloud service -S: Audio/alarm IO -Z: Motorized VF lens	19,069,400
24		DS-2CD 2752F-IS		5MP	IP67, IK10	2.8~12mm VF lens	DWDR	1/3" Progressive CMOS, ICR, 0lux with IR, 2560x1920:20fps, 2.8~12mm VF lens, IP67, H.264+/H.264/MJPEG , 3 streams, IP67, DC12V & PoE, DWDR, 3D DNR, BLC, IR: up to 30m, support on-board storage up to 128GB (SD card not included), Vandal-proof housing, HIK-Connect cloud service -S: Audio/alarm IO	18,094,200
25		DS-2CD 2752F-IZS		5MP	IP67, IK10	2.8~12mm VF lens (-Z:Motorized VF lens)	DWDR	1/3" Progressive CMOS, ICR, 0lux with IR, 2560x1920:20fps, 2.8~12mm VF lens, IP67, H.264+/H.264/MJPEG , 3 streams, IP67, DC12V & PoE, DWDR, 3D DNR, BLC, IR: up to 30m, support on-board storage up to 128GB (SD card not included), Vandal-proof housing, HIK-Connect cloud service, Audio/alarm IO, Motorized VF lens	22,482,600

IP CAMERA

26	29 series	DS-2CD 2942F-IS		4MP	Indoor	1.6mm Fisheye Lens	DWDR	1/3" Progressive CMOS, Electronic Day/night, Up to 2464 x 1520 resolution, 1.6mm/F1.6 fixed lens, 180° Panoramic view , H.264/MJPEG, 3D DNR, DC12V & PoE, Support on-board storage up to 64GB (SD card not included), software de-warping via iVMS5200 or iVMS4200, Support mobile monitoring via HIK-cloud P2P, 3pcs IR LEDs, up to 10m IR, Audio/Alarm IO	18,656,000
27	2T series	DS-2CD 2T42WD-I3		4MP	IP67	4/6mm Fixed lens	120dB WDR	1/3" Progressive CMOS, ICR, 0lux with IR, 2688x1520:20fps, 4mm/F1.4 lens (6mm optional), H.264+/H.264/MJPEG , VCA functions; 3 streams , IP67 , DC12V & PoE, 120dB WDR, 3D DNR, BLC, HIK-Connect cloud service -I3: 1pcs EXIR LED, up to 30m IR range	8,808,600
28		DS-2CD 2T42WD-I5		4MP	IP67	4/6mm Fixed lens	120dB WDR	1/3" Progressive CMOS, ICR, 0lux with IR, 2688x1520:20fps, 4mm/F1.4 lens (6mm optional), H.264+/H.264/MJPEG , VCA functions; 3 streams , IP67 , DC12V & PoE, 120dB WDR , 3D DNR, BLC, HIK-Connect cloud service -I5: 2pcs EXIR LEDs, up to 50m IR range	9,455,200
29		DS-2CD 2T42WD-I8		4MP	IP67	4/6mm Fixed lens	120dB WDR	1/3" Progressive CMOS, ICR, 0lux with IR, 2688x1520:20fps, 4mm/F1.4 lens (6mm optional), H.264+/H.264/MJPEG , VCA functions; 3 streams , IP67 , DC12V & PoE, 120dB WDR, 3D DNR, BLC, HIK-Connect cloud service -I8: 4pcs EXIR LEDs, up to 80m IR range	10,303,200
30		DS-2CD2T52-I5		5MP	IP67	4/6mm Fixed lens	DWDR	1/3" Progressive CMOS, ICR, 0lux with IR, 2560x1920:20fps, 4mm/F1.4 lens (6mm optional), H.264+/H.264/MJPEG , 3 streams, IP67 , DC12V & PoE, 120dB WDR, 3D DNR, BLC, HIK-Connect cloud service, 2pcs EXIR LEDs, up to 50m IR range	11,087,600
31		2F series	DS-2CD 2F52F-IS		5MP	Indoor	2.8/4/6mm Fixed lens	DWDR	1/3" Progressive CMOS, ICR, 0lux with IR, 2560x1920: 20fps, 2048x1536: 25fps(P)/30fps(N), 4mm/F2.0 lens (2.8/6mm lens optional), H.264+/H.264/MJPEG , 3 streams, DC12V & PoE, DWDR, 3D DNR, BLC, IR range: up to 10m, Support on-board storage up to 128GB (SD card not included), Pan: 0°~180°, Tilt: 0°~75°, HIK-Connect cloud service -S: Audio/Alarm IO
32	2D series	DS-2CD 2D14WD		1.0MP	Indoor	3.6mm Fixed lens	100dB WDR	1/4" Progressive CMOS, Electronic Day/night, Color: 0.01lux/F1.2, B/W: 0.001lux/F1.2, 1280x720: 25fps(P)/30fps(N), 3.6mm/F1.2 lens, H.264/MJPEG, dual-stream, DC12V, 100dB WDR , 3D DNR, BLC, Support Mobile Monitoring via EZVIZ P2P	6,762,800

IP CAMERA

33	2E series	DS-2CD 2E20F-W		2MP	Indoor	2.8/4/6mm Fixed lens	DWDR	1/3" Progressive CMOS, Day/night, 0.1lux/F1.2, 1920x1080:25fps(P)/30fps(N), 4mm lens (2.8/6mm optional), H.264/MJPEG , dual-stream, DC12V & PoE, DWDR, 3D DNR, BLC, Support on-board storage up to 64GB (SD card not included), Support Mobile Monitoring via EZVIZ P2P, Color Lens Cover optional (Black, Silver, Golden) -W: Built-in Wi-Fi	7,632,000
34	2Q series	DS-2CD 2Q10FD-IW		1.0MP	Indoor	2.8/4/6mm Fixed lens	DWDR	1/4" Progressive CMOS, ICR, 0lux with IR, 4mm/F2.0 (2.8/6mm optional), Pan/tilt rotation, 1280x720:25fps(P)/30fps(N), H.264/MJPEG, dual-stream, DC5V, DWDR, 3D DNR, BLC, Support on-board card slot (SD card not included), Audio, Alarm IO, Up to 10m IR, PIR, Wi-Fi with WPS connection, Support Mobile Monitoring via EZVIZ P2P	7,229,200
35		DS-2CV2Q21FD -IW/32GB-T		2MP	Indoor	2.8mm Fixed lens	DWDR	1/2.8" Progressive CMOS, ICR, 0lux with IR, 1920x1080: 25fps(P)/30fps(N), 2.8mm lens, H.264/MJPEG, dual-stream, 3D DNR, 5m IR, PT function (Pan: 0° ~ 355°; Tilt: -10° ~ 90°), support on-board storage up to 128GB , HIK-Connect cloud service, Build-in microphone and speaker, support two-way audio. Built-in Wi-Fi , 12VDC power supply. Default: No SD card included. /32GB-T: Include 16GB sd card .	8,151,400
36	2U series	DS-2CV2U21FD -IW/32GB-T		2MP	Indoor	2.8mm Fixed lens	DWDR	1/2.8" Progressive CMOS, ICR, 0lux with IR, 1920x1080: 25fps(P)/30fps(N), 2.8mm lens, H.264/MJPEG , dual-stream, 3D DNR, 5m IR, support on-board storage up to 128GB, HIK-Connect cloud service, Build-in microphone and speaker, support two-way audio. Built-in Wi-Fi , 12VDC power supply. /32GB-T: Include 32GB sd card.	6,529,600

