


















Network Video Recorder

		Model	Appearance	in/out bandwidth		resolution	Description	Price
1	DS-7600NI-E1(-E2) series	DS-7604NI-E1		40Mbps / 80Mbps	4	4-ch 1080P	40Mbps Bit Rate Input Max (up to 4-ch IP video), 1 SATA interface, standalone 1U case	6,105,600
2		DS-7604NI-E1/4P		40Mbps / 80Mbps	4	4-ch 1080P	40Mbps Bit Rate Input Max (up to 4-ch IP video), 1 SATA interfaces, 4 independent PoE network interfaces, standalone 1U case	9,052,400
3		DS-7608NI-E2		80Mbps / 80Mbps	8	6-ch 1080P	80Mbps Bit Rate Input Max (up to 8-ch IP video), 2 SATA interfaces, 380 1U case	8,533,000
4		DS-7608NI-E2/8P		80Mbps / 80Mbps	8	6-ch 1080P	80Mbps Bit Rate Input Max (up to 8-ch IP video), 2 SATA interfaces, 8 independent PoE network interfaces, 380 1U case	14,267,600
5		DS-7616NI-E2		160Mbps / 80Mbps	16	6-ch 1080P	160Mbps Bit Rate Input Max (up to 16-ch IP video), 2 SATA interfaces, 380 1U case	9,402,200
6		DS-7616NI-E2/8P		160Mbps / 80Mbps	16	6-ch 1080P	160Mbps Bit Rate Input Max (up to 16-ch IP video), 2 SATA interfaces, 8 independent PoE network interfaces, 380 1U case	14,967,200





NVR

7		DS-7616NI-E2/16P		160Mbps / 80Mbps	16	6-ch 1080P	160Mbps Bit Rate Input Max (up to 16-ch IP video), 2 SATA interfaces, 16 independent PoE network interfaces, 380 1U case	19,323,800
8	DS-7600NI-K1/K2 series (4K & H.265)	DS-7604NI-K1		40Mbps / 80Mbps	4	1-ch 4K / 4-ch 1080P	40Mbps Bit Rate Input Max (up to 4-ch IP video), 1 SATA interface, standalone 1U case	7,314,000
9		DS-7604NI-K1/4P		40Mbps / 80Mbps	4	1-ch 4K / 4-ch 1080P	40Mbps Bit Rate Input Max (up to 4-ch IP video)(Up to 300 meters), 1 SATA interfaces, 4 independent PoE network interfaces, standalone 1U case	9,921,600
10		DS-7608NI-K2		80Mbps / 160Mbps	8	2-ch 4K / 8-ch 1080P	80Mbps Bit Rate Input Max (up to 8-ch IP video), 2 SATA interfaces, 380 1U case, alarm I/O: 4/1(optional)	11,310,200
11		DS-7608NI-K2/8P		80Mbps / 160Mbps	8	2-ch 4K / 8-ch 1080P	80Mbps Bit Rate Input Max (up to 8-ch IP video)(Up to 300 meters), 2 SATA interfaces, 8 independent PoE network interfaces, 380 1U case, alarm I/O: 4/1(optional)	17,225,000
12		DS-7616NI-K2		160Mbps / 160Mbps	16	2-ch 4K / 8-ch 1080P	160Mbps Bit Rate Input Max (up to 16-ch IP video), 2 SATA interfaces, 380 1U case, alarm I/O: 4/1(optional)	12,879,000
13		DS-7616NI-K2/16P		160Mbps / 160Mbps	16	2-ch 4K / 8-ch 1080P	160Mbps Bit Rate Input Max (up to 16-ch IP video)(Up to 300 meters), 2 SATA interfaces, 16 independent PoE network interfaces, 380 1U case, alarm I/O: 4/1(optional)	22,790,000

NVR

14	All in one series	DS-7600NI-E1/A/1T		80Mbps / 80Mbps	N/A	6-ch 1080P	80Mbps Bit Rate Input Max (up to 8-ch IP video), 1 SATA interface, 22 inch monitor, 1TB HDD WD10JUCT pre-installed	38,456,800	
15		DS-7700NI-E4/(16P) series	DS-7716NI-E4		160Mbps / 80Mbps	16	6-1080P	160Mbps Bit Rate Input Max(up to 16-ch IP video), 4 SATA Interfaces, alarm I/O: 16/4, 1.5U case,19"	18,444,000
16			DS-7716NI-E4/16P		160Mbps / 80Mbps	16	6-1080P	160Mbps Bit Rate Input Max(up to 16-ch IP video), 4 SATA Interfaces, 16 independent PoE network interfaces, alarm I/O: 16/4, 1.5U case,19"	28,545,800
17			DS-7732NI-E4		160Mbps / 80Mbps	32	6-1080P	200Mbps Bit Rate Input Max(up to 32-ch IP video), 4 SATA Interfaces, alarm I/O: 16/4, 1.5U case,19"	24,189,200
18	DS-7732NI-E4/16P			160Mbps / 80Mbps	16	6-1080P	200Mbps Bit Rate Input Max(up to 32-ch IP video), 4 SATA Interfaces, 16 independent PoE network interfaces, alarm I/O: 16/4, 1.5U case,19"	34,110,800	

NVR

19	DS-7700NI-K4 series (4K & H.265)	DS-7716NI-K4		160Mbps / 160Mbps	16	2-ch 4K / 8-ch 1080P	160Mbps Bit Rate Input Max(up to 16-ch IP video), 4 SATA Interfaces, alarm I/O: 16/4, 1.5U case,19"	22,790,000
20		DS-7716NI-K4/16P		160Mbps / 160Mbps	16	2-ch 4K / 8-ch 1080P	160Mbps Bit Rate Input Max(up to 16-ch IP video), 4 SATA Interfaces, 16 independent PoE network interfaces, alarm I/O: 16/4, 1.5U case,19"	32,372,400
21		DS-7732NI-K4		256Mbps / 160Mbps	32	2-ch 4K / 8-ch 1080P	256Mbps Bit Rate Input Max(up to 32-ch IP video)(Up to 300 meters), 4 SATA Interfaces, alarm I/O: 16/4, 1.5U case,19"	28,715,400
22		DS-7732NI-K4/16P		256Mbps / 160Mbps	32	2-ch 4K / 8-ch 1080P	256Mbps Bit Rate Input Max(up to 32-ch IP video)(Up to 300 meters), 4 SATA Interfaces, 16 independent PoE network interfaces, alarm I/O: 16/4, 1.5U case,19"	37,937,400

