










































1 MEGA PIXEL HD720P SERIES TURBO HD CAMERA								
MODEL	PICTURE	PIXEL	TYPE	IN / OUT	LENS	FEATURES	DESCRIPTION	PRICE
VHC-2160		1 MP	Eyeball	Outdoor	2.8mm or 3.6mm Fixed Lens	ICR + 20m IR Distance+ IP66	HD720p,1/4" CMOS, 24 pcs IR LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 2.8 / 3.6mm Lens	1,500,000
VHC-2120		1 MP	Bullet	Outdoor	2.8mm or 3.6mm Fixed Lens	ICR + 20m IR Distance+ IP66	HD720p,1/4" CMOS, 24 pcs IR LEDs, 20m IR, Outdoor IR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 2.8 / 3.6 mm Lens	1,500,000
VHC-3130		1 MP	Bullet	Outdoor	2.8~12mm Vari-focal	ICR + 40m IR Distance+ IP66	HD720p,1/3" CMOS, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Bullet, ICR, 0.001 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), Digital WDR, IP66, 2.8~12mm Lens	3,500,000
VHC-3160		1 MP	Eyeball	Outdoor	2.8mm or 3.6mm Fixed Lens	ICR + 40m IR Distance+ IP66	HD720p,1/4" CMOS, EXIR LED , 40m IR, Outdoor IR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 2.8 / 3.6 mm Lens	1,900,000
VHC-4170		1 MP	Eyeball	Outdoor	2.8~12mm Vari-focal	ICR + 50m IR Distance+ IP66	HD720p,1/3" CMOS, 1 pcs EXIR LED, 50m IR, Outdoor EXIR Vari-focal Eyeball, ICR, Low Light , 0.001 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), Digital WDR, IP66, 2.8~12mm Lens	3,900,000
VHC-4130		1 MP	Bullet	Outdoor	2.8~12mm Vari-focal	ICR + 40m IR Distance+ IP66	HD720p,1/3" CMOS, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Bullet, ICR, Low Light , 0.001 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), Digital WDR, IP66, 2.8~12mm Lens	3,900,000
2 MEGA PIXEL FULL HD 1080P LOW LIGHT SERIES TURBO HD CAMERA								
VHC-4220		2 MP	Bullet	Outdoor	2.8mm or 3.6mm Fixed Lens	ICR + 20m IR Distance+ IP66	HD1080p,2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.005 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens, Ultra Low Light	3,300,000
<u>VHC-4221</u>		2 MP	Bullet	Outdoor	3.6mm Fixed Lens	ICR + 40m IR Distance+ IP66	HD1080p,2MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.005 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 3.6/6/8/12/16mm Lens, Ultra Low Light	3,900,000
VHC-4260		2 MP	Eyeball	Outdoor	3.6mm Fixed Lens	ICR + 20m IR Distance+ IP66	HD1080p,2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.005 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens, Ultra Low Light	3,300,000






2 MEGA PIXEL FULL HD 1080P SERIES TURBO HD CAMERA								
MODEL	PICTURE	PIXEL	TYPE	IN / OUT	LENS	FEATURES	DESCRIPTION	PRICE
VHC-3222		2 MP	Bullet	Outdoor	2.8mm or 3.6mm Fixed Lens	ICR + 20m IR Distance+ IP66	HD1080p, 2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	2,000,000
VHC-3240		2 MP	Eyeball	Outdoor	2.8mm or 3.6mm Fixed Lens	ICR + 20m IR Distance+ IP66	HD1080p, 2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Indoor IR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	1,900,000
VHC-3260		2 MP	Eyeball	Outdoor	2.8mm or 3.6mm Fixed Lens	ICR + 20m IR Distance+ IP66	HD1080p, 2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	2,000,000
VHC-5270		2 MP	Eyeball	Outdoor	2.8~12mm Vari-focal	DWDR + ICR + 40m IR Distance+ IP66	HD1080p, 1/2.7" CMOS, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), DWDR, IP66, 2.8~12mm Lens	4,500,000
VHC-3220		2 MP	Bullet	Outdoor	3.6mm Fixed Lens	DWDR + ICR + 40m IR Distance+ IP66	HD1080p, 1/2.7" CMOS, 2 pcs EXIR LEDs, 40m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), DWDR, IP66, 3.6 mm Lens	2,700,000
VHC-5230		2 MP	Bullet	Outdoor	2.8~12mm Vari-focal	DWDR + ICR + 40m IR Distance+ IP66	HD1080p, 1/2.7" CMOS, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), DWDR, IP66, 2.8~12mm Lens	4,700,000
<u>VHC-2280</u>		2 MP	Speed Dome	Outdoor	23X Power Zoom	150m IR, Up the coax, DWDR, EIS	HD1080p, 1/3" CMOS, TVI & CVBS dual output, 3D DNR, ICR, Color: 0.05lux/F1.4, B/W: 0.005lux/F1.4, Optical Zoom: 23x, Focus: 4.0-92mm, Digital Zoom: 16X, Pan range: 360° endless, Pan Speed: 0.1° -400°/s, Tilt Speed: 0.1° -120°/s, Up the Coax, 150m IR	35,000,000

3 MEGA PIXEL SERIES TURBO HD CAMERA								
MODEL	PICTURE	PIXEL	TYPE	IN / OUT	LENS	FEATURES	DESCRIPTION	PRICE
VHC-3320		3 MP	Bullet	Outdoor	2.8mm or 3.6mm Fixed Lens	ICR + 20m IR Distance+ IP66	3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	2,650,000
VHC-3360		3 MP	Eyeball	Outdoor	2.8mm or 3.6mm Fixed Lens	ICR + 20m IR Distance+ IP66	3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	2,650,000
VHC-3321		3 MP	Bullet	Outdoor	3.6mm Fixed Lens	ICR + 40m IR Distance+ IP66	3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	3,200,000
<u>VHC-3322</u>		3 MP	Bullet	Outdoor	3.6mm Fixed Lens	ICR + 80m IR Distance+ IP66	3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	3,800,000
<u>VHC-6320</u>		3 MP	Bullet	Outdoor	3.6mm Fixed Lens	ICR + 40m IR Distance+ IP66	3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 3.6/6/8/12/16mm Lens	6,000,000
<u>VHC-6330</u>		3 MP	Bullet	Outdoor	Motorize Varifocal Lens	ICR + 40m IR Distance+ IP66	3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8~12mm Motorized Vari-focal Lens	8,900,000
<u>VHC-6370</u>		3 MP	Eyeball	Outdoor	Motorize Varifocal Lens	ICR + 40m IR Distance+ IP66	3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Eyeball, ICR, 0.01 Lux, 12VDC, Smart IR, DNR, OSD Menu (Up the Coax) True WDR, IP66, 2.8~12mm Motorized Varifocal Lens	8,900,000







5 MEGA PIXEL SERIES TURBO HD CAMERA								
MODEL	PICTURE	PIXEL	TYPE	IN / OUT	LENS	FEATURES	DESCRIPTION	PRICE
VHC-5520		5 MP	Bullet	Outdoor	2.8mm or 3.6mm Fixed Lens	ICR + 20m IR Distance+ IP66	5MP, 20fps@5MP or 25fps(P)/30fps(N) @4MP resolution, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	3,500,000
VHC-5560		5 MP	Eyeball	Outdoor	2.8mm Fixed Lens	ICR + 20m IR Distance+ IP66	5MP, 20fps@5MP or 25fps(P)/30fps(N) @4MP resolution, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	3,500,000
<u>VHC-5561</u>		5 MP	Eyeball	Outdoor	2.8mm Fixed Lens	ICR + 40m IR Distance+ IP66	5MP, 20fps@5MP or 25fps(P)/30fps(N) @4MP resolution, EXIR, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	4,200,000
<u>VHC-5521</u>		5 MP	Bullet	Outdoor	3.6mm Fixed Lens	ICR + 40m IR Distance+ IP66	5MP, 20fps@5MP or 25fps(P)/30fps(N) @4MP resolution, EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	4,500,000
<u>VHC-5522</u>		5 MP	Bullet	Outdoor	3.6mm Fixed Lens	ICR + 80m IR Distance+ IP66	5MP, 20fps@5MP or 25fps(P)/30fps(N) @4MP resolution, EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	5,000,000
<u>VHC-5530</u>		5 MP	Bullet	Outdoor	Motorize Varifocal Lens	ICR + 40m IR Distance+ IP66	5MP, 20fps@5MP or 25fps(P)/30fps(N) @4MP resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8-12mm Motorized Vari-focal Lens	7,000,000
<u>VHC-5570</u>		5 MP	Eyeball	Outdoor	Motorize Varifocal Lens	ICR + 40m IR Distance+ IP66	5MP, 20fps@5MP or 25fps(P)/30fps(N) @4MP resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8-12mm Motorized Vari-focal Lens	7,000,000
<u>VHC-5540</u>		5 MP	FISH EYE	Indoor	1.1 mm	ICR + 20m IR Distance+ IP66	5MP, 12.5fps@5MP, 180° panoramic view, EXIR, 20m IR, Indoor EXIR Fisheye, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, ePTZ, DNR, OSD Menu, Built-in Mic, 1.1mm Lens	13,500,000

4 CHANNEL TURBO HD DVR SERIES							
MODEL	PICTURE	Metod	HDD	LAN	RECORD	DESCRIPTION	PRICE
VDR-401 L		H.264 H.264+	1	100M	4 CH 2MP 1080 LITE	4CH (TVI / CVI / AHD / ANALOG) + (1 CH IP CAMERA 2MP) AND 1CH AUDIO, PLAY & RECORD 720P , 1080 LITE REAL TIME. SUPPORT 1X6TB SATA HDD WITH CVBS OUTPUT STANDALONE	3,500,000
VDR-401 E		H.264 H.264+	1	100M	4 CH 2MP 1080 P SUPPORT 1CH 3MP	4CH (TVI / CVI / AHD / ANALOG) + (1 CH IP CAMERA 2MP) AND 1CH AUDIO, PLAY & RECORD 720P , 1080P 12.5Fps/SUPPORT 1CH 3MP TIME AND 1X6TB SATA HDD WITH CVBS OUTPUT STANDALONE	4,500,000
VDR-401 PLUS		H.264 H.264+	1	100M	4 CH 2MP 1080 P SUPPORT 1CH 3MP	4CH (TVI / CVI / AHD / ANALOG) + (1 CH IP CAMERA 2MP) AND 1CH AUDIO, PLAY & RECORD 720P , 1080P 12.5Fps/SUPPORT 1CH 3MP TIME AND 1X6TB SATA HDD WITH CVBS OUTPUT STANDALONE	5,500,000
VDR-402 PLUS		H.264 H.264+ H.265 H.265+	1	100M	4 CH 2MP 1080 lite or 1080p 15fps SUPPORT 1CH 3MP	4CH (TVI / CVI / AHD / ANALOG) + (1 CH IP CAMERA 4MP) AND 1CH AUDIO, PLAY & RECORD 720P , 1080P LITE REAL TIME AND 1080P 12.5 FPS . SUPPORT 1X6TB SATA HDD WITH CVBS OUTPUT STANDALONE	6,600,000
VDR-402A PLUS		H.264 H.264+ H.265 H.265+	1	100M	4 CH 2MP 1080 lite or 1080p 15fps SUPPORT 1CH 3MP	4CH (TVI / CVI / AHD / ANALOG) + (1 CH IP CAMERA 4MP) AND 4CH AUDIO, PLAY & RECORD 720P , 1080P LITE REAL TIME AND 1080P 12.5 FPS . SUPPORT 1X6TB SATA HDD WITH CVBS OUTPUT STANDALONE	7,200,000

8 CHANNEL TURBO HD DVR SERIES							
MODEL	PICTURE	METHOD	HDD	LAN	RECORD	DESCRIPTION	PRICE
VDR-801 L		H.264 H.264+	1	100M	8 CH 2MP 1080 LITE	8CH (TVI / CVI / AHD / ANALOG) + (2 CH IP CAMERA 2MP) AND 1CH AUDIO, PLAY & RECORD 720P , 1080 LITE REAL TIME. SUPPORT 1X6TB SATA HDD WITH CVBS OUTPUT STANDALONE	6,500,000
VDR-801 E		H.264 H.264+	1	100M	8 CH 2MP 1080 P 12.5FPS SUPPORT 2CH 3MP	8CH (TVI / CVI / AHD / ANALOG) + (2 CH IP CAMERA 2MP) AND 1CH AUDIO, PLAY & RECORD 720P , 1080P 12.5Fps/SUPPORT 1CH 3MP TIME AND 1X6TB SATA HDD WITH CVBS OUTPUT STANDALONE	7,500,000
VDR-801 PLUS		H.264 H.264+	2	100M	8 CH 2MP 1080 P 12.5FPS SUPPORT 2CH 3MP	8CH (TVI / CVI / AHD / ANALOG) + (2 CH IP CAMERA 2MP) AND 1CH AUDIO, PLAY & RECORD 720P , 1080P 12.5Fps/SUPPORT 1CH 3MP TIME AND 2X6TB SATA HDD WITH CVBS OUTPUT STANDALONE	9,800,000
VDR-802 PLUS		H.264 H.264+ H.265 H.265+	2	100M	8 CH 1080 Lite 25FPS or 1080p 15 fps SUPPORT 2CH 3MP	8CH (TVI / CVI / AHD / ANALOG) + (2 CH IP CAMERA 4MP) AND 1CH AUDIO, PLAY & RECORD 720P , 1080P Lite 25FPS, 3MP 15FPS AND 2 X6TB SATA HDD WITH CVBS OUTPUT , 380 1U case	11,000,000
VDR-802A PLUS		H.264 H.264+ H.265 H.265+	2	100M	8 CH 1080 Lite 25FPS or 1080p 15 fps SUPPORT 2CH 3MP	8CH (TVI / CVI / AHD / ANALOG) + (2 CH IP CAMERA 4MP) AND 8CH AUDIO, PLAY & RECORD 720P , 1080P Lite 25Fps, 3MP 15FPS AND 2X6TB SATA HDD WITH CVBS OUTPUT , 380 1U case	12,000,000

16 CHANNEL TURBO HD DVR SERIES							
MODEL	PICTURE	Metod	HDD	LAN	RECORD	DESCRIPTION	PRICE
VDR-1601 L		H.264 H.264+	1	1000M	16 CH 2MP 1080 LITE	16CH (TVI / CVI / AHD / ANALOG) + (2 CH IP CAMERA 2MP) AND 1CH AUDIO, PLAY & RECORD 720P , 1080 LITE REAL TIME. SUPPORT 1 X 6TB SATA HDD WITH CVBS OUTPUT STANDALONE	10,000,000
VDR-1601 E		H.264 H.264+	1	1000M	16 CH 2MP 1080 P 12.5FPS SUPPORT 4CH 3MP	16CH (TVI / CVI / AHD / ANALOG) + (2 CH IP CAMERA 2MP) AND 1CH AUDIO, PLAY & RECORD 720P , 1080P 12.5Fps/SUPPORT 1CH 3MP TIME AND 1X6TB SATA HDD WITH CVBS OUTPUT STANDALONE, 4K UHD output,	11,500,000
VDR-1601 PLUS		H.264 H.264+	2	1000M	16 CH 2MP 1080 P 12.5FPS SUPPORT 4CH 3MP	16CH (TVI / CVI / AHD / ANALOG) + (2 CH IP CAMERA 2MP) AND 1CH AUDIO, PLAY & RECORD 720P , 1080P 12.5Fps/SUPPORT 1CH 3MP TIME AND 2X6TB SATA HDD WITH CVBS OUTPUT STANDALONE, 4K UHD output,	16,500,000
VDR-1602 PLUS		H.264 H.264+ H.265 H.265+	2	1000M	16 CH 1080 Lite 25FPS or 1080p 15 fps SUPPORT 4CH 3MP	16CH (TVI / CVI / AHD / ANALOG) + (2 CH IP CAMERA 4MP) AND 1CH AUDIO, PLAY & RECORD 720P , 1080P Lite 25Fps, 3MP AND 2X6TB SATA HDD WITH CVBS OUTPUT and 4K output, 380 1U case	18,500,000
VDR-1602A PLUS		H.264 H.264+ H.265 H.265+	2	1000M	16 CH 1080 Lite 25FPS or 1080p 15 fps SUPPORT 4CH 3MP	16CH (TVI / CVI / AHD / ANALOG) + (2 CH IP CAMERA 4MP) AND 16CH AUDIO, PLAY & RECORD 720P , 1080P Lite 25Fps, 3MP AND 2 X6TB SATA HDD WITH CVBS OUTPUT and 4K output, 380 1U case	20,000,000

لیست قیمت تجهیزات حفاظتی TURBO HD ورتینا ویژه ۲۰۱۸ میلادی

8 CH PROFESSIONAL TURBO HD DVR SERIES							
MODEL	PICTURE	Method	HDD	LAN	RECORD	DESCRIPTION	PRICE
<u>VDR-805 PLUS</u>		H.264 H.264+	2	1000M	8 CH 3MP TVI	8CH (TVI / CVI / AHD / ANALOG) + (2 CH IP CAMERA 4MP) AND 4CH AUDIO, PLAY & RECORD 720P , 1080P LITE AND 1080P REAL TIME, 3 MP@15fps . SUPPORT 2X6TB SATA HDD WITH CVBS OUTPUT STANDALONE and 1080P output	12,500,000
<u>VDR-805 FPLUS</u>		H.264 H.264+ H.265 H.265+	2	1000M	8 CH 5MP 12 fps or 4mp 15fps or 3mp 18fpsTVI	8CH (TVI / CVI / AHD / ANALOG) + (2 CH IP CAMERA 6MP) AND 4CH AUDIO, PLAY & RECORD 720P , 1080P LITE AND 1080P REAL TIME, 3 MP@15fps . SUPPORT 2X6TB SATA HDD WITH CVBS OUTPUT STANDALONE and 4K output	16,500,000
16 CH PROFESSIONAL TURBO HD DVR SERIES							
<u>VDR-1605 PLUS</u>		H.264 H.264+	2	1000M	16 CH 3MP TVI	16CH (TVI / CVI / AHD / ANALOG) + (2 CH IP CAMERA 4MP) AND 4CH AUDIO, PLAY & RECORD 720P , 1080P LITE AND 1080P REAL TIME . SUPPORT 2X6TB SATA HDD WITH CVBS OUTPUT STANDALONE and 1080P output	24,500,000
<u>VDR-1605 FPLUS</u>		H.264 H.264+ H.265 H.265+	2	1000M	16 CH 5MP 12 fps or 4mp 15fps or 3mp 18fpsTVI	16CH (TVI / CVI / AHD / ANALOG) + (2 CH IP CAMERA 6MP) AND 4CH AUDIO, PLAY & RECORD 720P , 1080P LITE and 1080P FPS, 5MP@12fps, 4MP@ 15fps, 3 MP@18fps. SUPPORT 2X6TB SATA HDD WITH CVBS OUTPUT STANDALONE and 4K output	31,000,000
32 CH PROFESSIONAL TURBO HD DVR SERIES							
<u>VDR-3202P8</u>		H.264	8	1000M	32CH TVI OR 32 CH IP	32CH (TVI / ANALOG/ IP CAMERA) AND 16CH AUDIO , PLAY & RECORD 720P REAL TIME AND 1080P 12.5 SUPPORT 8X4TB SATA HDD WITH CVBS OUTPUT STANDALONE	79,000,000
<u>VDR-3202P4</u>		H.264	4	1000M	32CH TVI OR 32 CH IP	32CH (TVI / ANALOG/ IP CAMERA) AND 16CH AUDIO , PLAY & RECORD 720P REAL TIME AND 1080P 12.5 SUPPORT 4X4TB SATA HDD WITH CVBS OUTPUT STANDALONE	60,000,000