










فناوران تصویر نوین















Turbo HD Camera - DVR






	Items	Description	User Price	
	Entry Level Series			
	1080p			
1	DS-2CE56D0T-IRMM	HD1080p,2MP CMOS Sensor, 12 pcs LEDs, 20m IR, Indoor IR Dome, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, 3.6/6mm Lens	IRR 4,100,000	
2	DS-2CE16D0T-IR	HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	IRR 4,610,000	
3	DS-2CE56D0T-IR	HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	IRR 4,270,000	






4	DS-2CE56D0T-IRM	HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	IRR 4,610,000	
5	DS-2CE16D0T-IT1	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 20m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	IRR 5,460,000	
6	DS-2CE16D0T-IT3	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 40m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12/16mm Lens	IRR 5,640,000	
7	DS-2CE16D0T-IT5	HD1080p,2MP CMOS Sensor, 4 pcs EXIR LEDs, 80m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12/16mm Lens	IRR 6,900,000	
8	DS-2CE56D0T-IT1	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 20m IR, Outdoor EXIR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	IRR 5,460,000	
9	DS-2CE56D0T-IT3	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 40m IR, Outdoor EXIR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12/16mm Lens	IRR 5,640,000	
10	DS-2CE16D1T-VFIR3	HD1080p,2MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Lens	IRR 10,920,000	





11	DS-2CE56D1T-VFIR3	HD1080p,2MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Lens	IRR 10,920,000	
720p				
14	DS-2CE16D0T-WL5	7 megapixel high-performance CMOS, Analog HD output, up to 720P resolution, True Day/Night, DNR, Smart IR, EXIR technology, up to 20m/40m/80m IR distance, IP66 weatherproof	IRR 7,850,000	
High Level Series				
1080p				
25	DS-2CE56D7T-IT3Z	HD1080p,2MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR , IP66, 2.8~12mm	IRR 12,500,000	
Exir & Ultra Low illumination Series				
HD 1080p				
31	DS-2CE16D8T-ITE	2M Smart FSI CMOS Sensor , EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.005 Lux/F1.2 , 12 VDC/ built-in PoC , Smart IR, 3D DNR , OSD Menu(Up the Coax), True WDR , IP66, 2.8/3.6/6mm Lens	IRR 6,830,000	
32	DS-2CE56D8T-ITME	2M Smart FSI CMOS Sensor , EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.005 Lux/F1.2 , 12 VDC & built-in PoC , Smart IR, 3D DNR , OSD Menu(Up the Coax), True WDR , IP67, 2.8/3.6/6mm Lens	IRR 6,830,000	
33	DS-2CE16D8T-IT3E	2M Smart FSI CMOS Sensor , EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.005 Lux/F1.2 , 12 VDC/ built-in PoC , Smart IR, 3D DNR , OSD Menu(Up the Coax), True WDR , IP66, 3.6/6/8/12/16mm Lens	IRR 8,190,000	

34	DS-2CE56D8T-IT1E	2M Smart FSI CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.005 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens	IRR 7,170,000	
Exir Turbo HD Series				
3Mp				
35	DS-2CE16F1T-IT	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens		
36	DS-2CE56F1T-ITM	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens		
37	DS-2CE16F1T-IT1	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens		
38	DS-2CE16F1T-IT3	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens		
39	DS-2CE16F1T-IT5	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens		




40	DS-2CE56F1T-IT1	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens		
41	DS-2CE56F1T-IT3	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens		
42	DS-2CE16F7T-IT3Z	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8~12mm		
43	DS-2CE56F7T-IT3Z	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8~12mm		
Exir Series				
5Mp				
44	DS-2CC52H1T-FITS	5MP, 12.5fps@5MP, 180° panoramic view, EXIR, 20m IR, Indoor EXIR Fisheye, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, ePTZ, DNR, OSD Menu, Built-in Mic, 1.1mm Lens	IRR 24,570,000	
44	DS-2CC52H0T-IT3ZF	5MP, 20fps@, EXIR,40m IR,2.7 mm to 13.5 mm motorized vari-focal lens ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu, Up the coax (HIKVISION-C)	IRR 12,970,000	
Exir Series - Built in PoC				
5Mp				




49	DS-2CE16H1T-ITE	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	IRR 7,170,000	
50	DS-2CE56H1T-ITME	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	IRR 7,170,000	
51	DS-2CE16H1T-IT1E	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	IRR 8,190,000	
52	DS-2CE16H1T-IT3E	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	IRR 8,900,000	
53	DS-2CE16H1T-IT5E	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	IRR 9,560,000	

54	DS-2CE56H1T-IT1E	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	IRR 8,190,000	
55	DS-2CE56H1T-IT3E	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens		
53	DS-2CE16H0T-IT1F	5MP@20fps, 4 in 1 video output (switchable TVI/AHD/CVI/CVBS), EXIR, 200m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR,2D DNR, OSD Menu(Up the Coax), IP67,	IRR 7,170,000	
53	DS-2CE16H0T-IT5F	5MP@20fps, 4 in 1 video output (switchable TVI/AHD/CVI/CVBS), EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR,2D DNR, OSD Menu(Up the Coax), IP67,	IRR 8,370,000	
54	DS-2CE56H0T-IT1F	5MP@20fps, 4 in 1 video output (switchable TVI/AHD/CVI/CVBS), EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR,2D DNR, OSD Menu(Up the Coax), IP67,	IRR 6,830,000	

55	DS-2CE56H0T-IT3F	5MP@20fps, 4 in 1 video output (switchable TVI/AHD/CVI/CVBS), EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR,2D DNR, OSD Menu(Up the Coax), IP67,	IRR 7,340,000	
53	DS-2CE16H0T-IT3ZF	5MP@20fps, 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) EXIR, 40m IR, Outdoor EXIR, 2.7-13.5mm motorized vari-focal lens ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR,2D DNR, OSD Menu(Up the Coax), IP67,	IRR 12,970,000	
57	DS-2CE56H0T-IT3ZF	5MP@20fps, 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) EXIR, 40m IR, Outdoor EXIR, 2.7-13.5mm motorized vari-focal lens ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR,2D DNR, OSD Menu(Up the Coax), IP67,	IRR 12,970,000	
8Mp				
57	DS-2CE18U8T-IT3	8MP@12fps 3840 x 2160 resolution 120 dB true WDR, 3D DNR,EXIR 2.0, smart IR, up to 60 m IR distance Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP67 Ultra-low light	IRR 20,480,000	

57	DS-2CE78U8T-IT3	<p>8MP@12fps 3840 x 2160 resolution 120 dB true WDR, 3D DNR, EXIR 2.0, smart IR, up to 60 m IR distance Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP67 Ultra-low light</p>	IRR 19,460,000	
Turbo HD PTZ Camera				
58	DS-2AE5223TI-A(24VAC)	<p>1/3" CMOS, 1920x1080:30fps, TVI & CVBS dual output, 3D DNR, ICR, Color: 0.05lux/F1.4, B/W:0.005lux/F1.4, Optical Zoom:23x, Focus:4.0-92mm, Digital Zoom:16X, Pan range:360° endless; Tilt range: -15°~90°(Auto Flip), Pan Speed: 0.1° -400°/s, Tilt Speed: 0.1° -120°/s. Up the Coax. 150m IR</p>	IRR 98,130,000	
59	DS-2AE7230TI-A(24VAC)	<p>1/2.8" CMOS, 1920x1080:30fps, 3D DNR, ICR, Color: 0.2lux/F1.6, B/W:0.02lux/F1.6, Optical Zoom:30x, Focus:4-120mm, Digital Zoom:16X, Pan Speed: 0.1° -160°/s, Tilt Speed: 0.1° -120°/s, 120m IR distance, Up the Coax</p>	IRR 125,600,000	
Turbo HD DVR				
720p/1080p				
64	DS-7204HQHI-K1 (Turbo HD 4.0)	<p>4 Turbo HD/AHD/Analog interface input, 4-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface, CH01: 3MP @ 15fps, CH02-04:1920x1080P @15 fps/ch, support</p>	IRR 11,680,000	
65	DS-7208HQHI-K1 (Turbo HD 4.0)	<p>8 Turbo HD/AHD/Analog interface input, 8-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface, CH01 & 02: 3MP @ 15fps, CH03-08:1920x1080P @15 fps/ch, .</p>	IRR 17,520,000	
66	DS-7208HQHI-K2 (Turbo HD 4.0)	<p>8 Turbo HD/AHD/Analog interface input, 8-ch video&1-ch audio input, H.265/H.265+ compression, 2 SATA interfaces, CH01 & 02: 3MP @ 15fps, CH03-08:1920x1080P @15 fps/ch,</p>		

67	DS-7216HQHI-K1 (Turbo HD 4.0)	16 Turbo HD/AHD/Analog interface input, 16-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface, CH01-04: 3MP @ 15fps, CH05-16:1920x1080P @15 fps/ch, 4K	32/520/000 IRR	
	68	DS-7216HQHI-K2 (Turbo HD 4.0)	16 Turbo HD/AHD/Analog interface input, 16-ch video&1-ch audio input, H.265/H.265+ compression, 2 SATA interfaces, CH01-04: 3MP @ 15fps, CH05-16:1920x1080P @15 fps/ch, 4K	
1080p/3Mp/5Mp				
74	DS-7204HUHI-K1 (Turbo HD 4.0)	4 Turbo HD/AHD/Analog interface input, 4-ch video&4-ch audio input, 1 SATA interface, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, alarm	IRR 17,690,000	
	DS-7208HUHI-K1 (Turbo HD 4.0)	8 Turbo HD/AHD/Analog interface input, 8-ch video&4-ch audio input, 1 SATA interface, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, 4K	IRR 26,890,000	
	DS-7208HUHI-K2 (Turbo HD 4.0)	8 Turbo HD/AHD/Analog interface input, 16-ch video&4-ch audio input, 2 SATA interfaces, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, 4K		
	76	DS-7216HUHI-K2 (Turbo HD 4.0)	16 Turbo HD/AHD/Analog interface input, 16-ch video&4-ch audio input, 2 SATA interfaces, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N)	IRR 53,770,000
1080p/3Mp/5Mp/8MP				
76	DS-7204HTHI-K1 (Turbo HD 4.0)	4 Turbo HDTV/HDCVI/AHD/CVBS signal input, 4-ch video&4-ch audio input, 1 SATA interfaces, H.265 Pro+/H.265 Pro/H.265/H.264+/H.264compression, 8MP: 12fps, 5MP: 20fps, 4MP:25fps,3MP:18fps 1920x1080P: 25fps(P)/30(N) fps/ch,	IRR 25,470,000	

76	DS-7208HTHI-K2 (Turbo HD 4.0)	8 Turbo HDTV/HDCVI/AHD/CVBS signal input, 8-ch video&4-ch audio input, 1 SATA interfaces,H.265 Pro+/H.265 Pro/H.265/H.264+/H.264compression, 8MP: 12fps, 5MP: 20fps, 4MP:25fps 3MP:18fps 1920x1080P:	IRR 49,530,000	
1080p/3Mp/5Mp Built In PoC				
77	DS-7204HUHI-K1/P (Turbo HD 4.0)	4 Turbo HD/AHD/Analog interface input, 4-ch video&4-ch audio input, 1 SATA interface, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps,	IRR 20,520,000	
78	DS-7208HUHI-K2/P (Turbo HD 4.0)	8 Turbo HD/AHD/Analog interface input, 8-ch video&4-ch audio input, 2 SATA interfaces, H.265/H.265+ compression, 5MP: 12fps 4MP: 15fps 3MP: 18fps	IRR 37,860,000	

شماره تماس ، شرکت : ۶۶۷۵۴۰۲۲