














# شرکت فناوران تصویر نوین













Turbo HD Camera - DVR








Items	Description	User Price	
<b>Entry Level Series</b>			
<b>1080p</b>			
1	DS-2CE56D0T-IRMM HD1080p,2MP CMOS Sensor, 12 pcs LEDs, 20m IR, Indoor IR Dome, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, 3.6/6mm Lens	IRR 2,990,000	
2	DS-2CE16D0T-IR HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	IRR 3,460,000	
3	DS-2CE56D0T-IR HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	IRR 3,300,000	
4	DS-2CE56D0T-IRM HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	IRR 3,460,000	
5	DS-2CE16D0T-IT1 HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 20m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	IRR 4,240,000	

6	DS-2CE16D0T-IT3	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 40m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12/16mm Lens	IRR 4,650,000	
7	DS-2CE16D0T-IT5	HD1080p,2MP CMOS Sensor, 4 pcs EXIR LEDs, 80m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12/16mm Lens	IRR 5,180,000	
8	DS-2CE56D0T-IT1	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 20m IR, Outdoor EXIR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	IRR 3,860,000	
9	DS-2CE56D0T-IT3	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 40m IR, Outdoor EXIR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12/16mm Lens	IRR 4,430,000	
10	DS-2CE16D0T-VFIR3E	HD1080p,2MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Lens	IRR 8,560,000	
11	DS-2CE56D0T-VFIR3	HD1080p,2MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Lens	IRR 8,560,000	
10	DS-2CE16D1T-VFIR3	HD1080p,2MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Lens	IRR 8,350,000	






11	DS-2CE56D1T-VFIR3	HD1080p,2MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Lens	IRR 8,350,000	
14	DS-2CE16D0T-WL5	1 Megapixel high-performance CMOS,Analog HD output, up to 720P resolution,True Day/Night, DNR, Smart IR, EXIR technology, up to 20m/40m/80m IR distance, IP66 weatherproof	IRR 6,750,000	
High Level Series				
1080p				
25	DS-2CE56D7T-IT3Z	HD1080p,2MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), <b>True WDR</b> , IP66, 2.8~12mm <b>Motorized Vari-focal Lens</b>	IRR 12,500,000	
Exir & Ultra Low illumination Series				
HD 1080p				
31	DS-2CE16D8T-ITE	<b>2M Smart FSI CMOS Sensor</b> , EXIR, 20m IR, Outdoor EXIR Bullet, ICR, <b>0.005 Lux/F1.2</b> , 12 VDC/ <b>built-in PoC</b> , Smart IR, <b>3D DNR</b> , OSD Menu(Up the Coax), <b>True WDR</b> , IP66, 2.8/3.6/6mm Lens	IRR 6,850,000	
32	DS-2CE56D8T-ITME	<b>2M Smart FSI CMOS Sensor</b> , EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, <b>0.005 Lux/F1.2</b> , 12 VDC & <b>built-in PoC</b> , Smart IR, <b>3D DNR</b> , OSD Menu(Up the Coax), <b>True WDR</b> , IP67, 2.8/3.6/6mm Lens	IRR 6,850,000	
33	DS-2CE16D8T-IT3E	<b>2M Smart FSI CMOS Sensor</b> , EXIR, 40m IR, Outdoor EXIR Bullet, ICR, <b>0.005 Lux/F1.2</b> , 12 VDC/ <b>built-in PoC</b> , Smart IR, <b>3D DNR</b> , OSD Menu(Up the Coax), <b>True WDR</b> , IP66, 3.6/6/8/12/16mm Lens	IRR 8,210,000	

34	DS-2CE56D8T-IT1E	2M Smart FSI CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.005 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens	IRR 7,190,000	
Exir Turbo HD Series				
3Mp				
42	DS-2CE16F7T-IT3Z	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8~12mm Motorized Vari-	IRR 17,110,000	
43	DS-2CE56F7T-IT3Z	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8~12mm Motorized Vari-	IRR 17,110,000	
Exir Series				
5Mp				
44	DS-2CC52H1T-FITS	5MP, 12.5fps@5MP, 180° panoramic view, EXIR, 20m IR, Indoor EXIR Fisheye, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, ePTZ, DNR, OSD Menu, Built-in Mic, 1.1mm Lens	IRR 24,630,000	
44	DS-2CC52H0T-IT3ZF	5MP, 20fps@ , EXIR,40m IR,2.7 mm to 13.5 mm motorized vari-focal lens ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu, Up the coax (HIKVISION-C)	IRR 12,970,000	
Exir Series - Built in PoC				
5Mp				









49	DS-2CE16H1T-ITE	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	IRR 7,170,000	
50	DS-2CE56H1T-ITME	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	IRR 7,170,000	
51	DS-2CE16H1T-IT1E	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	IRR 8,190,000	
52	DS-2CE16H1T-IT3E	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	IRR 8,880,000	
53	DS-2CE16H1T-IT5E	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	IRR 9,560,000	





54	DS-2CE56H1T-IT1E	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	IRR 8,190,000	
55	DS-2CE56H1T-IT3E	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	IRR 8,880,000	
53	DS-2CE16H1T-IT3ZE	5MP@20fps, EXIR, 40m IR, Outdoor EXIR, 2.7-13.5mm motorized vari-focal lens ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR,2D DNR, OSD Menu(Up the Coax), IP66,	IRR 14,340,000	
57	DS-2CE56H1T-IT3ZE	5MP@20fps, EXIR, 40m IR, Outdoor EXIR, 2.7-13.5mm motorized vari-focal lens ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR,2D DNR, OSD Menu(Up the Coax), IP66,	IRR 14,340,000	
49	DS-2CE16H0T-ITF	5MP@20fps, 4 in 1 video output (switchable TVI/AHD/CVI/CVBS)EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens	IRR 5,650,000	
50	DS-2CE56H0T-ITMF	5MP@20fps, 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens	IRR 5,310,000	
53	DS-2CE16H0T-IT1F	5MP@20fps, 4 in 1 video output (switchable TVI/AHD/CVI/CVBS), EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR,2D DNR, OSD Menu(Up the Coax), IP67,	IRR 6,160,000	

53	DS-2CE16H0T-IT3F	5MP@20fps, 4 in 1 video output (switchable TVI/AHD/CVI/CVBS), EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR,2D DNR, OSD Menu(Up the Coax), IP67,	IRR 6,850,000	
53	DS-2CE16H0T-IT5F	5MP@20fps, 4 in 1 video output (switchable TVI/AHD/CVI/CVBS), EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR,2D DNR, OSD Menu(Up the Coax), IP67,	IRR 7,360,000	
54	DS-2CE56H0T-IT1F	5MP@20fps, 4 in 1 video output (switchable TVI/AHD/CVI/CVBS), EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR,2D DNR, OSD Menu(Up the Coax), IP67,	IRR 5,990,000	
55	DS-2CE56H0T-IT3F	5MP@20fps, 4 in 1 video output (switchable TVI/AHD/CVI/CVBS), EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR,2D DNR, OSD Menu(Up the Coax), IP67,	IRR 6,500,000	
53	DS-2CE16H0T-IT3ZF	5MP@20fps, 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) EXIR, 40m IR, Outdoor EXIR, 2.7-13.5mm motorized vari-focal lens ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR,2D DNR, OSD Menu(Up the Coax), IP67,	IRR 11,810,000	
57	DS-2CE56H0T-IT3ZF	5MP@20fps, 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) EXIR, 40m IR, Outdoor EXIR, 2.7-13.5mm motorized vari-focal lens ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR,2D DNR, OSD Menu(Up the Coax), IP67,	IRR 11,460,000	
8Mp				

57	DS-2CE18U8T-IT3	<p>8MP@12fps</p> <p>3840 x 2160 resolution 120 dB true WDR, 3D DNR, EXIR 2.0, smart IR, up to 60 m IR distance Lux/F1.2,</p> <p>12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP67</p> <p>Ultra-low light</p>	IRR 20,530,000	
	DS-2CE78U8T-IT3	<p>8MP@12fps</p> <p>3840 x 2160 resolution 120 dB true WDR, 3D DNR, EXIR 2.0, smart IR, up to 60 m IR distance Lux/F1.2,</p> <p>12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP67</p> <p>Ultra-low light</p>	IRR 19,500,000	
<b>Turbo HD PTZ Camera</b>				
58	DS-2AE5223TI-A(24VAC)	<p>1/3" CMOS, 1920x1080:30fps, TVI &amp; CVBS dual output, 3D DNR, ICR, Color: 0.05lux/F1.4, B/W:0.005lux/F1.4, Optical Zoom:23x, Focus:4.0-92mm, Digital Zoom:16X, Pan range:360° endless; Tilt range: -15°~90°(Auto Flip), Pan Speed: 0.1° -400°/s, Tilt Speed: 0.1° -120°/s, Up the Coax. 150m IR</p>	IRR 57,950,000	
59	DS-2AE7230TI-A(24VAC)	<p>1/2.8" CMOS, 1920x1080:30fps, 3D DNR, ICR, Color: 0.2lux/F1.6, B/W:0.02lux/F1.6, Optical Zoom:30x, Focus:4-120mm, Digital Zoom:16X, Pan Speed: 0.1° -160°/s, Tilt Speed: 0.1° -120°/s, 120m IR distance, Up the Coax</p>	IRR 74,170,000	
<b>Turbo HD DVR</b>				
<b>720p/1080p</b>				
64	DS-7204HQHI-K1 (Turbo HD 4.0)	<p>4 Turbo HD/AHD/Analog interface input, 4-ch video&amp;1-ch audio input, H.265/H.265+ compression, 1 SATA interface, CH01: 3MP @ 15fps, CH02-04:1920x1080P @15 fps/ch, support CVBS output, standalone</p>	IRR 11,130,000	



65	DS-7208HQHI-K1 (Turbo HD 4.0)	8 Turbo HD/AHD/Analog interface input, 8-ch video&1-ch audio input, <b>H.265/H.265+</b> compression, 1 SATA interface, <b>CH01 &amp; 02: 3MP @ 15fps, CH03-08:1920x1080P @15 fps/ch</b> , , support CVBS output, standalone	IRR 15,760,000	
	66	DS-7208HQHI-K2 (Turbo HD 4.0)	8 Turbo HD/AHD/Analog interface input, 8-ch video&1-ch audio input, <b>H.265/H.265+</b> compression, 2 SATA interfaces, <b>CH01 &amp; 02: 3MP @ 15fps, CH03-08:1920x1080P @15 fps/ch</b> , support CVBS output, 380 1U	
67	DS-7216HQHI-K1 (Turbo HD 4.0)	16 Turbo HD/AHD/Analog interface input, 16-ch video&1-ch audio input, <b>H.265/H.265+</b> compression, 1 SATA interface, <b>CH01-04: 3MP @ 15fps, CH05-16:1920x1080P @15 fps/ch, 4K UHD</b>	IRR 28,790,000	
68	DS-7216HQHI-K2 (Turbo HD 4.0)	16 Turbo HD/AHD/Analog interface input, 16-ch video&1-ch audio input, <b>H.265/H.265+</b> compression, 2 SATA interfaces, <b>CH01-04: 3MP @ 15fps, CH05-16:1920x1080P @15 fps/ch, 4K UHD</b>		
<b>1080p/3Mp/5Mp</b>				
74	DS-7204HUHI-K1 (Turbo HD 4.0)	4 Turbo HD/AHD/Analog interface input, 4-ch video&4-ch audio input, 1 SATA interface, <b>H.265/H.265+</b> compression, <b>5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch</b> , alarm	IRR 16,780,000	
	DS-7208HUHI-K1 (Turbo HD 4.0)	8 Turbo HD/AHD/Analog interface input, 8-ch video&4-ch audio input, 1 SATA interface, <b>H.265/H.265+</b> compression, <b>5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, 4K UHD</b>	IRR 25,610,000	
	DS-7208HUHI-K2 (Turbo HD 4.0)	8 Turbo HD/AHD/Analog interface input, 16-ch video&4-ch audio input, 2 SATA interfaces, <b>H.265/H.265+</b> compression, <b>5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, 4K UHD</b>		
76	DS-7216HUHI-K2 (Turbo HD 4.0)	16 Turbo HD/AHD/Analog interface input, 16-ch video&4-ch audio input, 2 SATA interfaces, <b>H.265/H.265+</b> compression, <b>5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, 4K UHD</b>	IRR 51,040,000	
<b>1080p/3Mp/5Mp/8MP</b>				

76	DS-7204HTHI-K1 (Turbo HD 4.0)	4 Turbo HDTV/HDCVI/AHD/CVBS signal input, 4-ch video&4-ch audio input, 1 SATA interfaces,H.265 Pro+/H.265 Pro/H.265/H.264+/H.264compression, 8MP: 12fps, 5MP: 20fps, 4MP:25fps,3MP:18fps 1920x1080P: 25fps(P)/30(N) fps/ch,	IRR 25,430,000	
76	DS-7208HTHI-K2 (Turbo HD 4.0)	8 Turbo HDTV/HDCVI/AHD/CVBS signal input, 8-ch video&4-ch audio input, 1 SATA interfaces,H.265 Pro+/H.265 Pro/H.265/H.264+/H.264compression, 8MP: 12fps, 5MP: 20fps, 4MP:25fps,3MP:18fps 1920x1080P: 25fps(P)/30(N) fps/ch,	IRR 49,450,000	
<b>1080p/3Mp/5Mp Built In PoC</b>				
77	DS-7204HUHI-K1/P (Turbo HD 4.0)	4 Turbo HD/AHD/Analog interface input, 4-ch video&4-ch audio input, 1 SATA interface, <b>H.265/H.265+</b> compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, alarm	IRR 20,490,000	
78	DS-7208HUHI-K2/P (Turbo HD 4.0)	8 Turbo HD/AHD/Analog interface input, 8-ch video&4-ch audio input, 2 SATA interfaces, <b>H.265/H.265+</b> compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, <b>4K UHD</b>	IRR 37,440,000	

شماره تماس شرکت: ۶۶۷۵۴۰۲۲