



لیست قیمت







محصولات



Dahua

HD-CVI Price List			
تصویر	مدل	توضیحات	قیمت (ریال)
<p>۱</p>  <p>DH-HAC-HFW2802TP-Z-A <b>a/hua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HFW2802TP-Z-A</a>	4K Starlight HDCVI IR Bullet Camera 1/2" Progressive Scan CMOS 15fps@4K, 8mp, 20fps@6MP, 25/30fps@4MP 3.7-11mm motorized lens Max Aperture: F1.5 WDR(120dB), Day/Night(ICR), AWB, AGC, BLC, HLC, 3DNR Max. 4K resolution HD/SD switchable 1CH Audio In, built-in mic Max. IR length 80m, Smart IR IP67, DC12V±30%	27,400,000
<p>۲</p>  <p>DH-HAC-HFW2802TP-A-I8 <b>a/hua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HFW2802TP-A-I8</a>	4K Starlight HDCVI IR Bullet Camera 1/2" Progressive Scan CMOS 15fps@4K, 20fps@6MP, 25/30fps@4MP 3.6mm fixed lens Max Aperture: F1.6 WDR(120dB), Day/Night(ICR), AWB, AGC, BLC, HLC, 3DNR Max. 4K resolution HD/SD switchable 1CH Audio In, built-in mic Max. IR length 80m, Smart IR IP67, DC12V±30%	18,500,000
<p>۳</p>  <p>DH-HAC-HFW2601TP-Z-A <b>a/hua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HFW2601TP-Z-A</a>	6MP WDR HDCVI IR Bullet Camera 1/2.9" Progressive Scan CMOS 20fps@6MP, 25/30fps@4MP 2.7-13.5mm motorized lens Max Aperture: F1.3 WDR(120dB), Day/Night(ICR), AWB, AGC, BLC, HLC, 3DNR Max. 6MP resolution HD/SD switchable 1CH Audio In, built-in mic Max. IR length 80m, Smart IR IP67, DC12V±30%	21,000,000
<p>۴</p>  <p>DH-HAC-HFW2601EP-A <b>a/hua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HFW2601EP-A</a>	6MP WDR HDCVI IR Bullet Camera 1/2.9" Progressive Scan CMOS 20fps@6MP, 25/30fps@4MP 3.6mm fixed lens Max Aperture: F1.9 WDR(120dB), Day/Night(ICR), AWB, AGC, BLC, HLC, 3DNR Max. 6MP resolution HD/SD switchable 1CH Audio In, built-in mic Max. IR length 40m, Smart IR IP67, DC12V±30%	14,400,000
<p>۵</p>  <p>DH-HAC-HFW1400RP-VFIRE6 <b>a/hua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HFW1400RP-VFIRE6</a>	1/3" 4.1Megapixel CMOS 25/30fps@4MP, 25/30fps@1080P, 25/30fps@720P 2.7-13.5mm vari-focal lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu Max. IR length 60m, Smart IR IP67, DC12V	12,600,000

<p>۶</p>	 <p>DH-HAC-HFW2802EP-A</p> 	<p><a href="#">DH-HAC-HFW2802EP-A</a></p> <p>4K Starlight HDCVI IR Bullet Camera 1/2" Progressive Scan CMOS 15fps@4K, 20fps@6MP, 25/30fps@4MP 3.6mm fixed lens WDR(120dB), Day/Night(ICR), AWB, AGC, BLC, HLC, 3DNR Max. 4K resolution HD/SD switchable 1CH Audio In, built-in mic Max. IR length 40m, Smart IR IP67, DC12V±30%</p>	<p>15,700,000</p>
----------	---	---	-------------------


















تصویر	مدل	توضیحات	قیمت (ریال)
 <p>DH-HAC-HFW1400DP <b>dahua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HFW1400DP</a>	1/3" 4.1Megapixel CMOS 25/30fps@4MP, 25/30fps@1080P, 25/30fps@720P 3.6mm fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu Max. IR length 80m, Smart IR IP67, DC12V	9,300,000
 <p>DH-HAC-HFW1400BP <b>dahua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HFW1400BP</a>	1/3" 4Megapixel CMOS 25/30fps@4MP, 25/30fps@1080P, 25/30fps@720P 3.6mm fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu Max. IR length 50m, Smart IR IP67, DC12V	8,400,000
 <p>DH-HAC-HFW1400SP <b>dahua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HFW1400SP</a>	1/3" 4.1Megapixel CMOS 25/30fps@4MP, 25/30fps@1080P, 25/30fps@720P 3.6mm fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu Max. IR length 30m, Smart IR IP67, DC12V	7,300,000
 <p>DH-HAC-HFW1400TP <b>dahua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HFW1400TP</a>	1/3" 4.1Megapixel CMOS 25/30fps@4MP, 25/30fps@1080P, 25/30fps@720P 3.6mm fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu Max. IR length 25m, Smart IR IP67, DC12V	7,100,000
 <p>DH-HAC-B1A41P <b>dahua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-B1A41P</a>	4MP HDCVI IR Bullet Camera 1/2.7" 4Megapixel CMOS 25/30fps@4MP,25/30fps@1080P 3.6mm fixed lens HD and SD output switchable Max. IR length 20m IP67, DC12V Casing: Plastic	5,400,000
 <p>DH-HAC-B2A41P <b>dahua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-B2A41P</a>	4MP HDCVI IR Bullet Camera 1/2.7" 4Megapixel CMOS 25/30fps@4MP,25/30fps@1080P 3.6mm fixed lens HD and SD output switchable Max. IR length 20m IP67, DC12V Casing: Aluminium	5,900,000













۱۳	 <p>DH-HAC-ME1400B-PIR</p> 	<p><a href="#">DH-HAC-ME1400B-PIR</a></p>	<p>4MP HDCVI MotionEye Camera 1/3"                  4.1Megapixel CMOS 25/30fps@4MP,                  25/30fps@1080P, 25/30fps@720P 2.8mm                  fixed lens DWDR, Day/Night(ICR), AWB,                  AGC, BLC, HLC, 2DNR 10m/110°detecting                  range/angle HD and SD output switchable                  OSD Menu Max. IR length 20m, Smart IR                  IP67, DC12V</p>	<p>8,100,000</p>
----	---	---	---	------------------










TURBO HD 2MP			
تصویر	مدل	توضیحات	قیمت (ریال)
 <p>DH-HAC-HFW2231RP-Z-IRE6 <b>a/hua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HFW2231RP-Z-IRE6</a>	1/2.8" 2.1Megapixel CMOS,(Starlight) 25/30fps@1080P, 25/30fps@720P 2.7-13.5mm Motorized lens WDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 3DNR HD and SD output switchable OSD Menu Max. IR length 60m, Smart IR IP67, DC12V	18,800,000
 <p>DH-HAC-HFW2231EP <b>a/hua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HFW2231EP</a>	1/2.8" 2.1Megapixel CMOS (Starlight) 25/30fps@1080P, 25/30fps@720P 3.6mm Fixed lens WDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 3DNR HD and SD output switchable OSD Menu Max. IR length 40m, Smart IR IP67, DC12V	11,500,000
 <p>DH-HAC-HFW2231DP <b>a/hua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HFW2231DP</a>	1/2.8" 2.1Megapixel CMOS (Starlight) 25/30fps@1080P, 25/30fps@720P 3.6mm Fixed lens WDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 3DNR HD and SD output switchable OSD Menu Max. IR length 80m, Smart IR IP67, DC12V	12,500,000
 <p>DH-HAC-HFW1230DP <b>a/hua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HFW1230DP</a>	1/2.8" 2Megapixel CMOS (Starlight) 25/30fps@1080P, 25/30fps@720P 3.6mm Fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu Max. IR length 80m, Smart IR IP67, DC12V	7,600,000
 <p>DH-HAC-HFW1220DP <b>a/hua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HFW1220DP</a>	1/2.9" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 3.6mm fixed lens HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR Max. IR LEDs length 80m, Smart IR IP67, DC12V	6,900,000
 <p>DH-HAC-HFW1200TLP <b>a/hua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HFW1200TLP</a>	1/2.7" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 3.6mm fixed lens HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR Max. IR LEDs length 40m, Smart IR IP67, DC12V	4,800,000















۲۰	 <small>DH-HAC-HFW1220SP</small> 	<a href="#">DH-HAC-HFW1220SP</a>	1/2.9" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 3.6mm fixed lens HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR Max. IR LEDs length 30m, Smart IR IP67, DC12V	5,150,000
۲۱	 <small>DH-HAC-HFW1220BP-B-0380B</small> 	<a href="#">DH-HAC-HFW1220BP</a>	1/2.9" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 3.6mm fixed lens HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR Max. IR LEDs length 50m, Smart IR IP67, DC12V	6,400,000
۲۲	 <small>DH-HAC-HFW1200DP</small> 	<a href="#">DH-HAC-HFW1200DP</a>	1/2.7" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P DWDR, Day/Night(ICR), AWB, AGC, HLC, BLC, 2D-DNR HD and SD output switchable 3.6mm fixed lens Max. IR LEDs length 80m, Smart IR IP67, DC12V	6,650,000
۲۳	 <small>DH-HAC-HFW1200BP</small> 	<a href="#">DH-HAC-HFW1200BP</a>	1/2.7" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P DWDR, Day/Night(ICR), AWB, AGC, HLC, BLC, 2D-DNR HD and SD output switchable 3.6mm fixed lens Max. IR LEDs length 50m, Smart IR IP67, DC12V	6,100,000
۲۴	 <small>DH-HAC-HFW1200SP</small> 	<a href="#">DH-HAC-HFW1200SP</a>	1/2.7" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 3.6mm fixed lens HD and SD output switchable DWDR, Day/Night(ICR), AWB, AGC, BLC,HLC, 2DNR , Support OSD Menu Max. IR length 30m, Smart IR IP67, DC12V	4,950,000
۲۵	 <small>DH-HAC-HFW1200SLP</small> 	<a href="#">DH-HAC-HFW1200SLP</a>	1/2.7" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 3.6mm fixed lens HD and SD output switchable DWDR, Day/Night(ICR), AWB, AGC, BLC,HLC, 2DNR , Support OSD Menu Max. IR length 30m, Smart IR IP67, DC12V	4,000,000


۲۶	 DH-HAC-ME1200BP-PIR 	<a href="#">DH-HAC-ME1200BP-PIR</a>	2MP HDCVI MotionEye Camera 1/2.7" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 2.8mm fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR 10m/110°detecting range/angle HD and SD output switchable OSD Menu Max. IR length 20m, Smart IR IP67, DC12V	6,000,000
۲۷	 DH-HAC-HFW1200RMP0360B 	<a href="#">DH-HAC-HFW1200RMP0360B</a>	1/2.7" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 3.6mm fixed lens HD and SD output switchable Day/Night(ICR), AWB, AGC, BLC, 2D-DNR , Support OSD Menu Max. IR length 20m, Smart IR IP67, DC12V	4,200,000
۲۸	 DH-HAC-HFW1200TP-A 	<a href="#">DH-HAC-HFW1200TP-A</a>	1/2.7" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 3.6mm fixed lens Built-in mic HD and SD output switchable DWDR, Day/Night(ICR), AWB, AGC, BLC,HLC, 2DNR , Support OSD Menu Max. IR length 30m, Smart IR IP67, DC12V	5,300,000
۲۹	 DH-HAC-HFW1200TP 	<a href="#">DH-HAC-HFW1200TP</a>	1/2.7" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 3.6mm fixed lens HD and SD output switchable DWDR, Day/Night(ICR), AWB, AGC, BLC,HLC, 2DNR , Support OSD Menu Max. IR length 25m, Smart IR IP67, DC12V	4,600,000
۳۰	 DH-HAC-HUM1220AP 	<a href="#">DH-HAC-HUM1220AP</a>	2MP HDCVI MotionEye Camera 1/2.9" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 2.8mm fixed lens HD and SD output switchable DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D- DNR , Support OSD Menu 12m/100°detecting range/angle Two level(jumper) detection sensitivity adjustable Built-in tamper switch	7,500,000
۳۱	 SD22204I-GC 	<a href="#">SD22204I-GC</a>	Powerful 4x optical zoom (2.7mm~11mm) Max. 25/30fps@1080P, 50/60fps@720P resolution WDR, Day/Night (ICR), DNR (2D&3D), Auto iris, Auto focus, AWB, AGC, BLC Max 100°/s pan speed HD & SD Switchable Up to 300 presets, 5 auto scan, 8 tour, 5 pattern	20,100,000



۳۲	 <p>DH-SD59225I-HC-S2 <b>dahua</b> TECHNOLOGY</p>	<p><a href="#">DH-SD59225I-HC-S2</a></p>	<p>1/2.8" 2Megapixel Exmor R CMOS (Starlight) Max 25/30fps @1080P &amp; 20/30/50/60fps @720P Resolution 4.8mm ~ 120mm 25x optical zoom WDR (120db), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus Max 400°/s pan speed, 360° endless pan rotation Control over coaxial cable 1-channel BNC HDCVI/CVBS output (switchable) Up to 300 presets, 5 auto scan, 8 tour, 5 pattern Built-in 2/1 Alarm in/out 1 Audio Input , RS485 IR Distance up to 150m IP66,OSD</p>	85,000,000
۳۳	 <p>SD59230I-HC <b>dahua</b> TECHNOLOGY</p>	<p><a href="#">SD59230I-HC</a></p>	<p>2MP 30x Starlight IR PTZ HDCVI Camera 1/2.8" Exmor R CMOS Max. 25/30fps @1080P(1920x1080) &amp; 20/30/50/60fps @720Presolution 4.5mm~135mm 30x optical zoom WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus Max 400°/s pan speed, 360° endless pan rotation HD and SD switchable Up to 300 presets, 5 auto scan, 8 tour, 5 pattern Audio(in/out) 1 / 1 Built-in 2/1 Alarm in/out IR Distance up to 150m IP66,OSD</p>	11,310,000
۳۴	 <p>DH-SD49225I-HC <b>dahua</b> TECHNOLOGY</p>	<p><a href="#">DH-SD49225I-HC</a></p>	<p>2MP 25x Starlight IR PTZ HDCVI Camera 1/2.8" STARVIS CMOS Max. 25/30fps @1080P(1920x1080) &amp; 20/30/50/60fps @720P Resolution 4.8mm~120mm 25x optical zoom WDR(120dB), Day/Night(ICR), Ultra DNR, HLC, BLC, Auto iris, Auto focus Max 400°/s pan speed, 360° endless pan rotation HD and SD switchable Up to 300 presets, 5 auto scan, 8 tour, 5 pattern 2/1 Alarm In/Out 1CH Audio In RS485 IR Distance up to 100m</p>	63,800,000
۳۵	 <p>DH-HAC-HFW1220RP-VF-IRE6 <b>dahua</b> TECHNOLOGY</p>	<p><a href="#">DH-HAC-HFW1220RP-VF-IRE6</a></p>	<p>1/2.9" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 2.7-12mm vari-focal lens HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR Max. IR LEDs length 60m, Smart IR IP67, DC12V</p>	10,500,000







تصویر	مدل	توضیحات	قیمت (ریال)
 <p>DH-HAC-B2A21P <b>alhua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-B2A21P</a>	1/2.7" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 3.6mm fixed lens HD and SD output switchable DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR , Support OSD Menu Max. IR length 20m, Smart IR IP67, DC12V Casing: Aluminium	3,850,000
 <p>DH-HAC-B1A21P <b>alhua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-B1A21P</a>	1/2.7" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 3.6mm fixed lens HD and SD output switchable DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR , Support OSD Menu Max. IR length 20m, Smart IR IP67, DC12V Casing: Plastic	3,300,000
 <p>DH-HAC-HUM3201B <b>alhua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HUM3201B</a>	1/2.8" 2Megapixel CMOS(Starlight) 25/30fps@1080P, 25/30fps@720P 2.8mm fixed lens HD and SD output switchable WDR(120dB), Day/Night(ICR), AWB, AGC, BLC,HLC, 3DNR , Support OSD Menu DC12V	9,300,000
 <p>DH-HAC-HDBW1220RP-VF <b>alhua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HDBW1220RP-VF</a>	1/2.9" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 2.7-12mm vari- focal lens HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D- DNR Max. IR LEDs length 30m, Smart IR IP67, IK10, DC12V	9,800,000
 <p>DH-HAC-HDW1220EMP-A <b>alhua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HDW1220EMP-A</a>	1/2.9" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 3.6mm fixed lens Built-in Mic HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D- DNR Max. IR LEDs length 50m, Smart IR IP67, DC12V	5,940,000



۴۱	 <b>HAC-HDPW1200R</b> 	<a href="#">HAC-HDPW1200R</a>	1/2.7" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 3.6mm fixed lens HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR Max. IR LEDs length 30m, Smart IR DC12V	4,000,000
۴۲	 <b>DH-HAC-HDW1200SLP</b> 	<a href="#">DH-HAC-HDW1200SLP</a>	1/2.7" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 2.8mm fixed lens HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR Max. IR LEDs length 20m, Smart IR IP67, DC12V	3,700,000
۴۳	 <b>DH-HAC-HDW1200LP</b> 	<a href="#">DH-HAC-HDW1200LP</a>	2MP HDCVI IR Eyeball Camera 1/2.7" 2Megapixel CMOS Max 30fps@1080P 2.1mm fixed lens HD and SD output switchable Built in Mic Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR Max. IR LEDs length 3m, Smart IR IP67, DC12V	7,600,000
۴۴	 <b>DH-HAC-HDW1200MP</b> 	<a href="#">DH-HAC-HDW1200MP</a>	1/2.7" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 3.6mm fixed lens HD and SD output switchable Day/Night(ICR), AWB, AGC, BLC, 2D-DNR , Support OSD Menu Max. IR length 30m, Smart IR IP67, DC12V	4,500,000
۴۵	 <b>DH-HAC-HDW1200EMP-A</b> 	<a href="#">DH-HAC-HDW1200EMP-A</a>	1/2.7" 2Megapixel CMOS 25/30fps@1080P Built-in MIC Day/Night(ICR), AWB, AGC, BLC, 2DNR 3.6mm fixed lens (6mm optional) Max. IR LEDs length 50m, Smart IR IP67, DC12V	5,800,000
۴۶	 <b>DH-HAC-T2A21P</b> 	<a href="#">DH-HAC-T2A21P</a>	1/2.7" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 2.8mm fixed lens HD and SD output switchable DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR , Support OSD Menu Max. IR length 20m, Smart IR IP67, DC12V Casing: Aluminium	3,800,000
۴۷	 <b>DH-HAC-T1A21P</b> 	<a href="#">DH-HAC-T1A21P</a>	1/2.7" 2Megapixel CMOS 25/30fps@1080P, DC12V, IP67 25/30/50/60fps@720P 3.6mm fixed lens HD and SD output switchable DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR , Support OSD Menu Max. IR length 20m, Smart IR Casing: Plastic	3,300,000

۴۸	 <p>DH-HAC-HDW1220MP @dahua TECHNOLOGY</p>	<p><a href="#">DH-HAC-HDW1220MP</a></p>	<p>1/2.9" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 3.6mm fixed lens HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR Max. IR LEDs length 30m, Smart IR IP67, DC12V</p> <p>4,750,000</p>
----	---	---	---













تصویر	مدل	توضیحات	قیمت (ریال)
	<a href="#">DH-HAC-HFW1100RP-VF</a>	1/2.9" 1Megapixel CMOS 25/30fps@720P Day/Night(ICR), AWB, AGC, BLC, 2DNR 2.7~12mm vari-focal lens Max. IR LEDs length 30m, Smart IR IP67, DC12V	5,200,000
	<a href="#">DH-HAC-HFW1100SP</a>	1/3" 1Megapixel CMOS 25/30fps@720P 3.6mm fixed lens HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC,HLC, 2DNR Max. IR LEDs length 30m, Smart IR IP67, DC12V	3,400,000
	<a href="#">DH-HAC-HFW1100RMP0280B</a>	1/2.9" 1Megapixel CMOS 25/30fps@720P Day/Night(ICR), AWB, AGC, BLC, 2DNR 2.8mm fixed lens Max. IR LEDs length 20m, Smart IR, DC12V	2,900,000
	<a href="#">DH-HAC-HFW1100SL</a>	1/3" 1Megapixel CMOS , DC12V 25/30fps@720P 3.6mm fixed lens HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC,HLC, 2DNR Max. IR LEDs length 30m, Smart IR IP67,	2,800,000
	<a href="#">DH-HAC-HFW1100RMP0360B</a>	1/2.9" 1Megapixel CMOS 25/30fps@720P Day/Night(ICR), AWB, AGC, BLC, 2DNR 3.6mm fixed lens Max. IR LEDs length 20m, Smart IR IP67, DC12V	2,900,000
	<a href="#">DH-HAC-HFW1100RP</a>	1/3" 1Megapixel CMOS 25/30fps@720P 3.6mm fixed lens HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, 2DNR Max. IR LEDs length 20m, Smart IR IP67, DC12V	2,500,000



۵۵	 <p>DH-HAC-HDW1100RP-0360B <b>dahua</b> TECHNOLOGY</p>	<p><a href="#">DH-HAC-HDW1100RP-0360B</a></p>	<p>1/3" 1Megapixel CMOS 25/30fps@720P 3.6mm fixed lens HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC,HLC, 2DNR Max. IR LEDs length 20m, Smart IR IP67, DC12V</p>	<p>2,600,000</p>
۵۶	 <p>DH-HAC-HDW1100MP-0360B <b>dahua</b> TECHNOLOGY</p>	<p><a href="#">DH-HAC-HDW1100MP-0360B</a></p>	<p>1/3" 1Megapixel CMOS 25/30fps@720P 3.6mm fixed lens HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC,HLC, 2DNR Max. IR LEDs length 30m, Smart IR IP67, DC12V</p>	<p>2,700,000</p>








تصویر	مدل	توضیحات	قیمت (ریال)
 <p>DH-HAC-HDW1100MP-0360B <b>dahua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HDW2802TP-A</a>	4K Starlight HDCVI IR Eyeball Camera 1/2" Progressive Scan CMOS 15fps@4K, 20fps@6MP, 25/30fps@4MP 3.6mm fixed lens Max Aperture: F1.6 WDR(120dB), Day/Night(ICR), AWB, AGC, BLC, HLC, 3DNR Max. 4K resolution HD/SD switchable 1CH Audio In, built-in mic Max. IR length 50m, Smart IR IP67, DC12V±30%	15,700,000
 <p>DH-HAC-HDW2601TP-Z-A <b>dahua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HDW2601TP-Z-A</a>	6MP WDR HDCVI IR Eyeball Camera 1/2.9" Progressive Scan CMOS 20fps@6MP, 25/30fps@4MP 2.7-13.5mm motorized lens Max Aperture: F1.3 WDR(120dB), Day/Night(ICR), AWB, AGC, BLC, HLC, 3DNR Max. 6MP resolution HD/SD switchable 1CH Audio In, built-in mic Max. IR length 60m, Smart IR IP67, DC12V±30%	21,000,000
 <p>DH-HAC-HDW2601TP-A <b>dahua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HDW2601TP-A</a>	6MP WDR HDCVI IR Eyeball Camera 1/2.9" Progressive Scan CMOS 20fps@6MP, 25/30fps@4MP 3.6mm fixed lens Max Aperture: F1.9 WDR(120dB), Day/Night(ICR), AWB, AGC, BLC, HLC, 3DNR Max. 6MP resolution HD/SD switchable 1CH Audio In, built-in mic Max. IR length 50m, Smart IR IP67, DC12V±30%	14,400,000
 <p>DH-HAC-HDW1400EMP-A <b>dahua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HDW1400EMP-A</a>	1/3" 4.1Megapixel CMOS 25/30fps@4MP, 25/30fps@1080P, 25/30fps@720P 3.6mm fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable Built-in Mic OSD Menu Max. IR length 50m, Smart IR IP67, DC12V	8,100,000
 <p>DH-HAC-HDW1400EMP <b>dahua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HDW1400EMP</a>	1/3" 4.1Megapixel CMOS 25/30fps@4MP, 25/30fps@1080P, 25/30fps@720P 3.6mm fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu Max. IR length 50m, Smart IR IP67, DC12V	7,400,000









۶۲	 <p>DH-HAC-T1A41P <b>dahua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-T1A41P</a>	<p>1/2.7" 4Megapixel CMOS 25/30fps@4MP,25/30fps@1080P 3.6mm fixed lens HD and SD output switchable Max. IR length 20m DC12V Casing: Plastic</p>	5,300,000
۶۳	 <p>DH-HAC-T2A41P <b>dahua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-T2A41P</a>	<p>1/2.7" 4Megapixel CMOS 25/30fps@4MP,25/30fps@1080P 3.6mm fixed lens HD and SD output switchable Max. IR length 20m IP67, DC12V Casing: Aluminium</p>	5,900,000
۶۴	 <p>DH-HAC-HDBW2231FP <b>dahua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HDBW2231FP</a>	<p>1/2.8" 2.1Megapixel CMOS(Starlight) 25/30fps@1080P, 25/30fps@720P 3.6mm Fixed lens WDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 3DNR HD and SD output switchable OSD Menu Max. IR length 20m, Smart IR IP67, IK10, DC12V</p>	11,900,000
۶۵	 <p>DH-HAC-HDW2231EMP <b>dahua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HDW2231EMP</a>	<p>1/2.8" 2.1Megapixel CMOS (Starlight) 25/30fps@1080P, 25/30fps@720P 3.6mm Fixed lens WDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 3DNR HD and SD output switchable OSD Menu Max. IR length 50m, Smart IR IP67,DC12V</p>	11,500,000
۶۶	 <p>DH-HAC-HDW1400MP <b>dahua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HDW1400MP</a>	<p>1/3" 4.1Megapixel CMOS 25/30fps@4MP, 25/30fps@1080P, 25/30fps@720P 3.6mm fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu Max. IR length 30m, Smart IR IP67, DC12V</p>	6,900,000
۶۷	 <p>DH-HAC-HDBW1400RP-VF <b>dahua</b> TECHNOLOGY</p>	<a href="#">DH-HAC-HDBW1400RP-VF</a>	<p>1/3" 4.1Megapixel CMOS 25/30fps@4MP, 25/30fps@1080P, 25/30fps@720P 2.7-13.5mm Varifocal lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu Max. IR length 30m, Smart IR IP67, IK10, DC12V</p>	13,600,000







تصویر	مدل	توضیحات	قیمت (ریال)
<p>۶۸</p> 	<p><a href="#">DH-XVR1A04</a></p>	<p>4CH Penta-brid 1080N/720P Real-Time Cooper Recorder H.264 video compression 4CH: 1/4 Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [4+1 IP up to 2 Megapixel(20 Mbps)] 1 Audio Input / 1 Audio Output 1 SATA Port , Up to 6 TB HDMI , VGA ,simultaneous video Output 2*USB 2.0 10/100 Mbps LAN Interface P2P Support</p>	<p>8,300,000</p>
<p>۶۹</p> 	<p><a href="#">DH-XVR1B04H</a></p>	<p>4CH Penta-brid 4M-N/1080P None Real-Time Cooper Recorder H.265+/H.265 dual-stream video compression 4CH: 1/4 Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [4+2 IP up to 6 Megapixel(24 Mbps)] 1 Audio Input / 1 Audio Output 1 SATA Port , Up to 6 TB HDMI , VGA ,simultaneous video Output 2*USB 2.0 10/100 Mbps LAN Interface P2P</p>	<p>10,900,000</p>




<p>Y0</p>		<p><a href="#">DHI-XVR5104HS-S2</a></p>	<p>4CH Penta-brid 4M-N/1080P Non-real Time , 1080N/720P Real-Time Recorder 4M-N/1080P@15fps , 1080N/720P@25fps H.264+/H.264 dual-stream video compression 4CH: 1/4 Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [4+2 IP up to 5 Megapixel(24 Mbps)] Support Smart Search and Intelligent Video System 1 Audio Input / 1 Audio Output 1 SATA Port , Up to 8 TB HDMI , VGA ,simultaneous video Output RS485 for PTZ support 2*USB 2.0 10/100 Mbps LAN Interfac</p>	<p>11,900,000</p>
<p>Y1</p>		<p><a href="#">DHI-XVR5104HS-4M</a></p>	<p>4CH Penta-brid 4MP Non-real Time , 1080P Real-Time Recorder H.264+/H.264 dual-stream video compression 4CH Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [4+2 IP up to 5 Megapixel(24 Mbps)] Support Smart Search and Intelligent Video System 1/1 Audio In/Out 1 SATA Port , Up to 8 TB 1*HDMI(2K) ,1* VGA ,simultaneous video Output RS485 for PTZ support 2*USB 2.0 10/100 Mbps LAN Interface P2P Support</p>	<p>17,600,000</p>
<p>Y2</p>		<p><a href="#">DH-XVR5104HS-4KL-X</a></p>	<p>4CH Penta-brid 4K Recorder 4K@7fps,6MP@10fps,5MP@12fps,4 MP@15fp,4MN/1080P/720P@25fps H.265+/H.265 dual-stream video compression 4CH Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [4+2 IP up to 8 Megapixel(24 Mbps)] Support Smart Search and Intelligent Video System 1/1 Audio In/Out 1 SATA Port , Up to 10 TB 1*HDMI(4K) , 1*VGA ,simultaneous video Output RS485 for PTZ support 2*USB 2.0 1*10/100 Mbps LAN Interface P2P Support</p>	<p>18,500,000</p>




۷۳		<p><a href="#">DHI-XVR4104HS-S2</a></p>	<p>4CH Penta-brid 1080N/720P Real-Time Recorder H.264 video compression 4CH: 1/4 Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [4+1 IP up to 2 Megapixel(20 Mbps)] 1 Audio Input / 1 Audio Output 1 SATA Port , Up to 8 TB HDMI , VGA ,simultaneous video Output RS485 for PTZ support 2*USB 2.0 10/100 Mbps LAN Interface P2P Support</p>	<p>9,300,000</p>
۷۴		<p><a href="#">DH-XVR5104HS-X1</a></p>	<p>4CH Penta-brid 4MP-N/1080P Non-real Time , 1080N/720P Real-Time Recorder H.265+/H.265 dual-stream video compression Record Rate: 1st channel 5M-N(1~10fps), other channels 4MN/1080P(1~15fps); 1080N/720P/960H/ D1/CIF (1~25/30fps) 4CH Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [4+2 IP up to 6 Megapixel(24 Mbps)] Support Smart Search and Intelligent Video System 1/1 Audio In/Out 1 SATA Port , Up to 8 TB 1*HDMI,1* VGA simultaneous video Output RS485 for PTZ support 2*USB 2.0 , 10/100 Mbps LAN Interface , P2P Support</p>	<p>12,600,000</p>

تصویر	مدل	توضیحات	قیمت (ریال)
 	<a href="#">DH-XVR1A08</a>	8CH Penta-brid 1080N/720P noneReal-Time Cooper Recorder H.264 video compression 8CH:1/4/9 Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [8+2 IP up to 5 Megapixel(40 Mbps)] 1 Audio Input / 1 Audio Output 1 SATA Port , Up to 6 TB HDMI , VGA ,simultanous video Output 2*USB 2.0 10/100 Mbps LAN Interface P2P Support	10,900,000
 	<a href="#">DH-XVR1B08H</a>	8CH Penta-brid 4M-N/1080P None Real-Time Cooper Recorder H.265+/H.265 dual-stream video compression 8CH: 1/4/8 Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [8+4 IP up to 6 Megapixel(48 Mbps)] 1 Audio Input / 1 Audio Output 1 SATA Port , Up to 6 TB HDMI , VGA ,simultanous video Output 2*USB 2.0 10/100 Mbps LAN Interface P2P Support	17,100,000
 	<a href="#">DHI-XVR4108HS-S2</a>	8CH Penta-brid 1080N/720P noneReal-Time Recorder H.264 video compression 8CH: 1/4/9 Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [8+2 IP up to 5 Megapixel(40 Mbps)] 1 Audio Input / 1 Audio Output 1 SATA Port , Up to 8 TB HDMI , VGA ,simultanous video Output RS485 for PTZ support 2*USB 2.0 10/100 Mbps LAN Interface P2P Support	12,200,000
 	<a href="#">DHI-XVR5108HS-S2</a>	8CH Penta-brid 4M-N/1080P Non-real Time , 1080N/720P Real-Time Recorder 4M-N/1080P@15fps , 1080N/720P@25fps H.264+/H.264 dual-stream video compression 8CH:1/4/9 Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [8+4 IP up to 5 Megapixel(48 Mbps)] Support Smart Search and Intelligent Video System 1 Audio Input / 1 Audio Output 1 SATA Port , Up to 8 TB HDMI , VGA ,simultanous video Output RS485 for PTZ support 2*USB 2.0 10/100 Mbps LAN Interface	19,700,000









۷۹	 <p>DH-XVR5108HS-S2 <b>alhua</b> TECHNOLOGY</p>	<p><a href="#">DH-XVR5108HS-X1</a></p>	<p>8CH Penta-brid 4MP-N/1080P Non-real Time , 1080N/720P Real-Time Recorder H.265+/H.265 dual-stream video compression Record Rate: 1st &amp; 2nd channels 5M-N(1~10fps), other channels 4MN/1080P(1~15fps); 1080N/720P/960H/ D1/CIF (1~25/30fps) 8CH Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [8+4 IP up to 6 Megapixel(24 Mbps)] Support Smart Search and Intelligent Video System 1/1 Audio In/Out 1 SATA Port , Up to 8 TB 1*HDMI,1* VGA simultaneous video Output RS485 for PTZ support 2*USB 2.0</p>	20,500,000
۸۰	 <p>DH-XVR5108HS-X <b>alhua</b> TECHNOLOGY</p>	<p><a href="#">DH-XVR5108HS-X</a></p>	<p>8CH Penta-brid 1080P None-Real time Recorder 5M-N@10fps, 4M-N/1080P@15fps, 1080N/720P@25fps H.265+/H.265/H.264+/H.264 dual-stream video compression 8CH Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [8+4 IP up to 6 Megapixel(48 Mbps)] Support Smart Search and Intelligent Video System 1/1 Audio In/Out 1 SATA Port , Up to 10 TB 1*HDMI, 1*VGA ,simultaneous video Output RS485 for PTZ support 2*USB 2.0 1*10/100 Mbps LAN Interface , P2P Support</p>	21,100,000
۸۱	 <p>DH-XVR5108H-4KL <b>alhua</b> TECHNOLOGY</p>	<p><a href="#">DH-XVR5108H-4KL</a></p>	<p>8CH Penta-brid 4K Recorder 4K@7fps, 4MP@15fp , 1080P/720P@25fps H.264+/H.264 dual-stream video compression 8CH Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [8+4 IP up to 8 Megapixel(48 Mbps)] Support Smart Search and Intelligent Video System 1/1 Audio In/Out 1 SATA Port , Up to 8 TB 1*HDMI(4K) , 1*VGA ,simultaneous video Output RS485 for PTZ support 2*USB 2.0 1*10/100/1000 Mbps LAN Interface</p>	25,100,000
۸۲	 <p>DH-XVR5108H-4KL-X <b>alhua</b> TECHNOLOGY</p>	<p><a href="#">DH-XVR5108H-4KL-X</a></p>	<p>8CH Penta-brid 4K Recorder 4K@7fps,6MP@10fps,5MP@12fps,4MP@15fp,4MN/1080P/720P@25fps H.265+/H.265 dual-stream video compression 1/4CH Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [8+4 IP up to 8 Megapixel(48 Mbps)] Support Smart Search and Intelligent Video System 1/1 Audio In/Out 1 SATA Port , Up to 10 TB 1*HDMI(4K) , 1*VGA ,simultaneous video Output RS485 for PTZ support 2*USB 2.0 1*10/100/1000 Mbps LAN Interface P2P</p>	27,900,000



تصویر	مدل	توضیحات	قیمت (ریال)
<p>۸۳</p>  <p>DH-XVR1B16H <b>alhua</b> TECHNOLOGY</p>	<a href="#">DH-XVR1B16H</a>	16CH Penta-brid 4M-N/1080P None Real-Time Cooper Recorder H.265+/H.265 dual-stream video compression 16CH: 1/4/8/16 Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [16+8 IP up to 6 Megapixel(96 Mbps)] 1 Audio Input / 1 Audio Output 1 SATA Port , Up to 6 TB HDMI , VGA ,simultaneous video Output 1 USB 2.0 , 1 USB 3.0 10/100/1000 Mbps LAN Interface	28,500,000
<p>۸۴</p>  <p>DH-XVR4116HS-X <b>alhua</b> TECHNOLOGY</p>	<a href="#">DH-XVR4116HS-X</a>	16CH Penta-brid 1080N/720P NoneReal-Time Recorder H.265/H.264 video compression 16CH: 1/4/9/16 Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [16+2 IP up to 6 Megapixel(72 Mbps)] 1 Audio Input / 1 Audio Output 1 SATA Port , Up to 10 TB HDMI , VGA ,simultaneous video Output RS485 for PTZ support 2*USB 2.0 10/100 Mbps LAN Interface	24,500,000
<p>۸۵</p>  <p>DHI-XVR4116HS-S2 <b>alhua</b> TECHNOLOGY</p>	<a href="#">DHI-XVR4116HS-S2</a>	16CH Penta-brid 1080N/720P noneReal-Time Recorder H.264 video compression 16CH: 1/4/9/16 Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [16+2 IP up to 5 Megapixel(72 Mbps)] 1 Audio Input / 1 Audio Output 1 SATA Port , Up to 8 TB HDMI , VGA ,simultaneous video Output RS485 for PTZ support 2*USB 2.0 10/100 Mbps LAN Interface	21,200,000

تصویر	مدل	توضیحات	قیمت (ریال)
<p>۸۶</p>  <p>DH-XVR5116H-X <b>ahua</b> TECHNOLOGY</p>	<a href="#">DH-XVR5116H-X</a>	16CH Penta-brid 1080P None-Real time Recorder 5M-N@10fps, 4M-N/1080P@15fps, 1080N/720P@25fps H.265+/H.265/H.264+/H.264 dual-stream video compression 16CH Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [16+8 IP up to 6 Megapixel(96 Mbps)] Support Smart Search and Intelligent Video System 1/1 Audio In/Out 1 SATA Port , Up to 10 TB 1*HDMI, 1*VGA ,simultaneous video Output RS485 for PTZ support 2*USB(1 USB2.0 , 1 USB3.0) 1*10/100/1000 Mbps LAN Interface	34,300,000
<p>۸۷</p>  <p>DH-XVR5216AN-S2 <b>ahua</b> TECHNOLOGY</p>	<a href="#">DH-XVR5216AN-S2</a>	16CH Penta-brid 4M-N/1080P Non-real Time , 1080N/720P Real-Time Recorder 4M-N/1080P@15fps , 1080N/720P@25fps H.264+/H.264 dual-stream video compression 1/4/9/16CH Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [16+8 IP up to 5 Megapixel(96 Mbps)] Support Smart Search and Intelligent Video System 1/1 Audio In/Out 2 SATA Port , Up to 16 TB HDMI , VGA ,simultaneous video Output RS485 for PTZ support 2 USB Ports (1 USB 2.0 , 1 USB 3.0) 10/100/1000 Mbps LAN Interface	36,500,000
<p>۸۸</p>  <p>DH-XVR5216AN-X <b>ahua</b> TECHNOLOGY</p>	<a href="#">DH-XVR5216AN-X</a>	16CH Penta-brid 1080P None-Real time Recorder 5M-N@10fps, 4M-N/1080P@15fps, 1080N/720P@25fps H.265+/H.265/H.264+/H.264 dual-stream video compression 16CH Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [16+8 IP up to 6 Megapixel(96 Mbps)] Support Smart Search and Intelligent Video System 1/1 Audio In/Out 2 SATA Port , Up to 10 TB 1*HDMI, 1*VGA ,simultaneous video Output RS485 for PTZ support 2*USB(1 USB2.0 , 1 USB3.0) 1*10/100/1000 Mbps LAN Interface P2P Support	39,800,000






<p>۸۹</p>	 <p>DHI-XVR5216AN-4KL</p> 	<p><a href="#">DHI-XVR5216AN-4KL</a></p>	<p>16CH Penta-brid 4K Recorder 4K@7fps, 4MP@15fp , 1080P/720P@25fps H.264+/H.264 dual-stream video compression 16CH Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [16+8 IP up to 8 Megapixel(96 Mbps)] Support Smart Search and Intelligent Video System 1/1 Audio In/Out 2 SATA Port , Up to 16 TB 1*HDMI(4K) , 1*VGA ,simultaneous video Output RS485 for PTZ support 2*USB 2.0 1*10/100/1000 Mbps LAN Interface</p>	<p>49,500,000</p>
<p>۹۰</p>	 <p>DH-XVR5216AN-4KL-X</p> 	<p><a href="#">DH-XVR5216AN-4KL-X</a></p>	<p>16CH Penta-brid 4K Recorder 4K@7fps,6MP@10fps,5MP@12fps,4MP@15fp,4MN/1080P/720P@25fps H.265+/H.265/H.264+/H.264 dual-stream video compression 16CH Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [16+8 IP up to 8 Megapixel(96 Mbps)] Support Smart Search and Intelligent Video System 1/1 Audio In/Out 2 SATA Port , Up to 10 TB 1*HDMI(4K) , 1*VGA ,simultaneous video Output RS485 for PTZ support 2*USB(1 USB2.0 , 1 USB3.0) 1*10/100/1000 Mbps LAN Interface P2P Support</p>	<p>54,500,000</p>
<p>۹۱</p>	 <p>DH-HCVR8816S-S3</p> 	<p><a href="#">DH-HCVR8816S-S3</a></p>	<p>All channel 1080P realtime recording Support HDCVI/AHD/Analog/IP Video input H.264 dual-stream video compression 16 channel synchronous realtime playback Tribrid (IP+CVI+Analogue)N+M[16+48 up to 12Megapixel(384Mbps)] 16 Audio Input , 1 Audio Output 16*Alarm Input , 6*Relay Output 8 SATA ports, up to 64TB, 1 eSATA 2 HDMI(HDMI1 up to 4K) , 1 VGA, 1 TV HDMI 1/VGA simultaneous video output,HDMI2/VGA(HDMI1) independent video output RS485 , PTZ Support 4 ports (2 Rear USB3.0, 2 Front USB2.0) 2*10/100/1000 Mbps LAN Interface IVS: Tripwire, Intrusion, Abandoned/Missing, Scene Change, Face Detection, People Counting, Smart Tracking P2P Support</p>	<p>Call</p>





۹۲	 <p>DH-XVR5416L</p> 	<p><a href="#">DH-XVR5416L</a></p>	<p>16CH Penta-brid 1080N/720P Real-Time,1080P None-Real time Recorder H.264+/H.264 dual-stream video compression 1/4/9/16CH Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [16+8 IP up to 5 Megapixel(96Mbps)] 4 Audio IN / 1 Audio Out 16 Alarm IN / 6 Alarm Out 4 SATA Port , Up to 6 TB 1 e-SATA 2*HDMI , VGA , TV simultaneous video Output RS485 , RS 232 2 USB 3.0, 1 USB 2.0 10/100/1000 Mbps LAN Interface , P2P Support</p>	72,000,000
----	--	------------------------------------	--	------------











تصویر	مدل	توضیحات	قیمت (ریال)
<p>۹۳</p>  <p>DH-XVR5232AN-S2 <b>ahua</b> TECHNOLOGY</p>	<p><a href="#">DH-XVR5232AN-S2</a></p>	<p>32CH Penta-brid 4M-N/1080P Non-real Time , 1080N/720P Real-Time Recorder 4M-N/1080P@15fps , 1080N/720P@25fps H.264+/H.264 dual-stream video compression 16CH:1/4/9/16CH Playback Pentabrid (IP+CVI+AHD+TVI+CVBS) N+M [32 IP up to 5 Megapixel(128 Mbps)] Support Smart Search and Intelligent Video System 1/1 Audio In/Out 2 SATA Port , Up to 16 TB HDMI , VGA , 1TV video Output RS485 for PTZ support 2 USB Ports (1 USB 2.0 , 1 USB 3.0)</p>	<p>66,500,000</p>
<p>۹۴</p>  <p>DH-XVR5232AN-X <b>ahua</b> TECHNOLOGY</p>	<p><a href="#">DH-XVR5232AN-X</a></p>	<p>32CH Penta-brid 1080P Recorder 5M-N@10fps, 4M-N/1080P@15fps, 1080N/720P@25fps H.265+/H.265/H.264+/H.264 dual-stream video compression 16CH Playback Pentabrid (IP+CVI+AHD+TVI+CVBS)[32 IP up to 6 Megapixel(128 Mbps)] Support Smart Search and Intelligent Video System 1/1 Audio In/Out 2 SATA Port , Up to 10 TB 1*HDMI(4K), 1*VGA ,simultaneous video Output RS485 for PTZ support 2*USB(1 USB2.0 , 1 USB3.0) 1*10/100/1000 Mbps LAN Interface P2P Support</p>	<p>69,800,000</p>
<p>۹۵</p>  <p>DH-XVR5432L <b>ahua</b> TECHNOLOGY</p>	<p><a href="#">DH-XVR5432L</a></p>	<p>32CH Penta-brid 1080P None-Real time, 1080N/720P Real-Time Recorder H.264+/H.264 dual-stream video compression 1/4/9/16CH Playback Pentabrid (IP+CVI+AHD+TVI+CVBS)[32 IP up to 5 Megapixel(128Mbps)] 4 Audio IN / 1 Audio Out 16 Alarm IN / 6 Alarm Out 4 SATA Port , Up to 8 TB 1 e-SATA Port 2 HDMI, 1 VGA, 1 TV RS485 , RS232, RS422 2 USB 3.0, 1 USB 2.0 10/100/1000 Mbps LAN Interface Smart Search and Intelligent Video System P2P Support</p>	<p>Call</p>




۹۶	 <p>DH-XVR5832S</p> 	<p><a href="#">DH-XVR5832S</a></p>	<p>32CH Penta-brid 1080P None-Real time, 1080N/720P Real-Time Recorder H.264+/H.264 dual-stream video compression 1/4/9/16CH Playback Pentabrid (IP+CVI+AHD+TVI+CVBS)[32 IP up to 5 Megapixel(128Mbps)] 16 Audio IN / 1 Audio Out 16 Alarm IN / 6 Alarm Out 8 SATA Port , Up to 8 TB 1 e-SATA Port 2 HDMI, 1 VGA, 1 TV RS485 , RS232, RS422 2 USB 3.0, 2 USB 2.0 10/100/1000 Mbps LAN Interface Smart Search and Intelligent Video System P2P Support</p>	Call
----	--	------------------------------------	---	------




تصویر	مدل	توضیحات	قیمت (ریال)
 	<a href="#">PFT2100</a>	HDMI-HDCVI Converter *Input HDMI video signal, self-adaptive output HDCVI signal *HDMI support mode, 1024*768@60Hz, 1280*720@50/60Hz, 1280*1024@60Hz, 1600*1200@60Hz, 1920*1080@50/60Hz *HDCVI output format, 720P/50, 720P/60, 1080P/25, 1080P/30 *Output Cable Length 1080P: 75-5 coaxial cable support 300m/720P: 75- 5 coaxial cable support 500m *Power:DC12V	9,100,000
 	<a href="#">TP2105</a>	HDCVI Video Converter real time non-compression transmission *Input: 1*HDCVI (BNC) *Output: 1*HDCVI (BNC), 1*CVBS (BNC), 1*HDMI, 1*VGA *1080p/720p: 75-5 coaxial support 100m Input Transmission Distance *1080p/720p: 75-5 coaxial support 100m HDCVI Output Transmission Distance *Support 2 dial switches and indicate 4 Baud rate: 2400b/s, 4800b/s, 9600b/s and 115200b/s *RS485	9,700,000
 	<a href="#">PFM801</a>	*1 Channel HDCVI Transmission Signal *720P, 400M(max); 1080P, 200M(max)Transmission Distance *Input voltage DC24-36V, can provide DC12V8W(max) power supply to remote cameras *Use single UTP (CAT-5E and CAT-6) real-time transmit 1-ch HD video signal and 1-ch DC power *Excellent anti-thunder, anti-static and anti-interference capabilities *Compatible with HDCVI/TVI/AHD format	1,200,000
 	<a href="#">DH-PFM905-E</a>	4" IPS display, 800*480 resolution, 16.7M colors Support HDCVI/AHD/TVI/CVBS Support RS485 PTZ control Support audio test and digital multi-meter function Support DC12V/1A power out Dual LED torch light Replaceable 7.4V/10.4Wh polymer lithium battery , which can last 5 hours for normal use	37,700,000





۱۰۱	 <p>DH-PFM900-E <b>dahua</b> TECHNOLOGY</p>	<p><a href="#">DH-PFM900-E</a></p>	<p>4" IPS screen and QWERTY flip keyboard with 45keys Support H.264/H.265 HD decoding protocol Support IP,HDCVI/AHD/TVI/CVBS Support IP configuration via Onvif protocol Support audio and RS485 control Support TDR network cable test and digital multi-meter function Support PoE+, DC12V/2A power out; Replaceable 7.4V/22.2Wh polymer lithium ion battery , which can last 8 hours for normal use; Compatible with more than 30 PTZ protocols(Pelco-D/P, Samsung, Panasonic, Lilin, Yaan,...) Dual LED flashlight</p>	69,000,000
-----	--	------------------------------------	--	------------



برای دریافت لیست قیمت به روز کلیه  
محصولات امنیتی و دریافت تخفیفات ویژه  
همکاران و مشتریان روی لینک زیر کلیک  
کنید.

**HIKPERSIAN.IR**