

لیست قیمت محصولات تی وی تی (با دو سال گارانتی درسا)

IPC + NVR

تصویر	مدل	توضیحات	قیمت (ریال)
 	<u>TD-C12</u>	2MP (1920 × 1080) H.265 full real time coding Max. resolution: 1920 × 1080 ICR auto switch, true day / night, BLC, HLC, Defog 10m IR night view distance 3D DNR, digital WDR, ROI coding Support Wi-Fi, Built-in micro SD card slot 1CH built-in MIC and 1CH built-in speaker 1CH alarm input and 1CH alarm output DC12V/PoE power supply Support three streams	22000000
 	<u>TD-9421S3L(D/PE/AR1)</u>	2MP (1920 × 1080) H.265 coding Max. resolution: 1920 1080 ICR auto switch, true day / night, ROI coding 3D DNR, digital WDR, HLC, BLC, defog 10~20m IR night view distance DC12V/PoE power supply, P2P function optional IP 67 ingress protection, Support dual streams Intelligent analytics (optional): video blur detection, line crossing detection and region intrusion detection	14000000
 	<u>TD-9421S3(D/PE/AR2)</u>	2MP (1920 × 1080) H.265 coding Max. resolution: 1920 × 1080 ICR auto switch, true day / night, ROI coding 3D DNR, digital WDR, HLC, BLC, Defog 20~30m IR night view distance 1CH audio input; Hardware reset Built-in micro SD card slot, up to 128GB IP 67 ingress protection, Support dual streams Intelligent analytics (optional): video blur detection, line crossing detection and region intrusion detection	16700000

۴



TD-9524S3L(D/PE/AR1)
TMT

TD-9524S3L(D/PE/AR1)

2MP (1920 × 1080) H.265 coding
Max.resolution: 1920 1080
ICR auto switch, true day / night, ROI coding
3D DNR, digital WDR, HLC, BLC, defog
10~20m IR night view distance
PoE power supply (optional),1CH built-in MIC
P2P function optional,IP 67 ingress protection
Support dual streams
Intelligent analytics (optional): video blur detection, line crossing detection and region intrusion detection

14000000

۵







TD-9422S3(D/PE/AR3)
TMT

TD-9422S3(D/PE/AR3)

2MP (1920 × 1080) H.265 coding
Fixed Lens 2.8mm,3.6mm,6mm
Max.resolution: 1920 × 1080
ICR auto switch, true day / night, ROI coding
3D DNR, digital WDR, HLC, BLC, Defog
30~50m IR night view distance
1CH audio input; Hardware reset
Built-in micro SD card slot, up to 128GB
IP 67 ingress protection,Support dual streams
Intelligent analytics (optional): video blur detection, line crossing detection and region intrusion detection

17500000

تصویر	مدل	توضیحات	قیمت (ریال)
 <p>TD-9524S3(D/PE/AR2)</p> 	<u>TD-9524S3(D/PE/AR2)</u>	<p>2MP (1920 × 1080) H.265 full real time coding Max. resolution: 1920 × 1080 ICR auto switch, true day / night 20 ~ 30m IR night view distance 3D DNR, digital WDR, HLC, BLC and ROI coding 1CH built-in MIC , Hardware reset Built-in micro SD card slot, up to 128GB,DC12V/PoE power supply IP67 ingress protection,Support dual streams Intelligent analytics (optional): video blur detection, line crossing detection and region intrusion detection</p>	17500000
 <p>TD-9441S3L(D/PE/AR1)</p> 	<u>TD-9441S3L(D/PE/AR1)</u>	<p>4MP (2560 × 1440) H.265 coding Max.resolution: 2560 × 1440 ICR auto switch, true day / night, ROI coding 3D DNR, digital WDR, HLC, BLC, defog 10~20m IR night view distance DC12V/PoE power supply P2P function optional IP 67 ingress protection Support three streams Intelligent analytics: object removal detection, abnormal video signal detection, line crossing detection and region intrusion detection</p>	22300000



TD-941E3(D/PE/AR2)
TMT

TD-941E3(D/PE/AR2)

4MP (2592 × 1520) H.265 full real time coding
Max. resolution: 2592 × 1520
ICR auto switch, true day / night
20 ~ 30m IR night view distance
3D DNR, true WDR, HLC, BLC, Defog, Smart IR and ROI coding
Hardware reset
Built-in micro SD card slot, up to 128GB
1CH audio input
DC12V/PoE power supply ,IP67 ingress protection
Support three streams ,P2P function optional
Intelligent analytics: Perimeter Protection,Target Counting,Exception Detection,Face Detection,etc.

33800000







TD-9544S3L(D/PE/AR1)
TMT

TD-9544S3L(D/PE/AR1)

4MP (2560 × 1440) H.265 coding
Max.resolution: 2560 × 1440 , ICR auto switch, true day / night, ROI coding
3D DNR, digital WDR, HLC, BLC, defog
10~20m IR night view distance , PoE power supply (optional)
1CH built-in MIC , P2P function optional
IP 67 ingress protection , Support three streams
Intelligent analytics: object removal detection, abnormal video signal detection, line crossing detection and region intrusion detection

22000000

تصویر	مدل	توضیحات	قیمت (ریال)
<p>۱۰</p>  <p>TD-9544E3(D/PE/AR2)</p> 	<p><u>TD-9544E3(D/PE/AR2)</u></p>	<p>4MP (2592 × 1520) H.265 full real time coding Max. resolution: 2592 × 1520 ICR auto switch, true day / night 20 ~ 30m IR night view distance 3D DNR, true WDR, HLC, BLC, Defog, Smart IR and ROI coding Hardware reset,Built-in micro SD card slot,up to 128GB,1CH audio input; 1 CH built-in MIC,DC12V/PoE power supply,IP67ingress protection,Support three streams,P2P function optional Intelligent analytics: Perimeter Protection,Target Counting,Exception Detection,Face Detection,etc.</p>	33000000
<p>۱۱</p>  <p>TD-8523IE(20M/AR15)</p> 	<p><u>TD-8523IE(20M/AR15)</u></p>	<p>Starlight 1/2.8" 2MP CMOS Up to 1920 × 1080 resolution Support H.265/H.264/MJPEG video compression Support True WDR/HLC/BLC/3D DNR/Defog Support Smart Event:Object Removal Detection, Intrusion Detection, Line Crossing Detection, People Intrusion and People Counting Built-in micro SD card slot, up to 128GB Support Privacy Mask,Smart IR with distance to 150m 24 VDC TVS6000V Lightning Protection, Surge Protection and Voltage Transient Protection,IP66</p>	160000000

۱۲

**TD-3104B1**

Support 4 CH
6MP/5MP/4MP/3MP/1080P/1280x1024/960
P/720P/960H/DI/CIF IP video input ,
Adopt
standard H.265 and H.264 high profile
compression format , Multi-mode
recording:
manual / timer / motion / sensor/smart
events , Playback : 4 /8CH simultaneous
playback
Search : time slice, time, event, tag,
smart
search
Support multiple VCA (Video Content
Analytics) events, such as object
abandoned/missing, region intrusion,
tripwire, video tampering, etc.
Pentaplex : preview, record, playback,
backup and remote access
Remote control via Web Client or CMS :
preview, playback, backup, PTZ and
configuration
1080P HD output

17800000

TD-3104B1
TMT

۱۳

**TD-3104B1H**

Support 4 CH
8MP/6MP/5MP/4MP/3MP/1080P/1280x
102
4/960P/720P/960H/DI/CIF IP input
Adopt standard H.265 and H.264 high
profile
compression format to get high-
quality video
at much lower bit rate
Multi-mode recording: manual / timer
/
motion / sensor/smart events
Playback : 4 /8CH simultaneous
playback
Support multiple VCA (Video Content
Analytics) events, such as object
abandoned/missing, region intrusion,
tripwire, video tampering, etc.
Pentaplex : preview, record,
playback,
backup and remote access
Remote control via Web Client or
CMS :
preview, playback, backup, PTZ and
configuration , 4K output

24000000

TD-3104B1H
TMT

۱۴

**TD-3104B1H-4P**

42000000

Support 4 CH
8MP/6MP/5MP/4MP/3MP/1080P/1280x
102
4/ 960P/720P/960H/DI/CIF IP video
input
Adopt standard H.265 and H.264 high
profile
compression format to get high-
quality video
at much lower bit rate
Multi-mode recording: manual / timer
/
motion / sensor / smart events
Playback : 4 CH simultaneous
playback
Search : time slice, time, event, tag,
smart

TMT

TD-3104B1H-4P

تصویر

مدل

توضیحات

قیمت (ریال)

۱۵

**TD-3108B1**

22000000

Support 8 CH
6MP/5MP/4MP/3MP/1080P/1280x1024/96
0P
/720P/960H/DI/CIF IP video input , Adopt
standard H.265 and H.264 high profile
compression format , Multi-mode
recording:
manual / timer / motion / sensor/smart
events
, Playback : 4 /8CH simultaneous
playback
Search : time slice, time, event, tag,
smart
search
Support multiple VCA (Video Content
Analytics) events, such as object
abandoned/missing, region intrusion,
tripwire,
video tampering,etc.
Pentaplex : preview, record, playback,
backup

TMT

TD-3108B1



and remote access
DHCP, DDNS, PPPoE network protocol ,
Remote control via Web Client or CMS :
preview, playback, backup, PTZ and
configuration
1080P HD output

Support 8 CH
8MP/6MP/5MP/4MP/3MP/1080P/1280×10
24
/960P/720P/960H/DI/CIF IP input
Adopt standard H.265 and H.264 high
profile
compression format to get high-quality
video
at much lower bit rate
Multi-mode recording: manual / timer /
motion / sensor/smart events
Playback : 8CH simultaneous playback
Support multiple VCA (Video Content
Analytics) events, such as object
abandoned/missing, region intrusion,
tripwire,
video tampering, etc.
Pentaplex : preview, record, playback,
backup
and remote access
Remote control via Web Client or CMS :
preview, playback, backup, PTZ and

26000000

Supports 8 CH
8MP/6MP/5MP/4MP/3MP/1080P/1280×10
24/960
P/720P/960H/DI/CIF IP video input
Standard H.265 and H.264 high profile
compression
format to get high-quality video at much
lower bit
rate
Intuitive and user-friendly Graphic User
Interface (GUI), Windows style operation by
mouse
Playback : 8CH simultaneous playback
Supports multiple VCA (Video Content
Analytics)
events, such as object
abandoned/missing, region
intrusion, tripwire, video tampering, etc.
8 PoE network ports; IPCs can be
directly

57000000

۱۶

**TD-3108B1H**

۱۷

**TD-3108B2H-
8P**

connected to NVR; PoE power supply supported ,
4K output

Support 16 CH
6MP/5MP/4MP/3MP/1080P/1280x1024/960P/720
P/960H/DI/CIF IP video input , Adopt standard
H.265 and H.264 high profile compression format ,
Multi-mode recording: manual / timer / motion /
sensor/smart events , Playback : 4 /8CH simultaneous playback
Search : time slice, time, event, tag, smart search
Support multiple VCA (Video Content Analytics)
events, such as object abandoned/missing, region intrusion, tripwire, video tampering,etc.
Pentaplex : preview, record, playback, backup and remote access
DHCP, DDNS, PPPoE network protocol , Remote control via Web Client or CMS :
preview, playback, backup, PTZ and configuration
1080P HD output

31000000

Support 16CH
8MP/6MP/5MP/4MP/3MP/1080P/1280x1024
/ 960P/720P/960H/DI/CIF IP video input
Adopt standard H.265 and H.264 high profile compression format to get high-quality video
at much lower bit rate
Support multiple VCA (Video Content Analytics) events, such as object abandoned/missing, region intrusion, tripwire,
video tampering, etc.
Support POS information overlay on live view

36500000

۱۸

**TD-3116B1**

TD-3116B1
TMT

۱۹

**TD-3116B2**

TD-3116B2
TMT

and playback Playback : 16CH
simultaneous
playback
network and so on Pentaplex : preview,
record, playback, backup and remote
access
DHCP, DDNS, PPPoE network protocol
4K ultra high resolution output

Support 32CH
8MP/6MP/5MP/4MP/3MP/1080P/1280×10
24
/ 960P/720P/960H/DI/CIF IP video input
Adopt standard H.265 and H.264 high
profile
compression format to get high-quality
video
at much lower bit rate
Support multiple VCA (Video Content
Analytics) events, such as object
abandoned/missing, region intrusion,
tripwire,
video tampering, etc.
Support POS information overlay on
live view
and playback Playback : 16CH
simultaneous
playback
network and so on Pentaplex : preview,
record, playback, backup and remote
access
DHCP, DDNS, PPPoE network protocol
Remote control via Web or CMS :
preview,
playback, backup, PTZ and
configuration , 4K
ultra high resolution output

68000000



TD-3132B2



تصویر

مدل

توضیحات

قیمت (ریال)

۲۱

**TD-3132B4**

Support 32 CH 8MP / 5MP / 4MP / 3MP / 1080P / 960P / 720P IP input
Adopt standard H.265 and H.264 high profile compression format to get high-quality video at much lower bit rate
Intuitive and user-friendly Graphic User Interface (GUI), Windows style operation by mouse
Multi-mode recording: manual / timer / motion / sensor

84000000

۲۲

**TD-3332H4-16P-A1**

Supports 32 CH 8MP / 6MP / 5MP / 4MP / 3MP / 1080P / 1280 × 1024 / 960P / 720P / 960H / D1 / CIF IP video input
Standard H.265 high profile compression format
Playback : 16 CH simultaneous playback
Supports multiple VCA (Video Content Analytics) events, such as object abandoned/missing, region intrusion, tripwire, video tampering, etc.
Supports POS information overlay on live view and playback
16 PoE network ports; PoE power supply supported
Dual stream technology for local storage with high definition, remote network transmission and remote surveillance with mobile device
4K output

130000000

برای دریافت لیست قیمت به روز کلیه
محصولات امنیتی و دریافت تخفیفات ویژه
همکاران و مشتریان روی لینک زیر کلیک
کنید.

HIKPERSIAN.IR