







لیست قیمت محصولات تی وی تی (با دو سال گارانتی درسا)

THC + DVR

تصویر	مدل	توضیحات	قیمت (ریال)
 	<u>1 TD-7420AS1L(D/IR1)</u>	1080P real-time image, high resolution, true color AHD / TVI / CVI / CVBS standard and lossless video output Up to 1000 TVL resolution CMOS progressive scan, perfectly capture the moving object Support OSD menu Auto color to B / W at low illumination Support ICR switch, true day / night, digital WDR Support noise reduction function 10 ~ 20m IR night view distance IP66 ingress protection Support COC	4900000
 	<u>TD-7421AS1L(D/AR1)</u>	1080P real-time image, high resolution, true color AHD / TVI / CVI / CVBS standard and lossless video output Up to 1000 TVL resolution CMOS progressive scan, perfectly capture the moving object Support OSD menu Auto color to B / W at low illumination Support ICR switch, true day / night, digital WDR Support noise reduction function 10 ~ 20m IR night view distance IP66 ingress protection Support COC	5500000
 	<u>TD-7420AS1(D / IR1)</u>	1080P real time image, high resolution, true color AHD/TVI/CVI/CVBS lossless video output Up to 1000 TVL resolution CMOS progressive scan, perfectly capture the moving object Support OSD menu Auto color to B/W at low illumination Support ICR switch, true day/night Support noise reduction function , 10 ~ 20m IR night view distance	5500000

IP66 ingress protection
Support COC , support 960H CVBS output

1080P real time image, high resolution, true color
AHD/TVI/CVI/CVBS lossless video output
Up to 1000 TVL resolution
CMOS progressive scan, perfectly capture the moving object
Support OSD menu
Auto color to B/W at low illumination
Support ICR switch, true day/night
Support noise reduction function
10 ~ 20m IR night view distance , IP66 ingress protection
Support COC , Support 960H CVBS output

6100000

TD-7421AS1(D/AR1)









1080P real-time image, high resolution, true color
AHD / TVI / CVI / CVBS standard and lossless video output
Up to 1000 TVL resolution
CMOS progressive scan, perfectly capture the moving object
Support OSD menu
Auto color to B / W at low illumination
Support ICR switch, true day / night, digital WDR
Support noise reduction function
10 ~ 20m IR night view distance
IP66 ingress protection
Support COC

8100000

TD-7421AE2H(D/SW/AR1)



تصویر	مدل	توضیحات	قیمت (ریال)
 	<u>TD-7422AE2H(D/SW/IR2)</u>	<p>1080P real-time image, high resolution, true color AHD / TVI / CVI / CVBS standard and lossless video output Up to 1000 TVL resolution CMOS progressive scan, perfectly capture the moving object Support OSD menu Auto color to B / W at low illumination support ICR switch, true day / night, digital WDR Support noise reduction function 20 ~ 30m IR night view distance IP66 ingress protection Support COC</p>	9800000
 	<u>TD-7423AE2H(D/FZ/SW/IR2)</u>	<p>1080P real-time image, high resolution, true color AHD / TVI / CVI / CVBS standard and lossless video output Up to 1000 TVL resolution CMOS progressive scan, perfectly capture the moving object Support OSD menu Auto color to B / W at low illumination Support ICR switch, true day / night, digital WDR Support noise reduction function 30 ~ 50m IR night view distance P66 ingress protection Support COC</p>	16150000
 	<u>TD-7520AS1L(D/IR1)</u>	<p>1080P real-time image, high resolution, true color AHD / TVI / CVI / CVBS standard and lossless video output Up to 1000 TVL resolution CMOS progressive scan, perfectly capture the moving object Support OSD menu</p>	4900000









TD-7524AS1L(D/IR1)

Auto color to B / W at low illumination
Support ICR switch, true day / night, digital WDR
Support noise reduction function
10 ~ 20m IR night view distance
Support COC

1080P real-time image, high resolution, true color
AHD / TVI / CVI / CVBS standard and lossless video output
Up to 1000 TVL resolution
CMOS progressive scan, perfectly capture the moving object
Support OSD menu
Auto color to B / W at low illumination
Support ICR switch, true day / night, digital WDR
Support noise reduction function
10 ~ 20m IR night view distance
IP66 ingress protection
Support COC

5450000

تصویر	مدل	توضیحات	قیمت (ریال)
<p>۱۰</p>  <p>TD-7520AS1(D/IR1)</p> 	<u>TD-7520AS1(D/IR1)</u>	<p>1080P real time image, high resolution, true color AHD/TVI/CVI/CVBS lossless video output Up to 1000 TVL resolution CMOS progressive scan, perfectly capture the moving object Support OSD menu Auto color to B/W at low illumination Support ICR switch, true day/night Support noise reduction function 10 ~ 20m IR night view distance IP54 ingress protection Support COC , Support 960H CVBS output</p>	5500000
<p>۱۱</p>  <p>TD-7524AS1(D/IR1)</p> 	<u>TD-7524AS1(D/IR1)</u>	<p>1080P real time image, high resolution, true color AHD/TVI/CVI/CVBS lossless video output Up to 1000 TVL resolution CMOS progressive scan, perfectly capture the moving object Support OSD menu Auto color to B/W at low illumination Support ICR switch, true day/night Support noise reduction function 10 ~ 20m IR night view distance IP66 ingress protection Support COC , Support 960H CVBS output</p>	6110000
<p>۱۲</p>  <p>TD-7523AE2H(D/FZ/SW/IR2)</p> 	<u>TD-7523AE2H(D/FZ/SW/IR2)</u>	<p>1080P real-time image, high resolution, true color AHD / TVI / CVI / CVBS standard and lossless video output Up to 1000 TVL resolution CMOS progressive scan, perfectly capture the moving object Support OSD menu Auto color to B / W at low illumination Support ICR switch, true day / night, digital WDR Support noise reduction function 20 ~ 30m IR night view distance IP66 & IK10 ingress protection Support COC</p>	16150000



۱۳



TMT

TD-7450AS(D/IR1)

5MP real-time image, high resolution, true color
 AHD/TVI/CVI standard and lossless video output
 Up to 1400 TVL resolution
 CMOS progressive scan, perfectly capture the moving object
 Support OSD menu
 Auto color to B/W at low illumination
 Support ICR switch, true day/night
 10 ~ 20m IR night view distance
 IP66 ingress protection
 Support COC

9100000

۱۴






TMT

TD-7451AS(D/AR1)

5MP real-time image, high resolution, true color
 AHD/TVI/CVI standard and lossless video output
 Up to 1400 TVL resolution
 CMOS progressive scan, perfectly capture the moving object
 Support OSD menu
 Auto color to B/W at low illumination
 Support ICR switch, true day/night
 10 ~ 20m IR night view distance
 IP66 ingress protection
 Support COC

9100000



تصویر	مدل	توضیحات	قیمت (ریال)
<p>۱۵</p>  <p>TD-7451AE1(D/SW/AR1) TMT</p>	<p><u>TD-7451AE1(D/SW/AR1)</u></p>	<p>5MP@20fps/4MP@30fps image, high resolution, true color AHD / TVI / CVI/CVBS standard and lossless video output Up to 1500 TVL resolution CMOS progressive scan, perfectly capture the moving object Support OSD menu Auto color to B / W at low illumination Support ICR switch, true day / night, WDR Support noise reduction function 10 ~ 20m IR night view distance IP66 ingress protection Support COC</p>	12400000
<p>۱۶</p>  <p>TD-7452AE1(D/SW/IR2) TMT</p>	<p><u>TD-7452AE1(D/SW/IR2)</u></p>	<p>5MP@20fps/4MP@30fps image, high resolution, true color AHD / TVI / CVI / CVBS standard and lossless video output Up to 1500 TVL resolution CMOS progressive scan, perfectly capture the moving object Support OSD menu Auto color to B / W at low illumination Support ICR switch, true day / night, WDR Support noise reduction function 20 ~ 30m IR night view distance Fixed, manual or motorized lens optional IP66 ingress protection , Support COC</p>	13100000
<p>۱۷</p>  <p>TD-7550AS(D/IR1) TMT</p>	<p><u>TD-7550AS(D/IR1)</u></p>	<p>5MP real-time image, high resolution, true color AHD/TVI/CVI standard and lossless video output Up to 1400 TVL resolution CMOS progressive scan, perfectly capture the moving object Support OSD menu Auto color to B/W at low illumination Support ICR switch, true day/night</p>	8700000

10 ~ 20m IR night view distance
Support COC

5MP real-time image, high resolution, true color
AHD/TVI/CVI standard and lossless video output
Up to 1400 TVL resolution
CMOS progressive scan, perfectly capture the moving object
Support OSD menu
Auto color to B/W at low illumination
Support ICR switch, true day/night
10 ~ 20m IR night view distance
IP66 ingress protection
Support COC

8800000

5MP@20fps/4MP@30fps image, high resolution, true color
AHD / TVI / CVI / CVBS standard and lossless video output
Up to 1500 TVL resolution
CMOS progressive scan, perfectly capture the moving object
Support OSD menu
Auto color to B / W at low illumination
Support ICR switch, true day / night, WDR
Support noise reduction function
10 ~ 20m IR night view distance
IP66 ingress protection
Support COC

9900000

5MP@20fps/4MP@30fps image, high resolution, true color
AHD / TVI / CVI / CVBS standard and lossless video output
Up to 1500 TVL resolution
CMOS progressive scan, perfectly capture the moving object
Support OSD menu
Auto color to B / W at low illumination
Support ICR switch, true day / night, WDR
Support noise reduction function
10 ~ 20m IR night view distance
IP66 & IK10 ingress protection
Support COC

13100000

۱۸



TD-7554AS(D/IR1)

۱۹







TD-7551AE1(D/SW/AR1)

۲۰



TD-7551AE1(D/SW/IR1)

تصویر	مدل	توضیحات	قیمت (ریال)
۲۱  	<u>TD-7481AE(D/SW/AR1)</u>	8MP@15fps/5MP@20fps/4MP@30fps high resolution, true color AHD / TVI / CVI standard and lossless video output Up to 1700 TVL resolution CMOS progressive scan, perfectly capture the moving object Support OSD menu Auto color to B / W at low illumination Support ICR switch, true day / night Support noise reduction function 10 ~ 20m IR night view distance IP66 ingress protection Support COC , Support 960H CVBS output	23600000
۲۲  	<u>TD-7482AE(D/SW/IR2)</u>	8MP@15fps/5MP@20fps/4MP@30fps high resolution, true color AHD / TVI / CVI standard and lossless video output Up to 1700 TVL resolution CMOS progressive scan, perfectly capture the moving object Support OSD menu Auto color to B / W at low illumination Support ICR switch, true day / night Support noise reduction function 20 ~ 30m IR night view distance	26500000

IP66 ingress protection
Support COC , Support 960H CVBS output

8MP@15fps/5MP@20fps/4MP@30fps high resolution, true color
AHD / TVI / CVI standard and lossless video output
Up to 1700 TVL resolution
CMOS progressive scan, perfectly capture the moving object
Support OSD menu
Auto color to B / W at low illumination
Support ICR switch, true day / night
Support noise reduction function

23000000

۲۳



TD-7584AE(D/SW/IR1)
TMT

**TD-
7584AE(D/SW/IR1)**

تصویر

مدل

توضیحات

قیمت (ریال)

۲۴



TD-2004TS-CL
TMT

TD-2004TS-CL

4 CH TVI / CVI / AHD video input , 4 CH 1080P lite / 720P / WD1 recording
Standard H.264 high profile compression format to get high-quality video at much lower bit rate , Multi-mode recording: manual / timer / motion , Playback : 4 CH simultaneously playback , Search: time slice, time, event, tag search, smart search , network and so on
Pentaplex: preview, record, playback, backup and remote access , DHCP, DDNS, PPPoE network protocol , Remote control via Web Client or CMS : preview, playback, backup, PTZ and configuration , Dual stream technology for local storage with high definition, Authorization management,

11800000



log review and device status review , HDMI 1080P output

۲۵



TD-2104TS-CL



4 CH TVI / CVI / AHD video input, 4 CH 1080P lite / 720P / WD1 recording ,Standard H.264 high profile compression format to get high-quality video at much lower bit rate ,Intuitive and user-friendly Graphics User Interface , Multi-mode recording: manual / timer / motion , Playback : 4 CH simultaneously playback , Search: time slice, time, event (manual, motion) , tag search , Pentaplex: preview, record, playback,DHCP, DDNS, PPPoE network protocol , Remote control via Web Client or CMS : preview, playback, backup, PTZ and configuration , Dual stream technology for local storage with high definition, HDMI 1080P output

14100000

۲۶



TD-2104TS-HP



4 CH TVI / AHD/CVI 8MP/5MP/4MP/3MP/1080P/720P/WD1 video input , 4 CH DVR support 2 / 8 CH 8MP / 5MP / 4MP / 3MP / 1080P /720P/WD1 IP input by default Adopt standard H.265 high profile compression format to get high quality video at much lower bit rate Multi-mode recording: manual / timer / motion / smart event Playback : 4 CH simultaneously playback , Search: time slice, time, event, Pentaplex: preview, record, playback , DHCP, DDNS, PPPoE network protocol , Remote control via IE or CMS : preview, playback, backup, PTZ and configuration ,HDMI 4K output

27700000

۲۷



TD-2008TS-CL
TMT

TD-2008TS-CL

8 CH TVI / CVI / AHD video input
8 CH 1080P lite / 720P / 720P Lite / WD1 recording
8 CH DVR supports 1 CH IPC 1080P / 960P / 720P input
Adopt standard H.264 high profile compression format to get high-quality video at much lower bit rate
Playback : 8 CH simultaneously playback
Search: time slice, time, event , tag search, smart search
Pentaplex: preview, record, playback, backup and remote access
Remote control via Web Client or CMS : preview, playback, backup, PTZ and configuration , HDMI 1080P output

19000000

۲۸



TD-2108TS-CL
TMT

TD-2108TS-CL

8 CH TVI / CVI / AHD video input
4 CH DVR support 1080P lite / 720P / WD1 recording
8 CH DVRs support 1080P lite / 720P / 720P lite / WD1 recording , 8 CH DVRs support 1 / 1 CH IPC 1080P / 960P / 720P recording , 16 CH DVRs support 2 CH IPC 3MP / 1080P / 960P / 720P recording , Adopt standard

21300000

۲۹



D-2108TS-HP
TMT

TD-2108TS-HP

8 CH TVI / AHD/CVI
8MP/5MP/4MP/3MP/1080P/720P/WD1 video input ,
8 CH DVR support 2 / 8 CH 8MP / 5MP / 4MP / 3MP / 1080P /720P/WD1 IP input by default
Adopt standard H.265 high profile compression format to get high-quality video at much lower bit rate
Multi-mode recording: manual / timer / motion / smart event
Playback : 8 CH simultaneously playback ,
Search: time slice, time, event, Pentaplex: preview, record, playback , Remote control via IE or CMS : preview, playback, backup, PTZ and configuration , HDMI 4K output

41700000

۳۰



TD-2708TE-HK
TMT

TD-2708TE-HK

Supports 8 CH TVI / AHD / CVI 8MP / 5MP / 4MP / 3MP / 1080P / 720P / WD1 video input

Supports 8 CH 8MP / 5MP / 4MP / 3MP / 1080P / 960P / 720P IP video input , Standard H.265 high profile compression format to get high-quality video at much lower bit rate

Multi-mode recording: manual / timer / motion Playback : 8 CH simultaneously playback

Search: time slice, time, event, tag and smart search , Pentaplex: preview, record, playback, DHCP, Remote control via IE or CMS : preview, playback, backup, PTZ and configuration , HDMI 4K output

81000000

۳۱



TD-2116TS-CL
TMT

TD-2116TS-CL

16 CH TVI / CVI / AHD video input

4 CH DVR support 1080P lite / 720P / WD1 recording

16 CH DVRs support 1080P lite / 720P / 720P lite / WD1 recording

8 CH DVRs support 1 / 1 CH IPC 1080P / 960P / 720P recording

16 CH DVRs support 2 CH IPC 3MP / 1080P

26400000

۳۲



TD-2116TS-HC
TMT

TD-2116TS-HC

16 CH TVI / AHD/CVI

8MP/5MP/4MP/3MP/1080P/720P/WD1 video input , 16 CH DVR support 2 / 8 CH 8MP / 5MP / 4MP / 3MP / 1080P / 720P/WD1 IP input by default

Adopt standard H.265 high profile compression format to get high-quality video at much lower bit rate

Multi-mode recording: manual / timer / motion / smart event

Playback : 16 CH simultaneously playback ,

Search: time slice, time, event, Pentaplex: preview, record, playback , Remote control via IE or CMS : preview, playback, backup, PTZ and configuration ,HDMI 4K output

43780000

۳۳



TD-2116TE-HP



Supports 16 CH TVI / AHD / CVI
8MP/5MP/4MP/3MP/1080P/720P/WD1
video input
Supports 8 CH 8MP / 5MP / 4MP / 3MP /
1080P / 720P/WD1 IP video input by default
Standard H.265 high profile compression
format , Multi-mode recording: manual /
timer / motion / smart event
Playback : 16CH simultaneously playback ,
Search: time slice, time, event (manual,
motion), tag search
Pentaplex: preview, record, playback,
backup and remote access
DHCP, DDNS, PPPoE network protocol ,
Remote control via Web Client or CMS :
preview, playback, backup, PTZ and
configuration , HDMI 4K output

84640000

۳۴



TD-2732TC-HC



32 CH TVI / AHD/CVI 5MP/ 4MP/ 1080P /
720P / WD1 video input
32 CH DVRs support 8/8 CH 5MP / 4MP /
3MP / 1080P / 960P / 720P IP video input ,
Adopt standard H.265 high profile
compression format
Multi-mode recording: manual / timer /
motion
Playback : 16/16 CH simultaneously
playback
Search: time slice, time, event, tag and
smart search
Pentaplex: preview, record, playback,
DHCP, DDNS, PPPoE network protocol ,
Remote control via Web Client or CMS :
preview, playback, backup, PTZ and
configuration
Authorization management, log review and
device status review 1080P output, true
high resolution display

129600000

برای دریافت لیست قیمت به روز کلیه
محصولات امنیتی و دریافت تخفیفات ویژه
همکاران و مشتریان روی لینک زیر کلیک
کنید.

HIKPERSIAN.IR