

لیست قیمت

محصولات

Dahua

IP Price List			
تصویر	مدل	توضیحات	قیمت (ریال)
 <p>DH-IPCHDBW1320EP-AS alhua TECHNOLOGY</p>	DH-IPCHDBW1320EP-AS	1/3" 3Megapixel progressive scan CMOS H.264+/H/264 dual-stream encoding Max 20fps@3M(2048x1536) (2304x1296)&25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m Micro SD card Memory , 128 GB Audio In/Out IP67, IK10, PoE	12,900,000
 <p>IPC-B1A30 alhua TECHNOLOGY</p>	IPC-B1A30	1/3" 3Megapixel progressive scan CMOS H.264+/H.264 dual-stream encoding 20fps@3M(2048x1536)&25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens Max. IR LEDs Length 30m IP67, PoE	9,700,000
 <p>IPC-B2A30 alhua TECHNOLOGY</p>	IPC-B2A30	1/3" 3Megapixel progressive scan CMOS H.264+/H.264 dual-stream encoding 20fps@3M(2048x1536)&25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7~12mm Motorized lens Micro SD card slot, up to 128GB Max. IR LEDs Length 60m IP67, PoE	19,400,000
 <p>IPC-T1A30 alhua TECHNOLOGY</p>	IPC-T1A30	1/3" 3Megapixel progressive scan CMOS H.264+/H.264 dual-stream encoding 20fps@3M(2048x1536)&25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens Max. IR LEDs Length 30m IP67, PoE	9,700,000
 <p>IPC-D1A30 alhua TECHNOLOGY</p>	IPC-D1A30	1/3" 3Megapixel progressive scan CMOS H.264+/H.264 dual-stream encoding 20fps@3M(2048x1536)&25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens Max. IR LEDs Length 30m IP67, IK10, PoE	10,200,000

تصویر	مدل	توضیحات	قیمت (ریال)
 	IPC-B2B40-ZS	1/3" 4Megapixel progressive scan CMOS H.265+ & H.265 dual-stream encoding 20fps@4M(2560×1440) &25/30fps@3M(2304×1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC 2.8~12mm varifocal lens Max. IR LEDs Length 40m Support Smart IR Micro SD card memory IP67, PoE	19,500,000
 	EZ-IPC-B1B40P	1/3" 4Megapixel progressive scan CMOS H.265+ & H.265 dual-stream encoding 20fps@4M(2560×1440) &25/30fps@3M(2304×1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC 3.6mm fixed lens Max. IR LEDs Length 30m Support Smart IR IP67, PoE	14,250,000
 	IPC-D2B40-ZS	1/3" 4Megapixel progressive scan CMOS H.265+ & H.265 dual-stream encoding 20fps@4M(2560×1440) &25/30fps@3M(2304×1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC 2.8~12mm varifocal lens Max. IR LEDs Length 30m Support Smart IR Micro SD card memory IP67, PoE	19,500,000
 	EZ-IPC-T1B40P	1/3" 4Megapixel progressive scan CMOS H.265+ & H.265 dual-stream encoding 20fps@4M(2560×1440) &25/30fps@3M(2304×1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC 3.6mm fixed lens Max. IR LEDs Length 30m Support Smart IR IP67, PoE	14,250,000
 	DH-IPC-HFW1320SP	1/3" 3Megapixel progressive scan CMOS H.264+/H/264 dual-stream encoding Max 20fps@3M(2048× 1536)&25/30fps@1080P(1920× 1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, PoE	12,300,000
 	EZ-IPC-T1B20P-L	1/2.7" 2Megapixel progressive scan CMOS H.265+ & H.265 dual-stream encoding 20fps@1080P(1920×1080) & 25/30fps@1.3MP(1280×960) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC 3.6mm fixed lens Max. IR LEDs Length 30m Support Smart IR IP67, PoE	9,750,000

۱۲



[EZ-IPC-B1B20P-L](#)

1/2.7" 2Megapixel progressive scan CMOS
H.265+ & H.265 dual-stream encoding
20fps@1080P(1920×1080) &
25/30fps@1.3MP(1280×960 DWDR,
Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC
3.6mm fixed lens Max. IR LEDs Length 30m
Support Smart IR IP67, PoE

9,750,000



۱۳



[DH-SD6CE230U-HNI](#)

1/2.8" 2MP STARVIS™ CMOS
H.265+/H.265/H.264+/H.264 Encoding
Max. 50/60fps@1080P 4.5mm~135mm
Powerful 30x optical zoom Max 200°/s pan
speed, 360° endless pan rotation
WDR(120db), Day/Night(ICR), Ultra DNR,
BLC, HLC Auto-tracking and IVS(Tripwire,
Intrusion,Abandoned/Missing, Face
Detection, Heat Map) Up to 300 presets,8
tour, 5 pattern, Auto scan, Auto Pan
Support Defog, ROI, EIS Alarm 7/2 in/out
Audio 1/1 in/out 1*Video output RS485 IR
Distance up to 200m PoE+, IP67, IK10

154,900,000



۱۴



[DH-SD6CE225U-HNI](#)

1/2.8" 2Megapixel STARVIS™ CMOS, g Max.
50/60fps@1080P 4.8mm~120mm 25x
optical zoom Max 200°/s pan speed, 360°
endless pan rotation WDR(120dB),
Day/Night(ICR), Ultra DNR, BLC, HLC
Support Defog, ROI, EIS Auto-tracking and
IVS(Tripwire, Intrusion,Abandoned/Missing,
Face Detection, Heat Map) Up to 300
presets,8 tour, 5 pattern, Auto scan, Auto
Pan 1*Video output Rs485 Alarm 7/2 in/out
Audio 1/1 in/out IR Distance up to 200m

106,500,000













[DH-SD60230T-HN](#)

1/2.8" 2Mp CMOS Sensor H.264+/H.264
 Encoding, Ultra-low bit rate transmission
 Max. 30fps@1080P(2592×1520) & 60fps
 @720P resolution DWDR, Day/Night(ICR),
 Ultra DNR, Auto iris, Auto focus 4.5mm ~
 135.0mm , 30x Optical Zoom Max 600°/s
 pan speed, 360° endless pan rotation Up to
 300 presets, 5 auto scan, 8 tour, 5 pattern
 Micro SD card memory , 64 GB Audio
 In/Out Alarm In/Out IP67,IK10, POE+ Smart
 Detection (Tripwire|Intrusion | Scene
 Change | Face| AnandonedMissing Object)

Call



تصویر	مدل	توضیحات	قیمت (ریال)
<p>۱۶</p>  <p>DH-PSD81602-A360</p> 	<p>DH-PSD81602-A360</p>	<p>8x2MP Multi-Sensor Panoramic Network Camera+PTZ Camera Panoramic: Eight 1/1.9" 2Megapixel progressive scan CMOS 5mm fixed lens PTZ: One 1/1.9" 2Megapixel progressive scan CMOS 5.5mm~206mm, 37x optical zoom H.265+/H.265/H.264+/H.264 triple-stream encoding 2x25fps@4096x1800+50/60fps@1080P Support 360-degree panoramic view WDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC Smart tracking Intelligent Function(Tripwire, Intrusion) 2/1 channel Audio In/Out 7/2 channel Alarm In/Out RS485 Micro SD memory, IP67, IK10</p>	<p>Call</p>
<p>۱۷</p>  <p>DH-PSD8802-A180</p> 	<p>DH-PSD8802-A180</p>	<p>4x2MP Multi-Sensor Panoramic Network Camera+PTZ Camera Panoramic: Four 1/1.9" 2Megapixel progressive scan CMOS 5mm fixed lens PTZ: One 1/1.9" 2Megapixel progressive scan CMOS 5.5mm~206mm, 37x optical zoom H.265+/H.265/H.264+/H.264 triple-stream encoding 25fps@4096x1800+50/60fps@1080P Support 180-degree panoramic view WDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC Smart tracking Intelligent Function(Tripwire, Intrusion) 2/1 channel Audio In/Out 7/2 channel Alarm In/Out RS485 Micro SD memory, IP67, IK10</p>	<p>Call</p>
<p>۱۸</p>  <p>IPC-PFW8800-A180</p> 	<p>IPC-PFW8800-A180</p>	<p>4x2MP Multi-Sensor Panoramic Network IR Bullet Camera Four 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 triple-stream encoding Max 25fps@4096x1800 3.0mm fixed lens Support 180-degree panoramic view DWDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC Intelligent Function Tripwire, Intrusion, Object Abandoned/Missing, Heat Map, E-PTZ 1/1 channel Audio In/Out 2/2 channel Alarm In/Out Max. IR LEDs length 30m Micro SD memory, IP67, IK10,PoE+</p>	<p>Call</p>

۱۹	 <p>DH-SD1A203T-GN dahua TECHNOLOGY</p>	<p>DH-SD1A203T-GN</p>	<p>1/2.8" 2MP STARVIS™ CMOS (Starlight) H.265+/H.265/H.264+/H.264 Triple-streams encoding Max. 25/30fps@1080P WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus 2.7mm ~ 8.1mm , 3x Optical Zoom Max Pan: 80° /s; Tilt: 40° /s speed Pan: 0° ~ 355°; Tilt: 5° ~ 90° rotation Up to 300 presets, 5 auto scan, 8 tour, 5 pattern Support Defog IR Distance up to 15m IP 66, support POE Smart Detection (Tripwire Intrusion Abandoned/Missing Face Detection)</p>	35,500,000
۲۰	 <p>DH-IPC-PDBW8800-A180 dahua TECHNOLOGY</p>	<p>DH-IPC-PDBW8800-A180</p>	<p>4x2MP Multi-Sensor Panoramic Network IR Dome Camera Four 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 Max 25fps@4096x1800 3.0mm fixed lens Support 180-degree panoramic view DWDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC Intelligent Function Tripwire, Intrusion, Object Abandoned/Missing, Heat Map, E-PTZ 1/1 channel Audio In/Out 2/1 channel Alarm In/Out Max. IR LEDs length 30m Micro SD memory, IP67, IK10,PoE+</p>	Call
۲۱	 <p>IPC-PFW8601-A180 dahua TECHNOLOGY</p>	<p>IPC-PFW8601-A180</p>	<p>3x2MP Multi-Sensor Panoramic Network IR Bullet Camera Three 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 triple-stream encoding Max 25fps@4096x832 3.6mm fixed lens Support 180-degree panoramic view WDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC Intelligent Function Tripwire, Intrusion, Object Abandoned/Missing, Heat Map, E-PTZ 1/1 channel Audio In/Out 2/1 channel Alarm In/Out Max. IR LEDs length 30m Micro SD memory, IP67, IK10,PoE+</p>	Call

تصویر	مدل	توضیحات	قیمت (ریال)
 	DH-ITC237-PW1B-IRZ	2 Megapixel Full HD WDR Access ANPR Camera -Embedded with LPR algorithm inside the camera -Support plate cutout, overview picture snapshot and video recording - Embedded with White list database,1 ch relay out to control the barrier performance for outdoor applications· 1/2.8" 2Megapixel progressive scan CMOS H.265/H.264M/H.264H/H.264B dual-stream encoding 25/30fps@1080P(1920×1080) 2.7mm~12mm Motorize lens WDR(140dB),BLC,HLC,Day/Night(ICR),3DNR,A WB,AGC,BLC Mirco SD card 64GB IR Distance 3~8m IP6, IP67, IK10,PoE+	92,000,000
 	DH-IPC5831EP-ZE	1/2.5" 8 Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 Triple-stream encoding 15fps@4K(3840×2160),25/30fps@3Mp(2304×1296) 2.7mm ~12mm motorized lens Max. Aperture F1.6 WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card memory , 128 GB 1/1 Audio In/Out 2/1 Alarm In/Out Max. IR LEDs Length 50m , Smart IR IP67,IK10, PoE Smart Detection (Tripwire Intrusion Object Abandoned/Missing Face)	52,000,000
 	DH-IPC-HFW4831EP-S	1/2.5" 8Megapixel progressive scan CMOS H.265+&H.265&H.264&MJPEG triple-stream encoding 15fps@4K(3840×2160),25/30fps@3Mp(2304×1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 4mm fixed lens Max. IR LEDs Length 40m Micro SD card memory , 128 GB IP67, PoE Smart Detection (Tripwire Intrusion Scene Change Face)	32,100,000

۲۵



[IPC-HFW4631EP-SE](#)

1/2.9" 6Megapixel progressive scan STARVISTM CMOS
 H. 265+ & H.265 & H.264+ & H.264 triple-stream encoding
 20fps@6MP(3072x2048),
 25/30fps@4MP(2688x1520)
 WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
 3.6mm fixed lens
 Max. IR LEDs Length 40m
 Micro SD card memory , 128 GB
 IP67, PoE
 Smart Detection (Tripwire|Intrusion |Object Abandoned/Missing| Face)

27,500,000

۲۶



[DH-IPC-HFW4431DP-BAS](#)

1/3" 4Megapixel progressive scan CMOS
 3.6mm fixed lens Max 20fps@4M(2592x1520) & 25/30fps@3M(2304x1296)
 H.265+/H.265/H.264+/H.264 & MJPEG triple stream encoding WDR(120dB),
 Day/Night(ICR), 3DNR, AWB, AGC, BLC Smart Detection supported Face Detection, Tripwire, Intrusion, Object Abandoned/Missing 1/1 Alarm in/out, 1/1 audio in/out Max. IR LEDs Length 80m Mirco SD card 128GB IP67, PoE

19,500,000

۲۷



[DH-IPC-HFW4431BP](#)

1/3" 4Megapixel progressive scan CMOS
 3.6mm fixed lens
 Max 20fps@4M(2592x1520) & 25/30fps@3M(2304x1296)
 H.265+/H.265/H.264+/H.264 & MJPEG triple stream encoding
 WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
 Smart Detection supported
 Face Detection, Tripwire, Intrusion, Object Abandoned/Missing
 1/1 Alarm in/out, 1/1 audio in/out
 Max. IR LEDs Length 50m
 Mirco SD card, IP67, PoE, Mirco SD card 128GB

19,100,000




۲۸



[DH-IPC-HFW4231EP-S](#)

1/2.8" 2Megapixel progressive scan STARVIS™ CMOS(Starlight) 3.6mm fixed lens
 50/60fps@1080P(1920x1080)
 H.265+/H.265/H.264+/H.264 triple-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Smart Detection supported:
 Face Detection, Tripwire, Intrusion, Object Abandoned/Missing Max. IR LEDs Length 40m
 Mirco SD card 128GB IP67, PoE




22,100,000





تصویر	مدل	توضیحات	قیمت (ریال)
<p>۲۹</p>  <p>DH-IPC-HFW2531TP-Z dahua TECHNOLOGY</p>	DH-IPC-HFW2531TP-Z	<p>1/2.7" 5Megapixel progressive CMOS 2.7~13.5mm Motorized lens 15fps@5M(2592×1944)&25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 60m ,Smart IR IP67, PoE Smart Detection (Tripwire Intrusion)</p>	33,300,000
<p>۳۰</p>  <p>DH-IPC-HFW5431EP-Z-H dahua TECHNOLOGY</p>	DH-IPC-HFW5431EP-Z-H	<p>1/3" 4Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 & MJPEG triple-stream encoding Max 20fps@4Mp(2560×1440),25/30fps@3M(2304×1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~12mm motorized lens Max. IR LEDs Length 50m IP67, PoE Micro SD card memory , 128 GB Audio in/Out Alarm In/Out Smart Detection (Tripwire Intrusion Scene Change Face)</p>	31,700,000
<p>۳۱</p>  <p>DH-IPC-HFW5231EPZ12E dahua TECHNOLOGY</p>	DH-IPC-HFW5231EPZ12E	<p>1/2.8" 2Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 triple-stream encoding 50/60fps@1080(1920×1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 5.3mm ~ 64mm 12x zoom lens 1/1 Audio in/Out 2/1 Alarm In/Out Micro SD card memory , 128 GB Max. IR LEDs Length 200m , Smart IR IP67, IK10, PoE</p>	48,100,000



۳۲		<p>DH-IPC-HFW5231EP-Z</p>	<p>1/2.8" 2Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 & MJPEG triple-stream encoding 50/60fps@1080(1920×1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~ 13.5mm motorized lens 1/1 Audio in/Out 2/1 Alarm In/Out Micro SD card memory , 128 GB Max. IR LEDs Length 50m , Smart IRa IP67, IK10, PoE</p>	<p>39,800,000</p>
۳۳		<p>DH-IPC-HFW2431TP-Z</p>	<p>1/3" 4 Megapixel progressive CMOS H.265+/H.265/H.264+/H.264 dual-stream encoding 20fps@4M(2688×1520)&25/30fps@3M(2304×1296) 2.7mm ~13.5mm motorized lens WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card memory , 128 GB Max. IR LEDs Length 60m , Smart IR IP67, PoE+</p>	<p>29,200,000</p>
۳۴		<p>DH-IPC-HFW2231RPVFS-IRE6</p>	<p>1/3" 4Megapixel progressive scan CMOS 3.6mm fixed lens Max 20fps@4M(2592×1520) & 25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 & MJPEG triple stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Smart Detection supported Face Detection, Tripwire, Intrusion, Object Abandoned/Missing 1/1 Alarm in/out, 1/1 audio in/out Max. IR LEDs Length 80m Mirco SD card 128GB IP67, PoE</p>	<p>23,700,000</p>

تصویر	مدل	توضیحات	قیمت (ریال)
 <p>DH-IPC-HFW2231RPZS-IRE6 dahua TECHNOLOGY</p>	DH-IPC-HFW2231RPZS-IRE6	1/2.8" 2Megapixel progressive Starvis CMOS(Starlight) 2.7~13.5mm Motorized lens 25/30fps@2M(1920×1080) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 60m IP67, PoE	25,800,000
 <p>DH-IPC-HFW1420SP dahua TECHNOLOGY</p>	DH-IPC-HFW1420SP	1/3" 4Megapixel progressive scan CMOS H.264&MJPEG dual-stream encoding Max 20fps@4M(2688×1520)&25/30fps@3M(2304×1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, PoE	Discontinue
 <p>DH-IPC-HFW1230SP dahua TECHNOLOGY</p>	DH-IPC-HFW1230SP	1/2.7" 2Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 dual-stream encoding 25/30fps@1080P(1920×1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, PoE	11,700,000
 <p>DH-IPC-HFW1231SP dahua TECHNOLOGY</p>	DH-IPC-HFW1231SP	1/2.8" 2Megapixel progressive CMOS H.265& H.264 dual-stream encoding 25/30fps@1080P(1920×1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC, HLC 2.8mm fixed lens Max. IR LEDs Length 30m, Smart IR IP67, PoE Smart Detection (Tripwire Intrusion)	13,700,000

تصویر	مدل	توضیحات	قیمت (ریال)
<p>۳۹</p>  <p>HDBW-5831EP-ZE dahua TECHNOLOGY</p>	HDBW-5831EP-ZE	<p>1/2.5" 8Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 Triple-stream encoding 15fps@4K(3840×2160),25/30fps@3M(2304×1296) WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~ 12mm motorized lens 1/1 Audio in/Out 1/1 Alarm In/Out Micro SD card memory , 128 GB Max. IR LEDs Length 50m , Smart IR IP67, IK10, PoE+ Smart Detection (Tripwire Intrusion Object Abandoned/Missing Face)</p>	52,000,000
<p>۴۰</p>  <p>DH-IPCHDBW5431EP-Z-H dahua TECHNOLOGY</p>	DH-IPCHDBW5431EP-Z-H	<p>1/3" 4Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 & MJPEG triple-stream encoding Max 20fps@4Mp(2560×1440),25/30fps@3M(2304×1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~12mm motorized lens Max. IR LEDs Length 50m IP67,IK10, PoE Micro SD card memory , 128 GB Audio in/Out Alarm In/Out Smart Detection (Tripwire Intrusion Scene Change Face)</p>	31,700,000
<p>۴۱</p>  <p>DH-IPC-HDBW4831EP-ASE dahua TECHNOLOGY</p>	DH-IPC-HDBW4831EP-ASE	<p>1/2.5" 4K progressive scan Starvis CMOS H.265+/H.265/H.264+/H.264 encoding 15fps@4K(3840×2160),25/30fps@3Mp(2304×1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 4mm fixed lens, Max. IR LEDs Length 30m, Micro SD card memory , 128 GB, IP67,IK10, PoE, 8MP Abandoned/Missing Face)</p>	32,100,000

۴۲	 <p>DH-IPC-HDW4831EMPASE dahua TECHNOLOGY</p>	<p>DH-IPC-HDW4831EMPASE</p>	<p>1/2.5" 8Megapixel 4K progressive scan CMOS H.265+/H.265/H.264+/H.264 encoding 15fps@4K(3840×2160),25/30fps@3Mp(2304×1296) WDR(120dB), Day/Night(ICR), IP67 3DNR, AWB, AGC, BLC 4mm fixed lens Max. IR LEDs Length 50m Built-in Mic Micro SD card memory , 128 GB IP67,PoE Smart Detection (Tripwire Intrusion Scene Change Object Abandoned/Missing Face)</p>	32,100,000
۴۳	 <p>DH-IPC-HDW4431EPAS-H dahua TECHNOLOGY</p>	<p>DH-IPC-HDW4431EPAS-H</p>	<p>1/3" 4Megapixel progressive scan CMOS 3.6mm fixed lens Max 20fps@4M(2592×1520) & 25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 & MJPEG triple stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Smart Detection supported Face Detection,Tripwire, Intrusion, Object Abandoned/Missing Built-in Mic Max. IR LEDs Length 50m Mirco SD card 128GB IP67, PoE</p>	19,100,000
۴۴	 <p>HDBW2531RP-ZAS dahua TECHNOLOGY</p>	<p>HDBW2531RP-ZAS</p>	<p>1/2.7" 5Megapixel progressive CMOS 2.7~13.5mm Motorized lens 20fps@5M(2592×1944)&25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 1/1 Audio in/out, 1/1 Alarm in/out Mirco SD card 128GB Max IR LEDs Length 30m ,Smart IR IP67,IK10, PoE</p>	33,300,000
۴۵	 <p>DH-IPCHDBW2431RP-ZAS dahua TECHNOLOGY</p>	<p>DH-IPCHDBW2431RP-ZAS</p>	<p>1/3" 4Megapixel progressive CMOS, 2.7~13.5mm Motorized lens, 20fps@4M(2688×1520) & 25/30fps@3M(2304×1296), H.265+/H.265/H.264+/H.264 dual-stream encoding, WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC , Mirco SD card 128GB, Max IR LEDs Length 50m, IP67,IK10, PoE</p>	29,200,000

۴۶









[HDW4631EM-ASE](#)

1/2.9" 6Megapixel progressive scan
 STARVISTM CMOS H. 265+ & H.265 &
 H.264+ & H.264 triple-stream encoding
 20fps@6MP(3072x2048),
 25/30fps@4MP(2688x1520) WDR(120dB),
 Day/Night(ICR), 3DNR, AWB, AGC, BLC
 2.8mm fixed lens Built-in Mic Max. IR LEDs
 Length 50m, Smart IR Micro SD card
 memory , 128 GB IP67, PoE Smart
 Detection (Tripwire|Intrusion |Object
 Abandoned/Missing| Face)

27,500,000

تصویر	مدل	توضیحات	قیمت (ریال)
<p>۴۷</p>  <p>DH-IPCHDBW2421RP-ZS dahua TECHNOLOGY</p>	DH-IPCHDBW2421RP-ZS	<p>1/3" 4Megapixel progressive CMOS 2.7~12mm Motorized lens H.264+ & H.264 dual-stream encoding 20fps@4M(2688×1520) &25/30fps@2M(1920×1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card slot, up to 128GB Max IR LEDs Length 30m IP67, IK10,PoE</p>	22,800,000
<p>۴۸</p>  <p>DH-IPCHDBW2421RP-VFS dahua TECHNOLOGY</p>	DH-IPCHDBW2421RP-VFS	<p>1/3" 4Megapixel progressive CMOS 2.7~12mm varifocal lens 20fps@4M(2688x1520) & 25/30fps@2M (2304×1296) H.264+ & H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 30m IP67, IK10, PoE</p>	19,700,000
<p>۴۹</p>  <p>DH-IPCHDBW2431RP-VFS dahua TECHNOLOGY</p>	DH-IPCHDBW2431RP-VFS	<p>1/3" 4Megapixel progressive CMOS 2.7~13.5mm varifocal lens 20fps@4M(2688×1520)&25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 50m IP67, IK10, PoE</p>	25,000,000

۵۰	 <p>DH-IPC-HDBW1431EP a/hua TECHNOLOGY</p>	<p>DH-IPC-HDBW1431EP</p>	<p>1/3" 4Megapixel progressive CMOS 3.6mm fixed lens 20fps@4M(2688×1520) &25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Max. IR LEDs Length 30m IP67, IK10, PoE</p>	<p>19,400,000</p>
۵۱	 <p>DH-IPC-HDW1431SP a/hua TECHNOLOGY</p>	<p>DH-IPC-HDW1431SP</p>	<p>1/3" 4Megapixel progressive CMOS 2.8mm fixed lens 20fps@4M(2688×1520) &25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Max. IR LEDs Length 30m IP67, PoE</p>	<p>19,100,000</p>
۵۲	 <p>DH-IPCHDPW1420FP-AS a/hua TECHNOLOGY</p>	<p>DH-IPCHDPW1420FP-AS</p>	<p>1/3" 4Megapixel progressive scan CMOS H.264 & MJPEG dual codec Max 20fps@4M(2688*1520), 25/30fps@3M(2304*1296) Smart Detection supported DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Built-in Mic Mirco SD card 128GB Max. IR LEDs Length 20m IP66,PoE</p>	<p>Discontinue</p>
۵۳	 <p>DH-IPC-HDW1420SP a/hua TECHNOLOGY</p>	<p>DH-IPC-HDW1420SP</p>	<p>1/3" 4Megapixel progressive scan CMOS H.264&MJPEG dual-stream encoding Max 20fps@4M(2688×1520)&25/30fps@3M(2304×1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, PoE</p>	<p>Discontinue</p>
۵۴	 <p>DH-IPC-HDW1230SP a/hua TECHNOLOGY</p>	<p>DH-IPC-HDW1230SP</p>	<p>1/2.7" 2Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 dual-stream encoding 25/30fps@1080P(1920×1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens Max. IR LEDs Length 30m IP67, PoE</p>	<p>11,700,000</p>
۵۵	 <p>DH-IPC-HFW1431SP a/hua TECHNOLOGY</p>	<p>DH-IPC-HFW1431SP</p>	<p>1/3" 4Megapixel progressive CMOS 3.6mm fixed lens 20fps@4M(2688×1520) &25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Max. IR LEDs Length 30m IP67, PoE</p>	<p>19,100,000</p>

۵۶



DH-IPC-HDBW1230EP






[DH-IPC-HDBW1230EP](#)

1/2.7" 2Megapixel progressive scan CMOS
H.265+/H.265/H.264+/H.264 dual-stream
encoding 25/30fps@1080P(1920×1080)
DWDR, Day/Night(ICR), 3DNR, AWB, AGC,
BLC 3.6mm fixed lens Max. IR LEDs Length
30m IP67, IK10, PoE

12,200,000



تصویر	مدل	توضیحات	قیمت (ریال)
<p>۵۷</p>  <p>DH-IPC-HDBW8231EP dahua TECHNOLOGY</p>	<p>DH-IPC-HDBW8231EP</p>	<p>1/2.8" 2Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 triple-stream encoding 50/60fps@1080P(1920×1080) WDR(140dB), SSA, Day/Night(ICR), 3DNR,AWB,AGC,BLC 2.7mm ~12mm motorized lens Max. IR LEDs Length 50m Micro SD card memory , 128 GB Audio In/Out Alarm In/Out Support EIS ,Defog Support People Counting, Heat Map IP67, IK10, PoE Smart Detection (Tripwire Intrusion Scene Change Object Abandoned/Missing Face)</p>	<p>Call</p>
<p>۵۸</p>  <p>DH-SD29204T-GN dahua TECHNOLOGY</p>	<p>DH-SD29204T-GN</p>	<p>1/2.7" 2MP CMOS Sensor H.264+/H.264 Encoding Max. 25/30fps@1080P, 25/30/50/60fps@720P WDR, Day/Night(ICR), Ultra DNR, Auto iris, Auto focus 2.7mm ~ 11mm , 4x Optical Zoom Max 100°/s pan speed, 360° endless pan rotation Up to 300 presets, 5 auto scan, 8 tour, 5 pattern Built-in Mic IR Distance up to 30m support POE Smart Detection (Tripwire Intrusion Scene Change Face AbandonedMissing Object)</p>	<p>33,300,000</p>
<p>۵۹</p>  <p>DH-IPC-HFW2431RPVFS-IRE6 dahua TECHNOLOGY</p>	<p>DH-IPC-HFW2431RPVFS-IRE6</p>	<p>1/3" 4Megapixel progressive CMOS 2.7~13.5mm varifocal lens 20fps@4M(2688×1520) & 25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 60m IP67, PoE</p>	<p>25,500,000</p>

۶۰



DH-SD49225T-HN
dahua
TECHNOLOGY

[DH-SD49225T-HN](#)

1/2.8" 2Megapixel STARVIS™ CMOS
H.265+/H.265/H.264+/H.264 Triple-streams encoding Max. 25/30fps@1080P
4.8mm~120mm 25x optical zoom Max 240°/s pan speed, 360° endless pan rotation WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus Support Defog IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection) Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan Alarm 2/1 in/out Audio 1/1 in/out Support PoE+ IR Distance up to 100m

77,400,000

۶۱






DH-SD65F230F-HNI
dahua
TECHNOLOGY

[DH-SD65F230F-HNI](#)




1/1.9" 2MP CMOS Sensor(Super Starlight)
H.264 / MJPEG Encoding Max. 25/30fps@1080P, 25/30/50/60fps@720P
6mm~180mm Powerful 30x optical zoom Max 300°/s pan speed, 360° endless pan rotation WDR(120db), Day/Night(ICR), Ultra DNR, BLC, HLC, Auto iris, Auto focus Auto-tracking and IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection) Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan Support Defog, ROI, EIS Alarm 7/2 in/out Audio 1/1 in/out 1 video output RS485 IR Distance up to 100m Support PoE+ IP66, IK10

Call



تصویر	مدل	توضیحات	قیمت (ریال)
<p>۶۲</p>  <p>DH-SD59225U-HNI dahua TECHNOLOGY</p>	DH-SD59225U-HNI	<p>1/2.8" Exmor R CMOS H.265+/H.265/H.264+/H.264 Encoding Max. 50/60fps@1080P, 25/30/50/60fps@720P 4.8mm~120mm 25x optical zoom Max 400°/s pan speed, 360° endless pan rotation WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus Auto-tracking and IVS(Tripwire, Intrusion,Abandoned/Missing, Face Detection) Support Defog and EIS Up to 300 presets,8 tour, 5 pattern, Auto scan, Auto Pan Built-in 2/1 Alarm in/out Audio 1/1 in/out Support PoE+ IR Distance up to 150m IP66,OSD</p>	98,000,000
<p>۶۳</p>  <p>DH-SD59430U-HNI dahua TECHNOLOGY</p>	DH-SD59430U-HNI	<p>2MP 30x Starlight IR PTZ Network Camera 1/2.8" Exmor R CMOS H.265+/H.265/H.264+/H.264 Encoding Max. 50/60fps@1080P, 25/30/50/60fps@720P 4.5mm~135mm 30x optical zoom Max 400°/s pan speed, 360° endless pan rotation WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus Auto-tracking and IVS(Tripwire, Intrusion,Abandoned/Missing, Face,150m IP66,OSD Detection) Support Defog and EIS Up to 300 presets,8 tour, 5 pattern, Auto scan, Auto Pan Built-in 2/1 Alarm in/out Audio 1/1 in/out Support PoE+ IR Distance</p>	159,500,000
<p>۶۴</p>  <p>DH-SD59230U-HNI dahua TECHNOLOGY</p>	DH-SD59230U-HNI	<p>2MP 30x Starlight IR PTZ Network Camera 1/2.8" Exmor R CMOS H.265+/H.265/H.264+/H.264 Encoding Max. 50/60fps@1080P, 25/30/50/60fps@720P 4.5mm~135mm 30x optical zoom Max 400°/s pan speed, 360° endless pan rotation WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus Auto-tracking and IVS(Tripwire, Intrusion,Abandoned/Missing, Face Detection) Support Defog and EIS Up to 300 presets,8 tour, 5 pattern, Auto scan, Auto Pan Built-in 2/1 Alarm in/out Audio 1/1 in/out Support PoE+ IR Distance up to 150m IP66,OSD</p>	143,000,000







۶۵		<p>DHI-NVR2104HS-4KS2</p>	<p>4 channel IP camera input H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8Mp resolution preview&playback Up to 1ch@8MP/4ch@1080P decoding HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support</p>	<p>12,300,000</p>
۶۶		<p>NVR1A04HS-4P</p>	<p>4 channel IP camera input 1/4/8/9 channel Live Preview H.264+/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 6MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 Support 4PoE port 100 Mbps Network Card P2P support</p>	<p>14,770,000</p>
۶۷		<p>NVR1A08HS</p>	<p>8 channel IP camera input 1/4/8/9 channel Live Preview H.264+/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 6MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support</p>	<p>8,600,000</p>




تصویر	مدل	توضیحات	قیمت (ریال)
 <p>DHI-NVR2104HS-P-4KS dhua TECHNOLOGY</p>	DHI-NVR2104HS-P-4KS	4 channel IP camera input H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8Mp resolution preview&playback Up to 1ch@8MP/4ch@1080P decoding HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card 4PoE Port P2P	18,200,000
 <p>DH-NVR2108HS-4KS2 dhua TECHNOLOGY</p>	DH-NVR2108HS-4KS2	8 channel IP camera input H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8Mp resolution preview&playback Up to 1ch@8MP/4ch@1080P decoding HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support	13,900,000
 <p>DH-NVR4116HS-4KS2 dhua TECHNOLOGY</p>	DH-NVR4116HS-4KS2	16 channel IP camera input 16 channel Live Preview H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support	24,700,000
 <p>DH-NVR4216-4KS2 dhua TECHNOLOGY</p>	DH-NVR4216-4KS2	16 channel IP camera input 16 channel Live Preview H.265/H.264 codec decoding Max 200Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 2 SATA HDD up to 6TB 2 USB Ports (1 USB2.0, 1 USB3.0) 4 Alarm Input, 2 Relay Output 1*10/100/1000Mbps Mbps Network Card P2P support	37,800,000
 <p>DH-NVR4232-4KS2 dhua TECHNOLOGY</p>	DH-NVR4232-4KS2	32 channel IP camera input 16 channel Live Preview H.265/H.264 codec decoding Max 200Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 2 SATA HDD up to 6TB 2 USB Ports (1 USB2.0, 1 USB3.0) 4 Alarm Input, 2 Relay Output 1*10/100/1000Mbps Mbps Network Card P2P	41,400,000

۷۳		DH-NVR5232-4KS2	<p>32 channel IP camera input 32 channel Live Preview Up to 12Mp resolution preview&playback Smart H.265+/H.265/Smart H.264+/H.264/MJPEG Max 320Mbps incoming bandwidth Record Rate 320 Mbps Max 4-ch@8MP(30fps), 16-ch@1080P(30fps) decoding HDMI/VGA simultaneous video output 16 channel playback Support 2 SATA HDDs up to 20TB, 2 USB(1 USB3.0) 1000 Mbps Network Card RS232, RS485 4 Alarm Input, 2 Relay Output Support P2P</p>	64,700,000
۷۴		DH-NVR5432-4KS2	<p>32 channel IPC input 32 channel Live Preview Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&playback Max 4-ch@8MP(30fps), 16-ch@1080P(30fps) decoding 2 HDMI/VGA simultaneous video output Support 4 SATA HDDs up to 40TB, 3 USB(1 USB3.0, 2USB2.0) Support 1 e-SATA 2*1000 Mbps Network Card RS232, RS485 16 Alarm In , 6 Relay Output P2P Support</p>	95,700,000
۷۵		DH-NVR5464-4KS2	<p>64 channel IPC input 64 channel Live Preview Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&playback Max 4-ch@8MP(30fps), 16-ch@1080P(30fps) decoding 2 HDMI/VGA simultaneous video output Support 4 SATA HDDs up to 40TB, 3 USB(1 USB3.0, 2USB2.0) Support 1 e-SATA 2*1000 Mbps Network Card RS232, RS485 16 Alarm In , 6 Relay Output P2P Support</p>	115,900,000
۷۶		DH-NVR4432-4KS2	<p>32 channel IP camera input 16 channel Live Preview H.265/H.264 codec decoding Max 200Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 4 SATA HDD up to 6TB 2 USB Ports (1 USB2.0, 1 USB3.0) 16 Alarm Input, 4 Relay Output RS232 , RS485 2*10/100/1000Mbps Mbps Network Card P2P support</p>	54,300,000

۷۷	 <p>DH-NVR-2108HS-8P-4KS2</p> 	<p>DH-NVR-2108HS-8P-4</p>	<p>8 channel IP camera input H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8Mp resolution preview&playback Up to 1ch@8MP/4ch@1080P decoding HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card 8Port PoE P2P</p>	<p>25,900,000</p>
۷۸	 <p>DH-NVR5832-4KS2</p> 	<p>DH-NVR5832-4KS2</p>	<p>32 channel IPC input 32 Channel Live Preview H.265/H.264/MJPEG/MPEG4 codec decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&playback Max 16ch@1080P 4ch@4K H.265 H.264 Playback 2HDMI/VGA simultaneous video output Support 8 SATA HDDs up to 48TB, 4 USB(2 USB3.0, 2 USB2.0) 2*1000 Mbps Network Card RS232 16 Alarm In , 6 Relay Output P2P Support Raid 0/1/5/6/10</p>	<p>127,800,000</p>
۷۹	 <p>DH-NVR4108HS-4KS2</p> 	<p>DH-NVR4108HS-4KS2</p>	<p>8 channel IP camera input 1/4/8/9 channel Live Preview 8CH Playback H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support</p>	<p>18,800,000</p>
۸۰	 <p>DH-NVR4832-4KS2</p> 	<p>DH-NVR4832-4KS2</p>	<p>32 channel IP camera input 16 channel Live Preview H.265/H.264 codec decoding Max 200Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 8 SATA HDD up to 6TB 3 USB Ports (2 USB2.0, 1 USB3.0) 16 Alarm Input, 4 Relay Output RS232 , RS485 2*10/100/1000Mbps Mbps Network Card P2P support</p>	<p>96,400,000</p>

تصویر	مدل	توضیحات	قیمت (ریال)
	DH-NVR5864-4KS2	64 channel IPC input 32 Channel Live Preview H.265/H.264/MJPEG/MPEG4 codec decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&playback Max 16ch@1080P 4ch@4K H.265 H.264 Playback 2HDMI/VGA simultaneous video output Support 8 SATA HDDs up to 48TB, 3 USB(1 USB3.0, 2USB2.0) 2*1000 Mbps Network Card RS232 16 Alarm In , 6 Relay Output P2P Support Raid 0/1/5/6/10	145,800,000
	DH-NVR608-32-4KS2	Intel Dual-core Processor 32 channel IPC input 32 Channel Live Preview: (1st Screen:1/4/8/9/16/25/36,2nd Screen: 1/4/8/9/16) H.265/H.264/MJPEG codec decoding Max 384Mbps incoming bandwidth Up to 12Mp resolution preview&playback 2HDMI/VGA simultaneous video output Support 8 SATA HDDs up to 48TB,1 eSATA Port Support Raid 0/1/5/6/10 4 USB(2 USB3.0, 2 USB2.0) 2*1000 Mbps Network Card RS232 , RS485 16 Alarm In , 8 Relay Output	134,400,000
	DH-NVR608-64-4KS2	Intel Quad-core Processor 64 channel IPC input 32 Channel Live Preview: (1st Screen:1st Screen: 1/4/8/9/16/25/36 ,2nd Screen: 1/4/8/9/16) H.265/H.264/MJPEG codec decoding Max 384Mbps incoming bandwidth Up to 12Mp resolution preview & playback 2HDMI/VGA simultaneous video output Support 8 SATA HDDs up to 48TB,1 eSATA Port Support Raid 0/1/5/6/10 Support Smart Tracking and Intelligent Video 4 USB(2 USB3.0, 2 USB2.0) 2*1000 Mbps Network Card RS232 , RS485 16 Alarm In , 8 Relay Output	233,500,000
	DH-PFS3006-4ET-60	0 4-Port Fast Ethernet PoE Switch Layer two commercial switch 2*10/100 Mbps Uplink ports 4*10/100 Mbps PoE ports Port1≤60W, Port2-4≤30W, Total≤60W Support IEEE802.3af, IEEE802.3at(PoE+) ,Hi PoE 1.8Gbps Switching Capacity 890Kpps Mpps Packet Forwarding Rate 768Kb Packet Buffer Memory MAC atable size is 2K Supports DC 48-57V power supply	8,160,000

۸۵	 <p>DH-PFS3110-8P-96 alhua TECHNOLOGY</p>	<p>DH-PFS3110-8P-96</p>	<p>Two-layer industrial PoE switch 1*1000 Base-X 1*10/100/1000 Base-T 8*10/100 Base-T (PoE power supply) Each POE power ≤30W, Total≤96W Support IEEE802.3af, IEEE802.3at standard 7.6G Switching Capacity 4.17 Mpps Packet Forwarding Rate 1Mb Packet Buffer Memory MAC auto study and aging, MAC address list capacity is 8K Industrial wide temperature design</p>	16,800,000
۸۶	 <p>DH-ESS1508C alhua TECHNOLOGY</p>	<p>DH-ESS1508C</p>	<p>2U standard 19-inch rack case Connect master device via eSATA or USB 1 eSATA port transmission speed up to 3Gbps 1 USB 3.0 port data transmission higher than normal Powerful R / W performance: read >64MB/s, write >64MB/s ESS1508C: Max support Internal 8 SATA HDD up to 48TB Recommended with DVR, NVR connection</p>	52,000,000
۸۷	 <p>DH-PFS4218-16ET-190 alhua TECHNOLOGY</p>	<p>DH-PFS4218-16ET-190</p>	<p>Layer 2 management PoE switch 2*10/100/1000 Base-T (Combo port) 2*1000 Base-X (Combo port) 16*10/100 Base-T (PoE power supply) Port1/2 support Hi-PoE (60W), PoE+, PoE Each power ≤30W, Total≤190W Support IEEE802.3af, IEEE802.3at, Hi-PoE 250 meters long distance PoE transmission Support spanning tree protocol STP/RSTP Support Vlan:VLAN/802.1Q Standard Vlan 8.8G Switching Capacity 5.36 Mpps Packet Forwarding Rate Network Management by WEB(http and https protocol)</p>	47,700,000
۸۸	 <p>DH-PFS3010-8ET-96 alhua TECHNOLOGY</p>	<p>DH-PFS3010-8ET-96</p>	<p>8-Port Fast Ethernet PoE Switch Layer two commercial switch 2*10/100/1000 Mbps Ports 8*10/100 Mbps PoE Ports Port1≤60W, Port2-8≤30W, Total≤96W Support IEEE802.3af (PoE), IEEE802.3at (PoE+), Hi-PoE 5.6Gbps Switching Capacity 4.17 Mpps Packet Forwarding Rate 4Mb Packet Buffer Memory MAC Table Size is 16K Supports DC 48-57V power supply</p>	14,500,000

تصویر	مدل	توضیحات	قیمت (ریال)
<p>۸۹</p>  <p>DH-PFS4218-16ET-240 dahua TECHNOLOGY</p>	DH-PFS4218-16ET-240	Layer 2 management PoE switch 2*10/100/1000 Base-T (Combo port) 2*1000 Base-X (Combo port) 16*10/100 Base-T (PoE power supply) Port1/2 support Hi-PoE (60W), PoE+, PoE Each power ≤30W, Total≤240W Support IEEE802.3af, IEEE802.3at, Hi-PoE 250 meters long distance PoE transmission Support spanning tree protocol STP/RSTP Support Vlan:VLAN/802.1Q Standard Vlan 8.8G Switching Capacity 5.36 Mpps Packet Forwarding Rate Network Management by WEB(http and https protocol)	53,200,000
<p>۹۰</p>  <p>DH-PFS4226-24ET-240 dahua TECHNOLOGY</p>	DH-PFS4226-24ET-240	24-Port PoE Switch Layer 2 management PoE switch 2*10/100/1000 Base-T (Combo port) 2*1000 Base-X (Combo port) 24*10/100 Base-T (PoE power supply) Port1/2 support Hi-PoE (60W), PoE+, PoE Each power ≤30W, Total≤240W Support IEEE802.3af, IEEE802.3at, Hi-PoE 250 meters long distance PoE transmission Support spanning tree protocol STP/RSTP Support Vlan:VLAN/802.1Q Standard Vlan 8.8G Switching Capacity 6.55 Mpps Packet Forwarding Rate Network Management by WEB(http and https protocol)	56,900,000
<p>۹۱</p>  <p>DH-PFS4226-24ET-360 dahua TECHNOLOGY</p>	DH-PFS4226-24ET-360	24-Port PoE Switch Layer 2 management PoE switch 2*10/100/1000 Base-T (Combo port) 2*1000 Base-X (Combo port) 24*10/100 Base-T (PoE power supply) Port1/2 support Hi-PoE (60W), PoE+, PoE Each power ≤30W, Total≤360W Support PoE, PoE+, Hi-PoE 'Orange port' support Hi- PoE, can be used with the PoE extender (PFT1300) 250 meters long distance PoE transmission Support spanning tree protocol STP/RSTP Support Vlan:VLAN/802.1Q Standard Vlan 8.8G Switching Capacity 6.55 Mpps Packet Forwarding Rate Support Web management management, PoE	67,500,000



۹۲	 <p>PFT1300 ahua TECHNOLOGY</p>	<p>PFT1300</p>	<p>PoE Extender 1*10/100 Base-T PoE power receiving port 1*10/100 Base-T PoE power supply port, supply power for the next extender 1*10/100 Base-T PoE power supply port, supply power for IPC Support passive PoE cascade power supply and Ethernet data exchange Support IEEE 802.3af/at standard power supply IP Camera able to cascade level 2 PoE Extender, connect to 3 IPC (power consumption <=8W), maxtransmission distance 300m</p>	3,400,000
۹۳	 <p>PFM700 ahua TECHNOLOGY</p>	<p>PFM700</p>	<p>*1 Channel HDMI Transmission Signal *1080P/1080I/720P/576P/576I/480P/480I Resolution Output Signal *60M (max)Transmission Distance *Input voltage DC5V *Use single UTP (CAT-5E and CAT-6) real-time transmit 1-ch HD video signal:support HDMI 1.3</p>	9,500,000
۹۴	 <p>DHI-NKB1000 ahua TECHNOLOGY</p>	<p>DHI-NKB1000</p>	<p>Keyboard to Control : -Dahua High Speed Dome (all models) -Dahua Standalone DVR -Dahua Network High Speed Dome - Network Video Server Connection : RS485, RS422, USB, RS232 & Network Three Dimensional Joystick Control of PTZ Functions Preset Position, Auto Scan, Auto Pan, Auto Tour & Pattern Control On-Screen Menu & User Operation Procedure Tips Connect to SmartPSS via USB</p>	45,800,000

برای دریافت لیست قیمت به روز کلیه
محصولات امنیتی و دریافت تخفیفات ویژه
همکاران و مشتریان روی لینک زیر کلیک
کنید.

HIKPERSIAN.IR

