




















	DS-2CV1021G0-IDW1	High quality imaging with 2 MP resolution Efficient H.265+ Clear imaging with DWDR Up to 128 GB SD card slot for Wi-Fi connection with Hik-Connect directly is not possible (IP66)	CALL	1
	DS-2CD1023G0E-I	2 MP Fixed Bullet Network Camera Efficient H.265+ Clear imaging even with DWDR technology Water- and dust- resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range.	17,930,000	2
	DS-2CD1023G0-IU	HighQuality imaging with 2 MP resolution H.265+ Clear imaging even with strong back lighting due to DWDR technology Water and dust resistant IP67 EXIR 2.0: advanced infrared technology with long IR Built-in microphone for real-time audio security	22,250,000	3
	DS-2CD1023G0-IUF	2 MP resolution H.265+ Clear imaging against strong back light due to DWDR technology Water and dust resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range Support up to 256 GB SD card storage Built-in microphone for real-time audio security	22,250,000	4

	DS-2CD1043G0-L	<p>4MP Fixed Bullet Network Camera H.265+ compression technology 120 dB WDR Water and dust resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range 3D DNR technology</p>	25,650,000	5
	DS-2CD1047G0-L	<p>4 MP resolution 24/7 full color imaging Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB WDR technology Water and dust resistant (IP67) Robust structure design with full metal materials</p>	36,920,000	6
	DS-2CD1053G0-L	<p>5 MP resolution Efficient H.265+ compression technology Clear imaging even with strong back lighting due to 120 dB WDR Water and dust resistant (IP67) EXIR 2.0: -UF: Built-in microphone</p>	29,330,000	7
	DS-2CD1123G0E-L	<p>2 MP Fixed Dome Network Camera Efficient H.265+ compression technology DWDR technology Water- and dust- resistant (IP67), vandal proof (IK10)</p>	20,500,000	8

	DS-2CD1323G0-IUF	2 MP resolution H.265+ DWDR technology ■ Water and dust resistant (IP67) ■ EXIR 2.0: advanced infrared technology with long IR range ■ Built-in microphone for real-time audio security ■ Support up to 256 GB SD card storage	22,250,000	9
	DS-2CD1323G0-IU	1/2.8" progressive scan CMOS Build-in Mic 3D DNR (Digital Noise Reduction) 1920 × 1080@30fps □ Up to 30 m IR range PoE (Power over Ethernet) H.265+, H.265, H.264+, H.264 □ IP67 Dual stream, Digital WDR	20,990,000	10
	DS-2CD1327G0-L	High quality imaging with 2 MP resolution Excellent low-light performance Efficient H.265+ compression technology Water and dust resistant (IP67) 24/7 colorful imaging	30,510,000	11
	DS-2CD1347G0-L	4 MP resolution Excellent low-light performance Efficient H.265+ compression technology Water and dust resistant (IP67) 24/7 colorful imaging	46,770,000	12





	DS-2CD1143G0-I	4MP Fixed Dome Network Camera Efficient H.265+ compression technology 120 dB WDR (IP67) (IK10) EXIR 2.0: advanced infrared technology with long IR	28,160,000	13
	DS-2CD1623G0-I	2 MP Varifocal Bullet Network Camera H.265+ DWDR technology Up to 128 GB SD card slot for storage 2.8 to 12 mm motorized dust and dust resistant (IP67), EXIR 2.0: advanced infrared technology with long IR range.	41,130,000	14
	DS-2CD1643G0-IZ	4 MP Varifocal Bullet Network Camera H.265+ 120 dB WDR Up to 128 GB SD card slot for storage 2.8 to 12 mm motorized varifocal lens Water and dust resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range	49,880,000	15
	DS-2CD1743G0-IZ	4 MP Varifocal Dome Network Camera H.265+ 120 dB WDR Up to 128GB SD card 2.8 to 12 mm motorized varifocal lens Water and dust resistant (IP67), vandal proof (IK10) EXIR 2.0: advanced infrared technology with long IR	53,380,000	16

	DS-2CD2023G0-L	2 MP Outdoor WDR Fixed Mini Bullet Network Camera Efficient H.265+ 120 dB true WDR technology Water and dust resistant (IP67) Robust structure design with full metal materials.	37,740,000	17
	DS-2CD2023G2-L	2 MP resolution 120 dB WDR technology H.265+ technology Water and dust resistant (IP67) Focus on human and vehicle targets classification based on deep learning	35,130,000	18
	DS-2CD2027G2-L	2 MP resolution H.265+ technology 120 dB WDR technology 24/7 colorful imaging Focus on human and vehicle classification based on deep learning Water and dust resistant (IP67)	37,760,000	19
	DS-2CD2043G0-L	4 MP Outdoor WDR Fixed Bullet Network Camera H.265+ compression technology 120 dB true WDR technology Water and dust resistant (IP67) Robust structure design with full metal materials.	40,460,000	20
	DS-2CD2043G2-L	4 MP resolution 120 dB WDR technology H.265+ technology Water and dust resistant (IP67) Focus on human and vehicle targets classification based on deep learning	37,760,000	21





	DS-2CD2047G2-L	4 MP resolution H.265+ technology 130 dB WDR technology Focus on human and vehicle targets classification based on deep learning 24/7 colorful imaging Water and dust resistant (IP67)	43,050,000	22
	DS-2CD2063G0-I	6 MP resolution H.265+ technology 120 dB true WDR technology Water and dust resistant (IP67) Robust structure design with full metal materials.	41,620,000	23
	DS-2CD2063G2-I	6 MP resolution H.265+ technology Clear imaging against strong backlight due to 120 dB WDR technology Focusing on human and vehicle classification based on deep learning Built-in microphone for	41,620,000	24
	DS-2CD2083G0-I	4K Outdoor WDR Fixed Bullet Network Camera H.265+ 120 dB true WDR technology Water and dust resistant (IP67) with full metal materials.	45,110,000	25
	DS-2CD2083G2-I	8 MP resolution H.265+ technology 120 dB WDR technology Focusing on human and vehicle classification based on deep learning Water and dust resistant (IP67)	49,510,000	26






	DS-2CD2087G2-LU	<p>8 MP resolution H.265+ technology 130 dB WDR technology Focus on human and vehicle classification based on deep learning 24/7 colorful imaging Built-in microphone for real-time audio security (-U)</p>	85,410,000	27
	DS-2CD2123G2-I	<p>2 MP resolution 120 dB WDR technology Efficient H.265+ compression technology Water and dust resistant (IP67) and vandal resistant (IK10) Focus on human and vehicle targets classification based on deep learning</p>	34,400,000	28
	DS-2CD2143G2-IU	<p>4 MP resolution 120 dB WDR technology H.265+ technology Built-in microphone for real-time audio security Water and dust resistant (IP67) and vandal resistant (IK10) Focus on human and vehicle targets classification based on deep learning</p>	40,630,000	29
	DS-2CD2163G0-IS(BLACK)	<p>6 MP Outdoor WDR Fixed Dome Network Camera H.265+ 120 dB true WDR technology -S: audio and alarm interface available Water and dust resistant (IP67) and vandal proof (IK10) with full metal materials</p>	43,680,000	30





	DS-2CD2163G0-IU	<p>6 MP WDR Fixed Dome Network Camera with Build-in Mic H.265+ 120 dB true WDR technology Built-in microphone for real-time audio security Water and dust resistant (IP66) and vandal proof (IK10) with full metal materials</p>	42,520,000	31
	DS-2CD2183G0-IS(Black)	<p>3840 × 2160 @15 fps Color: 0.01 lux @(F1.2, AGC ON), 0.028 lux @(F2.0, AGC ON), 0 lux with IR H.265+ 120dB WDR BLC/3D DNR/ROI/HLC IP67, IK10 Built-in micro SD/SDHC/SDXC card slot, up to 128 GB</p>	47,840,000	32
	DS-2CD2183G0-IS	<p>4K WDR Fixed Dome Network Camera with Build-in Mic New H.265+ 120 dB true WDR Water and dust resistant (IP66) and vandal proof (IK10) with full metal materials</p>	48,790,000	33
	DS-2CD2183G0-IS(BLACK)	<p>4K WDR Fixed Dome Network Camera with Build-in Mic New H.265+ 120 dB true WDR Water and dust resistant (IP66) and vandal proof (IK10) with full metal materials</p>	47,840,000	34

	DS-2CD2322WD-I	<p>Up to 2 megapixel high resolution Dual stream 120dB Wide Dynamic Range 3D Digital Noise Reduction Support on-board storage, up to 64GB Support H.264+ Up to 30m IR range IP67 weather-proof protection</p>	37,740,000	35
	DS-2CD2342WD-I	<p>Up to 4 megapixel high resolution 120dB Wide Dynamic Range 3D Digital Noise Reduction Support on-board storage, up to 64GB High performance EXIR LED Up to 30m IR range IP66</p>	46,560,000	36
	DS-2CD2421G0-IW	<p>High quality imaging with 2 MP resolution Efficient H.265+ compression technology Provides real-time security via built-in two-way audio Detects human body through passive infrared is sensitive to body temperature (PIR) -W: Wi-Fi connection -D: DC power supply</p>	27,130,000	37
	DS-2CD2443G0-IW	<p>4 MP Indoor WDR Fixed Efficient H.265+ 120 dB true WDR built-in two-way audio Detects human body through passive infrared is sensitive to body temperature (PIR) Wi-Fi connection</p>	37,500,000	38





	DS-2CD2643G2-IZS	<p>2560 × 1440@30fps 2.8 to 12 mm Varifocal lens 120dB WDR H.265+ Three streams 2 behavior analyses, and face detection BLC/3D DNR/ROI IP67, IK10 Built-in micro SD/SDHC/SDXC card slot, up to 128 GB</p>	83,920,000	39
	DS-2CD2743G1-IZS	<p>4 MP Outdoor WDR Motorized Varifocal Dome Network Camera H.265+ 120 dB true WDR technology -S: audio and alarm Water and dust resistant (IP67) (IK10) Motorized varifocal lens with full metal materials</p>	86,530,000	40
	DS-2CD2955FWD-IS	<p>5 MP Fisheye Fixed Dome Network Camera 180° fisheye view Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology.</p>	100,470,000	41
	DS-2CD2955FWD-I	<p>Up to 1.0 megapixel resolution motorized Pan&Tilt Digital WDR 3D DNR IR range approx. 10 meters Support Wi-Fi, support WPS configuration with one touch (-W) Two-way audio Support 128G SDCard</p>	97,350,000	42




	DS-2CD2T43G0-I5	4 MP Outdoor WDR Fixed Bullet Network Camera H.265+ compression technology 50M IR Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) Robust structure design with full metal materials.	46,400,000	43
	DS-2CD2T43G2-2I (2.8mm)	4 MP resolution 120 dB WDR technology H.265+ technology Water and dust resistant (IP67) Focus on human and vehicle targets classification based on deep learning	44,020,000	44
	DS-2CD2T43G2-4I (4mm)	4 MP resolution 120 dB WDR technology H.265+ technology Water and dust resistant (IP67) Focus on human and vehicle targets classification based on deep learning	45,850,000	45
	DS-2CD2T43G0-I8	4 MP Outdoor WDR Fixed Bullet Network Camera H.265+ compression technology 80M IR Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) Robust structure design with full metal materials.	45,850,000	46




	DS-2CD2T63G2-4I (4mm)	6 MP resolution H.265+ technology 120 dB WDR technology Focusing on human and vehicle classification based on deep learning Water and dust resistant (IP67)	41,620,000	47
	DS-2CD2T63G0-I8	6 MP Outdoor WDR Fixed Bullet Network Camera Efficient H.265+ 120 dB true WDR technology Water and dust resistant (IP67) 80M IR with full metal materials.	50,250,000	48
	DS-2CD2T83G2-4I (4mm)	8 MP resolution H.265+ technology 120 dB WDR technology Focusing on human and vehicle classification based on deep learning Water and dust resistant (IP67)	48,790,000	49
	DS-2CD2T83G0-I8	4K Outdoor WDR Fixed Bullet Network Camera Efficient H.265+ 120 dB true WDR technology Water and dust resistant (IP67) with full metal materials.	53,110,000	50
	DS-7104NI-Q1/M	4-ch Mini 1U NVR H.265+ Up to 4 MP high-definition live view, storage and playback Up to 40 Mbps high incoming bandwidth Up to 4-ch @ 1080p 1 HDD for continuous video recording Metal case for professional industry applications	19,470,000	51

	DS-7108NI-Q1/M	<p>8-ch Mini 1U NVR Supports decoding H.265+ Up to 4 MP high-definition live view, storage and playback Up to 4-ch @ 1080p decoding capacity Up to 60 Mbps high incoming bandwidth 1 HDD for continuous video recording Metal</p>	25,600,000	52
	DS-7604NI-K1	<p>4-ch 1U 4K NVR Supports decoding H.265+ Up to 4K high-definition live view, storage and playback Up to 4-ch @ 1080p decoding capacity Up to 40 Mbps high incoming bandwidth ensures IP cameras can be connected 1 HDD for continuous video recording</p>	35,110,000	53
	DS-7608NI-K1	<p>8-ch 1U 4K NVR Supports decoding H.265+ Up to 4K high-definition live view, storage and playback Up to 4-ch @ 1080p decoding capacity Up to 80 Mbps high incoming bandwidth 1 HDMI and 1 VGA interfaces: both interfaces support independent video output.1 HDD</p>	38,380,000	54
	DS-7616NI-E2/16P	<p>16-ch Main stream: 50 fps (P) / 60 fps (N) Sub-stream: 50 fps (P) / 60 fps (N) Synchronous HDMI and VGA Output 1920 × 1080p Resolution 160Mbps/80Mbps 19-inch rack-mounted 1U chassis</p>	88,960,000	55



	DS-7616NI-K2	<p>16-ch 1U 4K NVR Supports decoding H.265+ Up to 4K high-definition live view, storage and playback Up to 8-ch @ 1080p Up to 160 Mbps high incoming bandwidth 1 HDMI and 1 VGA interfaces: both interfaces support independent video output 2 HDDs for continuous video recording</p>	54,770,000	56
	DS-7616NI-Q1	<p>16-ch 1U 4K NVR Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity Up to 160 Mbps incoming bandwidth</p>	45,720,000	57
	DS-7616NI-Q2	<p>16-ch 1U 4K NVR Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity Up to 160 Mbps incoming bandwidth</p>	49,530,000	58
	DS-7616NI-Q2/16P	<p>16-ch 1U 16 PoE 4K NVR Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity Up to 160 Mbps incoming bandwidth</p>	88,040,000	59

	DS-7716NI-Q4	<p>16-ch 1.5U 4K NVR</p> <p>Supports decoding H.265+</p> <p>Up to 4K high-definition live view, storage and playback</p> <p>Up to 4-ch @ 1080p decoding capacity</p> <p>Up to 160 Mbps high incoming bandwidth</p> <p>1 HDMI and 1 VGA interfaces</p>	102,210,000	60
	DS-7716NI-Q4/16P	<p>Up to 16 channel IP cameras can be connected</p> <p>Supports decoding H.265+</p> <p>Up to 4K live view, storage and playback</p> <p>Up to 4-ch @ 1080p decoding capacity</p> <p>Up to 160 Mbps high incoming bandwidth ensures IP cameras can be connected</p> <p>interfaces: both interfaces support independent video</p> <p>4 HDDs for continuous video recording</p>	128,310,000	61
	DS-7732NI-K4	<p>32-ch 1.5U 4K NVR</p> <p>Supports decoding H.265+</p> <p>Up to 8-ch @ 1080p decoding capacity</p> <p>Up to 256 Mbps high incoming bandwidth</p> <p>1 HDMI and 1 VGA interfaces</p> <p>4 HDDs for continuous video recording</p> <p>Supports various specific function cameras, including thermal camera /fisheye/people counting/heatmap/ANPR (automatic number plate recognition)</p>	123,790,000	62

	DS-7732NI-K4/16P	<p>32-ch 1.5U 16 PoE 4K NVR Supports decoding H.265+ Up to 8-ch @ 1080p decoding capacity 1 HDMI and 1 VGA interfaces 4 HDDs for continuous video recording Plug & Play with 16 Power-over-Ethernet (PoE) interfaces Supports various specific function cameras, including thermal camera /fisheye/people counting/heatmap/ANPR (automatic number plate recognition)</p>	192,800,000	63
	DS-7732NI-Q4	<p>32-ch 1.5U 16 PoE 4K NVR Supports decoding H.265+ Up to 4K high-definition live view, storage and playback Up to 4-ch @ 1080p decoding capacity Up to 256 Mbps high incoming bandwidth 1 HDMI and 1 VGA interfaces video output 4 HDDs for continuous video recording</p>	113,870,000	64
	DS-7732NI-Q4/16P	<p>32-ch 1.5U 16 PoE 4K NVR Supports decoding H.265+ Up to 4K high-definition live view, storage and playback Up to 4-ch @ 1080p decoding capacity Up to 256 Mbps high incoming bandwidth 1 HDMI and 1 VGA interfaces video output 4 HDDs for continuous video recording Plug & Play with 16 Power-over-Ethernet (PoE) interfaces</p>	162,620,000	65