










	DS-2CE10DFT-F	<p>2 MP full time color bullet camera 24/7 full color imaging Warm supplemental light with 20 m range 130 dB true WDR technology 3D DNR (IP67) 4 in 1</p>	18,410,000	1
	DS-2CE12DF3T-F	<p>2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR Up to 40 (TVI/AHD/CVI/CVBS) (IP67)</p>	17,590,000	2
	DS-2CE16D0T-EXIP	<p>High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm fixed lens Up to 20 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) (IP66)</p>	6,110,000	3
	DS-2CE16D0T-EXIF	<p>High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm fixed lens Up to 20 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) (IP66)</p>	7,430,000	4

	DS-2CE16D0T-ITF	2 MP bullet camera Smart IR: up to 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	8,110,000	5
	DS-2CE16D0T-ITFS	2 MP coaxial audio camera built-in microphone EXIR 2.0: advanced infrared technology with 30 m IR Water and dust resistant (IP67) (TVI/AHD/CVI/CVBS)	11,350,000	6
	DS-2CE16D3T-I3F	2 MP bullet camera ultra-low light down to 0.005 120 dB true WDR 3D DNR technology delivers clean and sharp images Smart IR: up to 30 m IR (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	11,070,000	7
	DS-2CE16D0T-VFIR3F	2 MP varifocal bullet camera 2.8 mm to 12 mm VF Up to 40 m IR distance for bright night imaging Water and dust resistant (IP66) switchable signals (TVI/AHD/CVI/CVBS)	18,640,000	8
	DS-2CE16D8T-ITE	2 MP high performance bullet camera ultra-low light 0.003 130 dB true WDR 3D DNR technology EXIR 2.0: advanced infrared technology with 30 m IR (IP67)	16,630,000	9
	DS-2CE16H0T-ITF	5 MP bullet camera EXIR 2.0: advanced infrared technology with 20 m IR Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	11,090,000	10

	DS-2CE16H0T-ITFS	5 MP bullet camera EXIR 2.0: advanced infrared technology with 20 m IR Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	12,820,000	11
	DS-2CE16H0T-IT3F	5 MP bullet camera EXIR 2.0: advanced infrared technology with 40 m IR Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	13,640,000	12
	DS-2CE17H0T-IT1F	5 MP, resolution Up to 30 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS)	13,310,000	13
	DS-2CE17H0T-IT5F	5 MP resolution Up to 80 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)	15,830,000	14
	DS-2CE16H0T-IT3ZF	5 MP bullet camera 2.7 mm to 13.5 mm motorized varifocal lens Up to 40 m IR distance for bright night imaging Water and dust resistant (IP67) signals (TVI/AHD/CVI/CVBS)	CALL	15
	DS-2CE18U8T-IT3	8 MP high performance bullet camera ultra-low light 0.003 lux 120 dB true WDR 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 60 m IR (IP67)	38,830,000	16






	DS-2CE70DF0T-PF	2 MP, resolution 24/7 color imaging with F1.0 aperture 3D DNR Up to 20 m white light distance for bright night imaging	13,420,000	17
	DS-2CE56D0T-VFIR3F	2MP PoC Manual Varifocal Turret Camera 2.8 mm to 12 mm varifocal Up to 40 m IR distance for bright night imaging Water and dust resistant (IP66)	18,470,000	18
	DS-2CE56D8T-IT1E	2 MP Ultra Low Light PoC ultra-low light 0.003 lux 130 dB true WDR 3D DNR technology EXIR 2.0: advanced infrared technology with 30 m IR distance (IP67)	19,980,000	19
	DS-2CE56D8T-ITME	2 MP Ultra Low Light PoC Fixed Turret Camera ultra-low light down to 0.003 lux 130 dB true WDR technology 3D DNR technology EXIR 2.0: advanced infrared technology with 30 m IR Water and dust resistant (IP67)	16,630,000	20
	DS-2CE76D0T-ITPF	2 MP Indoor Fixed Turret Camera 2 MP turret camera EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).	6,320,000	21



	DS-2CE76D0T-ITPFS	2 MP coaxial audio camera built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 30 m IR Water and dust resistant (IP67)	8,380,000	22
	DS-2CE76D0T-ITMFS	2 MP turret camera EXIR 2.0: advanced infrared technology with 30 m IR Water and dust resistant (IP67) Transmits audio over the coaxial cable	11,390,000	23
	DS-2CE76D3T-ITPF	2 MP turret camera ultra-low light down to 0.005 lux Clear imaging 120 dB true WDR technology 3D DNR technology EXIR 2.0: advanced 30 m IR distance TVI/AHD/CVI/CVBS).	9,980,000	24
	DS-2CE56H0T-IT1F	5 MP high performance COMS 2560 × 1944 resolution EXIR 2.0, smart IR, up to 20m OSD menu, 2D DNR, DWDR 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) IP67 Up the coax (HIKVISION-C)	12,520,000	25

	DS-2CE56H0T-IT3F	Minimum Illumination: Color: 0.01 Lux @ (f1.2, AGC on), 0 Lux with IR Up to 2560 x 1944 Resolution 5 MP @ 20 fps, 4 MP @ 30 fps, 1080p @ 30 fps EXIR 2.0 with up to 130 ft (40 m) IR Range	16,250,000	26
	DS-2CE76H0T-ITMF	5 MP, 2560 x 1944 Resolution Smart IR with a 98 ft (30 m) IR Range 4-in-1 Video Output (Switchable TVI/AHD/CVI/VBS) IP67	12,920,000	27
	DS-2CE76H0T-ITMFS	5 MP coaxial audio camera built-in microphone Transmit audio over coaxial cable EXIR 2.0: advanced infrared technology with 30 m IR Water and dust resistant (IP67) (4 signals switchable TVI/AHD/CVI/CVBS)	12,970,000	28
	DS-2CE76H0T-ITPFE	5 MP turret camera EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	9,690,000	29
	DS-2CE76H0T-ITPFS	5 MP coaxial audio camera Enhanced safety with discreet and economical built-in microphone Transmit audio over coaxial cable EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 TVI/AHD/CVI/CVBS)	11,070,000	30

	DS-2CE78H0T-IT1F	5 MP turret camera EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	13,670,000	31
	DS-2CE78H0T-IT3F	5 MP turret camera EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	14,770,000	32
	DS-2CE78U8T-IT3	8 MP high performance turret camera Strong night performance, capturing images in ultra-low light down to 0.003 lux Clear imaging even against strong back lighting due to 120 dB true WDR EXIR 2.0:with 60 m IR (IP67)	36,590,000	33
	DS-2CE56H0T-IT3ZF	5 MP Motorized Varifocal Turret Camera 5 MP turret camera 2.7 mm to 13.5 mm motorized varifocal lens Up to 40 m IR distance for bright night imaging Water and dust resistant (IP67) One port for four switchable signals (TVI/AHD/CVI/CVBS)	22,610,000	34

	DS-2CE56H1T-IT1E	5 MP high-performance CMOS 2560 × 1944 resolution EXIR 2.0, smart IR, up to 20 m IR distance OSD menu, DNR, DWDR IP67 PoC.af Up the coax (HIKVISION-C)	19,960,000	35
	DS-2CE56H1T-IT3E	5 MP high-performance CMOS 2560 × 1944 resolution EXIR 2.0, smart IR, up to 40 m IR distance OSD menu, DNR, DWDR IP67 PoC.af Up the coax (HIKVISION-C)	21,620,000	36
	DS-2CE78U8T-IT3	4K Fixed Turret Camera 8 MP high performance turret camera ultra-low light down to 0.003 lux 120 dB true WDR 3D DNR EXIR 2.0: advanced infrared technology with 60 m IR (IP67)	36,590,000	37
	DS-2AE4225TI-D	2 MP resolution Excellent low-light performance via powered-by- DarkFighter technology Clear imaging against strong back lighting due to 120 dB WDR technology Pan and tilt ability enables camera to monitor zones of interest 25 × optical zoom allows for closer viewing of subjects in expansive areas Up to 100 m IR range ensures safety at night Water and dust resistant (IP66)	101,600,000	

	DS-7204HQHI-K1	4-ch 1080p 1U H.265 4 channels and 1 HDD 1U Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 6 network cameras	27,970,000	38
	DS-7204HUHI-K1	4-ch 5 MP 1U H.265 4 channels and 1 HDD Efficient H.265 pro+ compression technology Encoding ability up to 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 8 network cameras	32,410,000	39
	DS-7204HUHI-K1/P	4-ch 5 MP 1U H.265 PoC 4 channels and 1 HDD Efficient H.265 pro+ compression technology Encoding ability up to 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 8 network cameras	39,110,000	40
	DS-7208HQHI-K1	8-ch 1080p 1U H.265 DVR 8 channels and 1 HDD 1U H.265 pro+ Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 12 network cameras	36,400,000	41
	DS-7208HUHI-K1	8-ch 5 MP 1U H.265 DVR 8 channels and 1 HDD 1U H.265 pro+ Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 16 network cameras	67,280,000	42

	DS-7208HUHI-K2/P	<p>8-ch 5 MP 1U H.265 PoC DVR 8 channels and 2 HDDs H.265 pro+ Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP)</p>	69,790,000	43
	<p>DS-7116HQHI-K1</p>	<p>8 channels and 1 HDD mini size DVR Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 24 network cameras can</p>	53,820,000	44

فناوران تصویر نوین

	DS-7216HQHI-K1	16-ch 1080p 1U H.265 DVR 16 channels and 1 HDD Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 24 network cameras	68,060,000	45
	DS-7216HQHI-K2	16 channels and 2 HDDs H.265 pro+ Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 24 network cameras can be connected	79,250,000	46
	DS-7216HUHI-K2	16-ch 5 MP 1U H.265 DVR New 16 channels and 2 HDD H.265 pro+ compression Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 32 network cameras	125,290,000	47
	DS-7232HQHI-K2	32-ch 1080p 1U H.265 DVR 32 channels and 2 HDDs 1U Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 40 network cameras can be connected	158,480,000	48

خیابان جمهوری، تقاطع حافظ، مجتمع نادری، طبقه دوم، شماره ۲۲

فناوران تصویر نوین



02166754022



hikpersian.ir



@hikvisionftn