

	DS-2CD1021G0E-I	<p>High quality imaging with 2 MP resolution Efficient H.265+ Clear imaging with DWDR IP67 UP TO 30M IR</p>	13,932,000	1
	DS-2CD1023G0E-I	<p>2 MP Fixed Bullet Network Camera Efficient H.265+ Clear imaging even with DWDR technology Water- and dust- resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range.</p>	15,710,000	2
	DS-2CD1023G0-IU	<p>High Quality imaging with 2 MP resolution H.265+ Clear imaging even with strong back lighting due to DWDR technology Water and dust resistant IP67 EXIR 2.0: advanced infrared technology with long IR Built-in microphone for real-time audio security</p>	22,250,000	3
	DS-2CD1023G0-IUF	<p>2 MP resolution H.265+ Clear imaging against strong back light due to DWDR technology Water and dust resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range Support up to 256 GB SD card storage Built-in microphone for real-time audio security</p>	23,170,000	4

	DS-2CD1043G0-I	<p>4MP Fixed Bullet Network Camera H.265+ compression technology 120 dB WDR Water and dust resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range 3D DNR technology</p>	23,160,000	5
	DS-2CD1047G0-L	<p>4 MP resolution 24/7 full color imaging Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB WDR technology Water and dust resistant (IP67) Robust structure design with <u>full metal materials</u></p>	Call	6
	DS-2CD1053G0-I	<p>5 MP resolution Efficient H.265+ compression technology Clear imaging even with strong back lighting due to 120 dB WDR Water and dust resistant (IP67) EXIR 2.0: -UF: Built-in microphone</p>	34,500,000	7
	DS-2CD1057G0-L	<p>High quality imaging with 5 MP resolution Excellent low-light performance Efficient H.265+ compression technology Water and dust resistant (IP67) 24/7 colorful imaging</p>	41,110,000	8

	DS-2CD1123G0E-I	2 MP Fixed Dome Network Camera Efficient H.265+ compression technology DWDR technology Water- and dust- resistant (IP67), vandal proof (IK10)	17,050,000	9
	DS-2CD1323G0-IUF	2 MP resolution H.265+ (IP67) EXIR 2.0: advanced infrared technology with long IR range Built-in microphone Support up to 256 GB SD card	24,620,000	10
	DS-2CD1323G0-IU	1/2.8" progressive scan CMOS Build-in Mic 3D DNR (Digital Noise Reduction) 1920 × 1080@30fps Up to 30 m IR range PoE (Power over Ethernet) H.265+, H.265, H.264+, H.264 P67 Dual stream,DWDR	Call	11
	DS-2CD1323G0E-I	2 MP Fixed Turret Network Camera Efficient H.265+ compression technology DWDR technology Water and dust resistant (IP67) EXIR 2.0 , 30m IR	18,960,000	12
	DS-2CD1327G0-L	High quality 2MP resolution Excellent low-light H.265,(IP67) 24/7 colorful imaging	Call	13



	DS-2CD1347G0-L	4 MP resolution Excellent low-light performance Efficient H.265+ compression technology Water and dust resistant (IP67) 24/7 colorful imaging	Call	14
	DS-2CD1143G0-I	4MP Fixed Dome Network Camera Efficient H.265+ compression technology 120 dB WDR (IP67) (IK10) EXIR 2.0: advanced infrared technology with long IR	24,130,000	15
	DS-2CD1623G0-I	2 MP Varifocal Bullet Network Camera H.265+ DWDR technology Up to 128 GB SD card slot for storage 2.8 to 12 mm motorized dust and dust resistant (IP67), EXIR 2.0: advanced infrared technology with long IR range.	41,130,000	16
	DS-2CD1643G0-IZ	4 MP Varifocal Bullet Network Camera H.265+ 120 dB WDR Up to 128 GB SD card slot for storage 2.8 to 12 mm motorized vari-focal lens Water and dust resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range	52,590,000	17



	DS-2CD1743G0-IZ	4 MP Varifocal Dome Network Camera H.265+ 120 dB WDR Up to 128GB SD card 2.8 to 12 mm motorized vari-focal lens Water and dust resistant (IP67), vandal proof (IK10) EXIR 2.0: advanced infrared technology with long IR	59,090,000	18
	DS-2CD2021G1-I (2.8mm)	2 MP resolution Efficient H.265+ Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) Support up to 256 GB SD card storage	30,180,000	19
	DS-2CD2023G2-I (2.8mm)	2 MP resolution 120 dB WDR technology H.265+ technology Water and dust resistant (IP67) Focus on human and vehicle targets classification based on deep learning	38,900,000	20
	DS-2CD2027G2-L (2.8mm)	2 MP resolution H.265+ technology 120 dB WDR technology 24/7 colorful imaging Focus on human and vehicle classification based on deep learning Water and dust resistant (IP67)	42,900,000	21
	DS-2CD2043G0-I	4 MP Outdoor WDR Fixed Bullet Network Camera H.265+ compression technology 120 dB true WDR technology Water and dust resistant (IP67) Robust structure design with full metal materials.	Call	22



	<u>DS-2CD2043G2-I</u> (2.8mm)	<p>4 MP resolution 120 dB WDR technology H.265+ technology Water and dust resistant (IP67) Focus on human and vehicle targets classification based on deep learning</p>	36,650,000	23
	<u>DS-2CD2047G2-L</u> (2.8mm)	<p>4 MP resolution H.265+ technology 130 dB WDR technology Focus on human and vehicle targets classification based on deep learning 24/7 colorful imaging Water and dust resistant (IP67)</p>	47,650,000	24
	<u>DS-2CD2063G0-I</u>	<p>6 MP resolution H.265+ technology 120 dB true WDR technology Water and dust resistant (IP67) Robust structure design with full metal materials.</p>	Call	25
	<u>DS-2CD2063G2-I</u>	<p>6 MP resolution H.265+ technology Clear imaging against strong backlight due to 120 dB WDR technology Focusing on human and vehicle classification based on deep learning <small>• Built-in microphone for audio recording</small></p>	Call	26
	<u>DS-2CD2083G0-I</u>	<p>4K Outdoor WDR Fixed Bullet Network Camera H.265+ 120 dB true WDR technology Water and dust resistant (IP67) with full metal materials.</p>	Call	27

	<u>DS-2CD2083G2-L</u> (2.8mm)	8 MP resolution, H.265+ 120 dB WDR , Focusing on human and vehicle classification based on deep learning, (IP67)	54,810,000	28
	<u>DS-2CD2087G2-LU</u>	8 MP , H.265+ 130dB WDR technologyFocus on human and vehicleclassification based on deeplearning 24/7 colorful imaging Built-in microphone	Call	29
	<u>DS-2CD2126G2-ISU</u>	2 MP AcuSense Fixed Dome Network Camera low-light, DarkFighter H.265+ , WDR 120DB, deep learning, Built-in microphone for real-time audio security, Audio and alarm interface available Water and dust resistant (IP67) and vandal resistant (IK10)	49,240,000	30
	<u>DS-2CD2123G2-I</u>	2 MP resolution 120 dB WDR , H.265+ (IP67)(IK10) Focus on human and vehicle targets classification based on deep learning	38,080,000	31
	<u>DS-2CD2143G2-IU</u>	4 MP resolution 120 dB WDR technology H.265+ technology Built-in microphone for real- time audio security Water and dust resistant (IP67) and vandal resistant (IK10) Focus on human and vehicle targets classification based on deep learning	44,980,000	32
	<u>DS-2CD1357G0-L</u>	4 MP resolution H.265+ 120 dB WDR (IP67) EXIR 2.0: advanced infrared technology with long IR range real-time audio security	41,110,000	33



	<u>DS-2CD2163G0-IS(BLACK)</u>	<p>6 MP Outdoor WDR Fixed Dome Network Camera H.265+ 120 dB true WDR technology -S: audio and alarm interface available Water and dust resistant (IP67) and vandal proof (IK10) with full metal materials</p>	Call	34
	<u>DS-2CD2163G0-IU</u>	<p>6 MP WDR Fixed Dome Network Camera with Build-in Mic H.265+ 120 dB true WDR technology Built-in microphone for real-time audio security Water and dust resistant (IP66) and vandal proof (IK10) with full metal materials</p>	Call	35
	<u>DS-2CD2183G2-IU</u>	<p>High quality imaging with 8 MP resolution Clear imaging against strong backlight due to 120 dB true WDR technology Efficient H.265+ compression technology Focus on human and vehicle targets classification based on deep learning Built-in microphone for real-</p>	51,650,000	36
	<u>DS-2CD2183G0-IS(Black)</u>	<p>3840 × 2160 @15 fps Color: 0.01 lux @(F1.2, AGC ON), 0.028 lux @(F2.0, AGC ON), 0 lux with IR H.265+ 120dB WDR BLC/3D DNR/ROI/HLC IP67, IK10 Built-in micro SD/SDHC/SDXC card slot, up to 128 GB</p>	Call	37

	DS-2CD2183G0-IS	4K WDR Fixed Dome Network Camera with Build-in Mic New H.265+ 120 dB true WDR Water and dust resistant (IP66) and vandal proof (IK10) with full metal materials	Call	38
	DS-2CD2183G0-IS(BLACK)	4K WDR Fixed Dome Network Camera with Build-in Mic New H.265+ 120 dB true WDR Water and dust resistant (IP66) and vandal proof (IK10) with full metal materials	Call	39
	DS-2CD2347G2-L	High quality imaging with 4 MP resolution Efficient H.265+ Clear imaging against strong backlight due to 130 dB WDR technology Built-in microphone 24/7 colorful imaging, (IP67)	47,650,000	40
	DS-2CD2322WD-I	Up to 2 megapixel high resolution Dual stream 120dB Wide Dynamic Range 3D Digital Noise Reduction Support on-board storage, up to 64GB Support H.264+ Up to 30m IR range IP67 weather-proof protection	37,740,000	41
	DS-2CD2342WD-I	Up to 4 megapixel high resolution 120dB Wide Dynamic Range 3D Digital Noise Reduction Support on-board storage, up to 64GB High performance EXIR LED Up to 30m IR range , IP66	Call	42

	DS-2CD2421G0-IW	2MP resolution Efficient H.265+, built-in two-way audi, (PIR), Wi-Fi connection	Call	43
	DS-2CD2443G0-IW	4 MP Indoor WDR, H.265+ 120 dB true WDR ,built-in two-way audio, (PIR) Wi-Fi connection, Support Micro SD/SDHC/SDXC card (128G)	37,500,000	44
	DS-2CD2643G2-IZS	2560 × 1440@30fps 2.8 to 12 mm Varifocal 120dB WDR H.265+ , and facedetection , BLC/3DDNR/ROI,IP67, IK10, microSD 128G	80,390,000	45
	DS-2CD2783G2-IZS	8 MP AcuSense Motorized Varifocal H.265+ ,120 dB true WDR audio and alarm Focus on human and vehicle targets classification based on deep learning. support microSD card, up to 256 GB (IP67) (IK10)	83,742,500	46
	DS-2CD2743G2-IZS	4 MP Outdoor WDR Motorized Varifocal Dome Network Camera H.265+ 120 dB true WDR technology -S: audio and alarm (IP67) (IK10) Motorized varifocal lens with full metal materials	69,480,000	47

	DS-2CD2955FWD-IS	<p>5 MP Fisheye Fixed Dome Network Camera 180° fisheye view Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology.</p>	111,220,000	48
	DS-2CD2955FWD-I	<p>Up to 1.0 megapixel resolution motorized Pan & Tilt Digital WDR 3D DNR IR range approx. 10 meters Support Wi-Fi, support WPS configuration with one touch (-W) Two-way audio Support 128G SD Card</p>	107,760,000	49
	DS-2CD2T43G0-I5	<p>4 MP Outdoor WDR Fixed Bullet Network Camera H.265+ compression technology 50M IR Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) Robust structure design with full metal materials.</p>	39,500,000	50
	DS-2CD2T43G2-2I (2.8mm)	<p>4 MP resolution 120 dB WDR technology H.265+ technology Water and dust resistant (IP67) Focus on human and vehicle targets classification based on deep learning</p>	40,500,000	51

خیابان جمهوری، تقاطع حافظ، مجتمع نادری، طبقه دوم، شماره ۲۲

**فناوران تصویر نوین**

02166754022



hikpersian.ir



@hikvisionftn

	DS-2CD2T43G2-4I (4mm)	<p>4 MP resolution 120 dB WDR technology H.265+ technology Water and dust resistant (IP67) up to 80m IR Focus on human and vehicle targets classification based on deep learning</p>	44,760,000	52
	DS-2CD2T43G0-I8	<p>4 MP Outdoor WDR Fixed Bullet Network Camera H.265+ compression technology 80M IR Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) Robust structure design with full metal materials.</p>	44,700,000	53
	DS-2CD2T63G2-4I (4mm)	<p>6 MP resolution H.265+ technology 120 dB WDR technology Focusing on human and vehicle classification based on deep learning up to 80m IR Water and dust resistant (IP67)</p>	54,010,000	54
	DS-2CD2T63G0-I8	<p>6 MP Outdoor WDR Fixed Bullet Network Camera Efficient H.265+ 120 dB true WDR technology Water and dust resistant (IP67) 80M IR with full metal materials.</p>	Call	55
	DS-2CD2T83G2-4I (4mm)	<p>8 MP resolution H.265+ technology 120 dB WDR technology Focusing on human and vehicle classification based on deep learning up to 80m IR Water and dust resistant (IP67)</p>	57,670,000	56



	DS-2CD2T83G0-I8	4K Outdoor WDR Fixed Bullet Network Camera Efficient H.265+ 120 dB true WDR technology Water and dust resistant (IP67) with full metal materials.	57,000,000	57
	DS-2CD2683G2-IZS	8 MP AcuSense Motorized Varifocal, H.265+ Clear imaging against strong backlight due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Audio and alarm interface available Water and dust resistant (IP67) and vandal-resistant (IK10)	82,850,000	58
	DS-7104NI-Q1/M	4-ch Mini 1U NVR H.265+ Up to 4 MP high-definition live view, Up to 40 Mbps high incoming bandwidth Up to 4-ch @ 1080p 1 HDD	20,290,000	59
	DS-7108NI-Q1/M	8-ch Mini 1U NVR Supports decoding H.265+ Up to 4 MP high-definition live view Up to 60 Mbps high incoming bandwidth, 1 HDD	29,820,000	60
	DS-7604NI-K1	4-ch 1U 4K NVR Supports decoding H.265+ Up to 4K high-definition live view Up to 40 Mbps high incoming bandwidth, 1 HDD	38,860,000	61




	DS-7608NI-K1	<p>8-ch 1U 4K NVR, H.265+ Up to 4K high-definition live view, storage and playback Up to 4-ch @ 1080p decoding capacity Up to 80 Mbps high incoming bandwidth, 1HDD</p>	40,360,000	62
	DS-7608NI-Q2	<p>8-ch 1U 4K NVR Up to 8-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch @ 8 MP/3-ch @ 4MP/6-ch @ 1080p decoding capacity Up to 80 Mbps incoming bandwidth</p>	38,600,000	63
	DS-7616NI-E2/16P	<p>16-ch POE NVR Recording Resolution 6MP Synchronous HDMI and VGA Output 1920 × 1080p Supports H.264+ Incoming Bandwidth 160Mbps</p>	88,960,000	64
	DS-7616NI-k1	<p>16-ch 1U 4K NVR Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity Up to 160 Mbps incoming bandwidth</p>	46,781,000	65
	DS-7616NI-K2	<p>16-ch 1U 4K NVR Supports decoding H.265+ Up to 4K liveview Up to 160 Mbps high incoming bandwidth, 2 HDDs</p>	54,410,000	66
	DS-7616NI-Q1	<p>16-ch 1U 4K NVR Supports decoding H.265+ Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity Up to 160 Mbps incoming bandwidth</p>	48,200,000	67



	DS-7616NI-Q2	<p>16-ch 1U 4K NVR Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity Up to 160 Mbps incoming bandwidth</p>	Call	68
	DS-7616NI-Q2/16P	<p>16-ch 1U 16 PoE 4K NVR Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity Up to 160 Mbps incoming bandwidth</p>	97,480,000	69
	DS-7716NI-Q4	<p>16-ch 1.5U 4K NVR Supports decoding H.265+ Up to 4K high-definition live view, storage and playback Up to 4-ch @ 1080p decoding capacity Up to 160 Mbps high incoming bandwidth 1 HDMI and 1 VGA interfaces</p>	113,140,000	70
	DS-7716NI-K4	<p>Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 Up to 2-ch @ 8MP or 4-ch @ 4MP or 8-ch @ 1080P decoding capacity 1 HDMI and 1 VGA 4 HDDs for continuous video recording Up to 160 Mbps incoming bandwidth</p>	119,640,000	71

	DS-7716NI-Q4/16P	<p>Up to 16 channel IP cameras can be connected Supports decoding H.265+ Up to 4K live view, storage and playback Up to 4-ch @ 1080p decoding capacity Up to 160 Mbps high incoming bandwidth ensures IP cameras can be connected interfaces: both interfaces support independent video 4 HDDs for continuous video recording</p>	Call	72
	DS-7732NI-K4	<p>32-ch 1.5U 4K NVR Supports decoding H.265+ Up to 8-ch @ 1080p decoding capacity Up to 256 Mbps high incoming bandwidth 1 HDMI and 1 VGA interfaces 4 HDDs for continuous video recording Supports various specific function cameras, including thermal camera /fisheye/people counting/heatmap/ANPR (automatic number plate recognition)</p>	122,690,000	73
	DS-7732NI-K4/16P	<p>32-ch 1.5U 16 PoE 4K NVR Supports decoding H.265+ Up to 8-ch @ 1080p decoding capacity 1 HDMI and 1 VGA interfaces 4 HDDs for continuous video recording Plug & Play with 16 Power-over-Ethernet (PoE) interfaces Supports various specific function cameras, including thermal camera /fisheye/people counting/heatmap/ANPR (automatic number plate recognition)</p>	209,350,000	74



	DS-7732NI-Q4	<p>32-ch 1.5U 16 PoE 4K NVR Supports decoding H.265+ Up to 4K high-definition live view, storage and playback Up to 4-ch @ 1080p decoding capacity Up to 256 Mbps high incoming bandwidth 1 HDMI and 1 VGA interfaces video output 4 HDDs for continuous video recording</p>	Call	75
	DS-7732NI-Q4/16P	<p>32-ch 1.5U 16 PoE 4K NVR Supports decoding H.265+ Up to 4K high-definition live view, storage and playback Up to 4-ch @ 1080p decoding capacity Up to 256 Mbps high incoming bandwidth 1 HDMI and 1 VGA interfaces video output 4 HDDs for continuous video recording Plug & Play with 16 Power-over-Ethernet (PoE) interfaces</p>	162,620,000	76

