















	<a href="#">DS-2CE16D0T-ITPF</a>	2 MP, 1920 × 1080 resolution 2.8 mm fixed lens 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) Smart IR, up to 25 m IR distance IP67	6,060,000	1
	<a href="#">DS-2CE16D0T-ITPFS</a>	2 MP coaxial audio camera 1 built-in microphone Transmits audio over the coaxial EXIR 2.0: advanced infrared technology with 25 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	7,696,000	2
	<a href="#">DS-2CE12DF3T-E</a>	2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR Up to 40 (TVI/AHD/CVI/CVBS)(IP67)	19,470,000	3
	<a href="#">DS-2CE16D0T-EXIPE</a>	2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm fixed lens Up to 20 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) IP66	6,440,000	4
	<a href="#">DS-2CE16D0T-EXIF</a>	High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm fixed lens Up to 20 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) (IP66)	7,840,000	5






	<a href="#">DS-2CE16D0T-ITF</a>	2 MP bullet camera Smart IR: up to 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	call	6
	<a href="#">DS-2CE16D0T-ITFS</a>	2 MP coaxial audio camera built-in microphone EXIR 2.0: advanced infrared technology with 30 m IR Water and dust resistant (IP67) ( TVI/AHD/CVI/CVBS)	10,860,000	7
	<a href="#">DS-2CE16D3T-I3F</a>	2 MP bullet camera ultra-low light down to 0.005 120 dB true WDR 3D DNR technology delivers clean and sharp images Smart IR: up to 30 m IR (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	call	8
	<a href="#">DS-2CE16D3T-ITF</a>	2 MP bullet camera ultra-low light down to 0.005 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 30 m (IP67) 4 in 1	13,080,000	9
	<a href="#">DS-2CE16D0T-VFIR3F</a>	2 MP varifocal bullet camera 2.8 mm to 12 mm VF Up to 40 m IR distance for bright night imaging Water and dust resistant (IP66) switchable signals (TVI/AHD/CVI/CVBS)	19,650,000	10

	<a href="#">DS-2CE16D8T-ITE</a>	2 MP high performance bullet camera ultra-low light 0.003 130 dB true WDR 3D DNR technology EXIR 2.0: advanced infrared technology with 30 m IR (IP67)	16,630,000	11
	<a href="#">DS-2CE17D0T-IT1F</a>	High quality imaging with 2 MP, 1920 × 1080 resolution Up to 30 m IR distance for bright night imaging signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)	10,900,000	12
	<a href="#">DS-2CE16H0T-ITF</a>	5 MP bullet camera EXIR 2.0: advanced infrared technology with 20 m IR Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	12,040,000	13
	<a href="#">DS-2CE16H0T-ITPFS</a>	5 MP bullet camera EXIR 2.0: advanced infrared technology with 25 m IR built-in microphone Transmit audio over coaxial Water and dust resistant (IP67) 4 in 1 (TVI/AHD/CVI/CVBS)	11,790,700	14
	<a href="#">DS-2CE17H0T-IT3F</a>	5 MP bullet camera EXIR 2.0: advanced infrared technology with 40 m IR Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	14,070,000	15
	<a href="#">DS-2CE17H0T-IT1F</a>	5 MP, resolution Up to 30 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS)	13,330,000	16





	<a href="#">DS-2CE17H0T-IT5F</a>	5 MP resolution Up to 80 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)	call	17
	<a href="#">DS-2CE16H0T-IT3ZF</a>	5 MP bullet camera 2.7 mm to 13.5 mm motorized varifocal lens Up to 40 m IR distance for bright night imaging Water and dust resistant (IP67) signals (TVI/AHD/CVI/CVBS)	CALL	18
	<a href="#">DS-2CE18U8T-IT3</a>	8 MP high performance bullet camera ultra-low light 0.003 lux 120 dB true WDR 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 60 m IR (IP67)	call	19
	DS-2CE70DF0T-PF	2 MP, resolution 24/7 color imaging with F1.0 aperture 3D DNR Up to 20 m white light distance for bright night imaging	call	20
	<a href="#">DS-2CE56D0T-VFIR3F</a>	2MP PoC Manual Varifocal Turret Camera 2.8 mm to 12 mm varifocal Up to 40 m IR distance for bright night imaging Water and dust resistant (IP66)	19,470,000	21
	<a href="#">DS-2CE56D8T-IT1E</a>	2 MP Ultra Low Light PoC ultra-low light 0.003 lux 130 dB true WDR 3D DNR technology EXIR 2.0: advanced infrared technology with 30 m IR distance (IP67)	19,980,000	22





	<a href="#">DS-2CE56D8T-ITME</a>	2 MP Ultra Low Light PoC Fixed Turret Camera ultra-low light down to 0.003 lux 130 dB true WDR technology 3D DNR technology EXIR 2.0: advanced infrared technology with 30 m IR Water and dust resistant (IP67)	call	23
	<a href="#">DS-2CE76D0T-ITPF</a>	2 MP Indoor Fixed Turret Camera 2 MP turret camera EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).	5,970,000	24
	<a href="#">DS-2CE76D0T-ITPFS</a>	2 MP coaxial audio camera built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 30 m IR Water and dust resistant (IP67)	8,960,000	25
	<a href="#">DS-2CE76D0T-ITMFS</a>	2 MP turret camera EXIR 2.0: advanced infrared technology with 30 m IR Water and dust resistant (IP67) Transmits audio over the coaxial cable	10,450,000	26
	<a href="#">DS-2CE76D3T-ITPF</a>	2 MP turret camera ultra-low light down to 0.005 lux Clear imaging 120 dB true WDR technology 3D DNR technology EXIR 2.0: advanced 30 m IR distance TVI/AHD/CVI/CVBS).	10,520,000	27








	<a href="#">DS-2CE56H0T-IT1F</a>	5 MP high performance COMS 2560 × 1944 resolution EXIR 2.0,smart IR, up to 20m OSD menu, 2D DNR, DWDR 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) IP67 Up the coax (HIKVISION-C)	12,520,000	28
	<a href="#">DS-2CE56H0T-IT3F</a>	Minimum Illumination: Color: 0.01 Lux @ (f1.2, AGC on), 0 Lux with IR Up to 2560 x 1944 Resolution 5 MP @ 20 fps, 4 MP @ 30 fps, 1080p @ 30 fps EXIR 2.0 with up to 130 ft (40 m) IR Range	call	29
	<a href="#">DS-2CE76H0T-ITMF</a>	5 MP, 2560 x 1944 Resolution Smart IR with a 98 ft (30 m) IR Range 4-in-1 Video Output (Switchable TVI/AHD/CVI/VBS) IP67	12,450,000	30
	<a href="#">DS-2CE76H0T-ITMFS</a>	5 MP coaxial audio camera built-in microphone Transmit audio over coaxial cable EXIR 2.0: advanced infrared technology with 30 m IR Water and dust resistant (IP67) (4 signals switchable TVI/AHD/CVI/CVBS)	call	31
	<a href="#">DS-2CE76H0T-ITPF</a>	5 MP turret camera EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	10,720,000	32












	<a href="#">DS-2CE76H0T-ITPFS</a>	<p>5 MP coaxial audio camera Enhanced safety with discreet and economical built-in microphone Transmit audio over coaxial cable EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 TVI/AHD/CVI/CVBS)</p>	call	33
	<a href="#">DS-2CE78H0T-IT1F</a>	<p>5 MP turret camera EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	13,160,000	34
	<a href="#">DS-2CE78H0T-IT3F</a>	<p>5 MP turret camera EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	15,570,000	35
	<a href="#">DS-2CE78U8T-IT3</a>	<p>8 MP high performance turret camera Strong night performance, capturing images in ultra-low light down to 0.003 lux Clear imaging even against strong back lighting due to 120 dB true WDR EXIR 2.0:with 60 m IR (IP67)</p>	38,570,000	36

	<a href="#">DS-2CE56H0T-IT3ZF</a>	<p>5 MP Motorized Varifocal Turret Camera 5 MP turret camera 2.7 mm to 13.5 mm motorized varifocal lens Up to 40 m IR distance for bright night imaging Water and dust resistant (IP67) One port for four switchable signals (TVI/AHD/CVI/CVBS)</p>	23,990,000	37
	<a href="#">DS-2CE56H1T-IT1E</a>	<p>5 MP high-performance CMOS 2560 × 1944 resolution EXIR 2.0, smart IR, up to 20 m IR distance OSD menu, DNR, DWDR IP67 PoC.af Up the coax (HIKVISION-C)</p>	19,960,000	38
	<a href="#">DS-2CE56H1T-IT3E</a>	<p>5 MP high-performance CMOS 2560 × 1944 resolution EXIR 2.0, smart IR, up to 40 m IR distance OSD menu, DNR, DWDR IP67 PoC.af Up the coax (HIKVISION-C)</p>	21,620,000	39
	DS-2CE72UF3T-E	<p>High quality imaging with 8 MP 3840 × 2160 resolution 24/7 color imaging light due to 130 dB true WDR Clear imaging against strong back 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm fixed focal lens Up to 40 m white light distance for bright night imaging Water and dust resistant (IP67)</p>	Coming Soon	40



	<a href="#">DS-7216HGHI-K1</a>	16-ch 1080p Lite 1U H.265 DVR H.265 Pro+/H.265 Pro/H.265 video compression HDTV/AVHD/CVI/CVBS/IP video input Up to 18-ch IP camera inputs (up to 5 MP) Up to 1080p Lite@15fps	35,880,000	41
	<a href="#">DS-7204HQHI-K1</a>	4-ch 1080p 1U H.265 4 channels and 1 HDD 1U Efficient H.265 pro+ up to 1080p@ 15 fps 5 signals input adaptively (HDTV/AVHD/CVI/CVBS/IP) Up to 6 network cameras	Call	42
	<a href="#">IDS-7204HUHI-M1/S</a>	4-ch 5MP H.265 AcuSense DVR 4 channels and 1 HDD 1U Efficient H.265 pro+ up to 8 MP lite @ 15 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTV/AVHD/CVI/CVBS/IP) Up to 8 network cameras can be connected.	35,573,700	43
	<a href="#">IDS-7204HQHI-M1/S</a>	4 channels and 1 HDD 1U AcuSense DVR Efficient H.265 pro+ Encoding ability up to 1080p @ 15 fps 5 signals input adaptively Up to 6 network cameras can be connected.	27,200,000	44
	<a href="#">DS-7204HUHI-K1</a>	4-ch 5 MP 1U H.265 4 channels and 1 HDD Efficient H.265 pro+ compression technology Encoding ability up to 5 MP @ 12 fps 5 signals input adaptively (HDTV/AVHD/CVI/CVBS/IP) Up to 8 network cameras	33,990,000	45

	<a href="#">DS-7204HUHI-K1/P</a>	4-ch 5 MP 1U H.265 PoC 4 channels and 1 HDD Efficient H.265 pro+ compression technology Encoding ability up to 5 MP @ 12 fps 5 signals input adaptively (HDTV/AVD/CVI/CVBS/IP) Up to 8 network cameras	36,060,000	46
	<a href="#">DS-7208HQHI-K1</a>	8-ch 1080p 1U H.265 DVR 8 channels and 1 HDD 1U H.265 pro+ Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTV/AVD/CVI/CVBS/IP) Up to 12 network cameras	Call	47
	<a href="#">IDS-7208HQHI-M1/S</a>	8 channels and 1 HDD 1U AcuSense DVR H.265 pro+ Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTV/AVD/CVI/CVBS/IP) Up to 12 network cameras can be connected.	46,750,000	48
	<a href="#">DS-7208HUHI-K1</a>	8-ch 5 MP 1U H.265 DVR 8 channels and 1 HDD 1U H.265 pro+ Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTV/AVD/CVI/CVBS/IP) Up to 16 network cameras	Call	49
	<a href="#">DS-7208HUHI-K2/P</a>	8-ch 5 MP 1U H.265 PoC DVR 8 channels and 2 HDDs H.265 pro+ Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTV/AVD/CVI/CVBS/IP)	73,570,000	50

	DS-7116HQHI-K1	8channels and1HDD minisize DVR Efficient H.265pro+ compression technologyEncoding ability up to1080p@15fps 5signals input adaptively (HDTV/AVD/CVI/CVBS/IP)Up to24network cameras can	53,820,000	51
	<a href="#">DS-7216HQHI-K1</a>	16-ch1080p1U H.265DVR16channels and1HDEfficient H.265pro+compression technologyEncoding ability up to1080p@15fps 5signals input adaptively (HDTV/AVD/CVI/CVBS/IP) Up to24network cameras	68,410,000	52
	<a href="#">DS-7216HQHI-K2</a>	16channels and2HDDsH.265pro+ Encoding ability up to1080p@15fps 5signals input adaptively (HDTV/AVD/CVI/CVBS/IP)Up to24network cameras canbe connected	Call	53
	<a href="#">DS-7216HUHI-K2</a>	16-ch5MP 1U H.265DVR New16channels and2HDDH.265pro+ compressionEncoding ability up to8MP@8fps,5MP@12fps 5signals input adaptively (HDTV/AVD/CVI/CVBS/IP)Up to32network cameras	120,660,000	54
	<a href="#">DS-7232HQHI-K2</a>	32-ch1080p1U H.265DVR32channels and2HDDs1UEfficient H.265pro+compression technologyEncoding ability up to1080p@15fps 5signals input adaptively (HDTV/AVD/CVI/CVBS/IP)Up to40network cameras canbe connected	132,710,000	55